

MISSISSIPPI DEPARTMENT OF NATURAL RESOURCES

Bureau of Land and Water Resources

COUNTY WELL LOCATED NARRISON	
WELL NUMBER B 2062	CODED
DATE WELL COMPLETED 4-30-87	

PERFORMED BY Braden Pump & Well Service, Inc.
ADDRESS 17170 Country Cove
NAME OF DRILLING FIRM Saucier, MS 39574
Mr B Drilling Co.

P.O. Box 10631
Jackson, Mississippi 39209
WATER WELL DRILLERS LOG

NAME & MAILING ADDRESS OF LANDOWNER Roy JACKSON			
FRONTIER ROAD			
SAUCIER MS 39574			
WELL LOCATION: SEC	TOWNSHIP	RANGE	
36	5	S 12 W	
DISTANCE	DIRECTION	NEAREST TOWN	
1 Miles	W	Wortham	
OTHER LANDMARK			
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc. Home			

PUMP DATA		
PUMP TYPE (Circle One): <input checked="" type="radio"/> Submersible , Turbine, Jet, Flowing Well, Other (Describe) _____		
POWER TYPE (Circle One): <input checked="" type="radio"/> Electric , Tractor, Diesel, Gasoline, Butane, Other (Describe) _____		
Pump Capacity (GPM)	No. of Stages	Setting Depth
20		100 FT.
PUMP TEST		
Well yielded 20 GPM with a drawdown of _____ ft. after _____ hours of pumping		

WELL DATA		
Well Depth 360'	Casing Diameter (In.) 4" X 2"	Casing Length (Ft.) 345
Type of Casing PVC	Hole Depth 360	Depth to Static Water Level 36
TYPE OF COMPLETION: (Circle One or More): <input checked="" type="checkbox"/> Natural Development , <input type="checkbox"/> Gravel Packed, <input type="checkbox"/> Underreamed, <input type="checkbox"/> Telescoped, <input type="checkbox"/> Open Hole, <input type="checkbox"/> Other		
Top of Lap Pipe or Reduction in Casing		
FEET	IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE	

LOG DATA	
TYPE OF LOG RUN (Circle One): <input checked="" type="radio"/> No Log Run , <input type="radio"/> Electric, <input type="radio"/> Gamma Ray, <input type="radio"/> Density, <input type="radio"/> Sonic, <input type="radio"/> Neutron, Other (Describe) _____	
Name of Organization Running Log	

SCREEN DATA		
Diameter - Inches 2"	Length - Feet 10	Slot Size - Inches .008
Screen Type PVC WDP	Depth to Bottom - Feet 355 - 5 FT	

GEOLOGIC DATA (Office Use Only)			
Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test

Driller's Remarks

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO	FOOTAGE	CORRECTION	FROM	TO
Surface	0	4				
Red Clay	4	35				
Sand	35	45				
White Clay	45	80				
Blue Clay	80	150				
Sand & Clay Breaks	150	170				
Blue Clay	170	236				
Sand & Clay Breaks	236	320				
Grey Sand	320	355				
Blue Clay	355	360				
<div style="font-size: 2em; font-weight: bold; opacity: 0.5; transform: rotate(-5deg); display: inline-block;">RECEIVED</div> AUG 20 1987 Department of Natural Resources Bureau of Land & Water Resources						
IF MORE SPACE IS NEEDED, USE BACK						

If well telescopes please sketch and show depths.

40219514
 13-08-14

GROUND LEVEL

4" x 2" PVC
 Bushing

4" Sch 40
 PVC

← 200 FT

2" Sch 40 PVC

← 345 FT

← 2" PVC Screen

← 355 FT

← 360 FT

2" Sch 40 PVC →

2" PVC
 Back Wash Valve →

	40219514		
	13-08-14		
X			

SECTION 36

Please indicate well location X.

ADDITIONAL INFORMATION

If more than one screen,
 show location of each on sketch.