County. Marrison Part 1 - D	riller's Log
Mississippi Department	of Environmental Quality Aquifer:
	nd Water Resources Well #: C - 373
5 11 N	ox 10631
Jackson, IVI	S 39289-0631 L. S. Elevation:
	961-5210 I-6938 (fax) E-log #:
(601)332	F-0938 (1dx)
State Law requires that this report be prepared by the lice Department at the above address within 30 days of comp	ense holder responsible for the work and filed with the
Information on Well Owner	Well or Borehole Location
(Landowner if borehole is not for a water well)	1171
	Latitude:o, Longitude:o, "
Owner Name James 1065	Method of Lat/Long (circle one): Conventional Survey,
Mailing Address: 34156 Rd. 614	USGS quad, Hand-held GPS, Survey-grade GPS
110 2007/	1/4 1/4 Sec 32 Twn 55 Rng // W
Saucier MS 39574/ City State Zip Code	Distance Direction Nearest Town
City .	Distance Direction Nearest Town.  30 Miles NW of SILOXI
Telephone No. 238 830-0737	
, Well / Bore	hala Data
Well bore	and Data
Date drilling started. 3/28/ODate drilling completed: 3/29	Hole depth: //U Hole diameter: 7
	600
Location of the source of any surface water used for drilling:  Method of dosing and volume of Chlorine used in drilling and deve	Jament 1216 Des 1000/6 897. Ch/Orine
Logs run (circle all applicable): No log run Electric Gamma Ray Name of organization running log(s):	Pensity Sonic Neutron Other:
Purpose of borehole (check one): Water Well X Geotechnical/Geo	logical Investigation Ground Source Heat Pump
Seismic Survey Other (describe	2)
If drilling is not related to water well construction	on, skip the remainder of this block
Purpose of Well (check one): Home \( \frac{1}{2} \) Industrial Public Suppl	
Purpose of Well (check one): Home / Industrial Public Suppl	yImgation rish culture other.
If a flowing well, method of flow regulation: Valve M/A	Other (describe)
Q <sub>0</sub>	2/20/17
Static Water Level: 70 feet above or below (circle one)	Plumb bob
Method of Measurement (circle one) steel tape electric tape	e air line other: Very Cement Bentonite Mix
Well depth://O Well grouted to a depth of	e of grout (circle one): Neat Cement, Benforme
Casing length: /OO feet Casing diameter:	inches Type of casing:
Screen length: /O feet Screen diameter:	inches Type of screen:
Screen slot size: . OO inches Setting depth: From	
Type of completion (circle all applicable): Gravel packed Und	erreamed Telescoped Open hole Natural Development
Other (describe):	
NIA	telescoped or more than one screen, describe on next page
Top of lap pipe or reduction in casing:feet. If	telescopea or more inun one screen, describe on nose page

**State Well Report** 

APR 2 3 2007 BY: OLWR

Form: OLWR-SWR-1A

From (depth) To (depth)
Ground Level

<u>Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations</u>

Description of Formations Encountered

rtify that the well/borehole wassissippi Department of Enviro	onmental Quality and th	e Mississippi Departme		if applicable, and	the
andowner Name:  ertify that the well/borehole wassissippi Department of Environal D. M.	onmental Quality and th	e Mississippi Departme		requirements of (	the
ertify that the well/borehole wassissippi Department of Enviro	onmental Quality and th			requirements of (	the
rtify that the well/borehole wa				requirements of (	the
ndowner Name:				Earm: Ol M/D	O SIMP 4
ndowner Name					
					- Particular de la constantina della constantina
aid in locating the w 4) a north arrow.	vell; 3) any roads, power l	ines, or other items that n	nay aid in locating the pro	perty and the well	1;
tch the property layout and inc	clude the following: 1) the	e well location; 2) any pe	rmanent structures on the	property that may	,
If more than one screen, show	w location of each on sket	tch			<u>-L</u>
i i					
				į.	1
·					

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground Level\_\_\_

RECEIVED

APR 2 3 2007

BY: OLWR

## STATE WELL REPORT Part 2 For Office Use Only: **Pump Installer's Completion Report** Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 Elevation: (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. **Well Owner Information** Well Location Owner Name: Latitude: Longitude: Mailing Address: Method of Lat/Long (check one): Conventional Survey Direction Distance Telephone No. (\_ **Pump Type Power Type** Circle one Circle one Air Lift Submersible Diesel Engine Gasoline Engine Natural Gas Bucket **Piston** Turbine Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): Other (specify): Horse Power Rating of Motor: Date Pump Installed: Setting Depth: feet Rated Pump Capacity: Gallons Per Minute Number of Stages: Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: Air Line Steel Tape Static Water Level (A): Feet Below Land Surface Other (specify) Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface For flowing well, measured shut in head: Test Pumping Rate: Gallons Per Minute Well yielded GPM with a drawdown of Duration of Pump Test (minimum 4 hours): hours of pumping LHEREBY CERTIFY that the above statements are true to the best of my knowledge

Print Name of Pump Installer and License No. (if applicable)

Form: OLWR-SWR-1B

Signature of Pump Installer

RECEIVED

APR 2 3 2007

BY: OLWR