		-
- 1	2	S
١.	11	- 1

County:	HARRISON	_
Dormit #	6.7	_
Driller(	mstruger wellsve	
Date dril	lling completed: 10-12-3	71

Well Owner Information

## STATE WELL REPORT Part 1

Driller's Log

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309
(601)961-5210
(601)360-0535 (fax)

For Of	ffice Use Only:
Well #: 👤	122
Aquifer: _	
E-Log #: _	

Form: OLWR-SWR-1A (4/13)

**Well or Borehole Location** 

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

Owner Name: Terry Stockton  Mailing Address: Brandon Lanc  Saucier Ms 39574  City State Zip Code  Telephone No. 228,348-2837	Latitude: 30°39'500' Longitude: 088°55' 479''  Method of Lat/Long (check one): Conventional Survey,  USGS quad, Hand-held GPS, Survey-grade GPS
Date drilling started: 10-11-21 Date drilling completed: Location of the source of any surface water used for drilli Method of dosing and volume of Chlorine used in drilling a Logs run (circle all applicable): No log run Electric Game Name of organization running log(s):  Purpose of borehole (circle one) Water Well Geotechn Seismic Survey Other	ma Ray Density Sonic Neutron Other:
Purpose of Well (circle all applicable): Home Industrial Other (describe):	
If a flowing well, method of flow regulation: Valve  Static Water Level: feet [above or (below (circle one))]  Method of measurement (circle one): Steel tape Electric	tape Air line Other (describe):  feet Type of grout (circle one): Neat Cement Bentonite Mix  inches Type of casing: PVC  inches Type of screen:  PVC  inches Type of screen:
Top of lap pipe or reduction in casing:feet	one screen, describe on next page

			Well #:		
he sketch below only require		Description of formations and boreholes, unless spe Description of Formations En	cifically exemp	regulation From (depth)	To (depth)
round Level		Topsoil		Ground level	2
		Orange Clay	d wholey	2	30
		Orange, clay	a - Joing	30	75
		Orange Coarse S	and	75	90
		orange clay		90	110
		Blue Clay		110	277
		Gray Coarses	ana	217	290
				5	
more than one screen, show loo	cation of each on eletch				
1) the well location		aid to leasting the wall			
the well location     any permanent structures of	on the property that may	in locating the property and the			
the well location     any permanent structures (     any roads, power lines, or (	on the property that may	in locating the property and the			
the well location     any permanent structures (     any roads, power lines, or (	on the property that may other items that may aid	in locating the property and the	Ra A	•	
the well location     any permanent structures (     any roads, power lines, or (	BRANDON LANC	in locating the property and the			
the well location     any permanent structures (     any roads, power lines, or (	on the property that may other items that may aid	in locating the property and the	Ra A		
the well location     any permanent structures (     any roads, power lines, or (	BRANDON LANC	in locating the property and the	Ra A		ECEIV
the well location     any permanent structures (     any roads, power lines, or (	BRANDON LANC	in locating the property and the	Ra A		ECEIV
the well location     any permanent structures (     any roads, power lines, or (	BRANDON LANC	in locating the property and the	Ra A	to control	ECEIV
the well location     any permanent structures (     any roads, power lines, or (	BRANDON LANC	in locating the property and the	Ra A		ECEIV NOV 05 2
the well location     any permanent structures (     any roads, power lines, or (	BRANDON LANC	in locating the property and the	Ra A		ECEIV NOV 05 2 3Y OLV
1) the well location 2) any permanent structures of 3) any roads, power lines, or of 4) north arrow	BRANDON LANC	in locating the property and the	Ra A	to control le	ECEIV NOV 05 2 3Y OLV
<ol> <li>any permanent structures (</li> <li>any roads, power lines, or (</li> </ol>	BRANDON LANC	in locating the property and the	Ra A		ECEIV NOV 05 2 3Y OLV
1) the well location 2) any permanent structures of 3) any roads, power lines, or 6 4) north arrow  Indowner Name: Term	BRANDON LANE  Stockto	in locating the property and the	Pa 2	e with all appliment of Health	ECEIV NOV 05 2 3Y OLV
1) the well location 2) any permanent structures of 3) any roads, power lines, or 4) north arrow  andowner Name: Termore EREBY CERTIFY that the well luirements of the Mississippi	BRANDON LANE  Stockto	Morating the property and the second	Pa 2	e with all appliment of Health	ECEIV NOV 05 2 3Y OLV

•

## STATE WELL REPORT

## rison County: Permit # Date completed: 10-12

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601)961-5210

For O	ffice Use Only:
Well #: _	D122
Aquifer: _	

Copy information from block on Part 1 (601) 360-0535 (fax) This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Latitude: 30°39′522 "Longitude: 088°55′479" Owner Name: Terry Stockton Mailing Address: brand on La Method of Lat/Long (check one): Conventional Survey\_ USGS quad\_\_\_\_\_, Hand-held GPS\_\_\_\_\_, Survey-grade GPS\_\_\_\_ Saucier NW & NE 4 Sec 31 T 45 AW Miles Nort of D'Shepville Telephone No. 228) 348-2837 (Direction) (Nearest Town) Pump Type (circle one) Submersible Turbine Air Lift Centrifugal Flowing Well (Jet Piston Rotary Other (describe): Rated Pump Capacity: 6.5 Date Pump Installed: 10-13-21 Is This Pump (circle one): New Repaired Replacement Power Type (circle one) Electric Diesel Gasoline Natural Gas Tractor PTO Windmill Other (describe): Horse Power Rating of Motor: 1 HP Setting Depth: 100 FT Diffeet Number of Stages: Pump Test Data for Non Flowing Well Date Well Tested: 10-13-21 Duration of Pump Test (minimum 4 hours): \_\_\_ Static Water Level (A): 80 Feet Below Land Surface Pumping Water Level (B): N/A Feet Below Land Surface 6.5 \_\_ Gallons Per Minute N/A Feet Below Land Surface Test Pumping Rate: \_\_\_\_ Drawdown [(B) - (A)]: \_\_\_\_ Method of measurement (circle one): Steel tape Electric tape (Air line Other (describe):\_ Pump Test Data for Flowing Well Measured shut in head: \_\_\_\_\_feet. GPM with a drawdown of feet after\_ hours of pumping Well vielded Meter Installation N/A Meter Serial Number: Meter Manufacturer: \_\_\_ Meter Model Number/Name: Type of Meter: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc): Installation Date: \_\_\_\_\_ Meter installed by: Is This Meter (circle one): New Repaired Replacement TINIT

Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards.  For agricultural wells, a list of approved meters is on the MDEQ website.				
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.	100			

10/13/21 Print Name of Pump Installer and License No. (if applicable)

Signature of Pumpunstaller

Form: OLWR-SWR-1B (4/13)