County: HACCISON	State Well Report Part 1 – Driller's Log	For Office Use Only:
county. <u>If III is cont</u>	Mississippi Department of Environmental Quality	Aquifer:
Permit #:	Office of Land and Water Resources	Well #: F505
Driller: 0-785	P.O. Box 10631	Well #:
	Jackson, MS 39289-0631	L. S. Elevation:
Date drilling completed: 3-15-10	(601)961-5210	
	(601)354-6938 (fax)	E-log #:

1

10

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

	heads of arming of the wen of borendee.
Information on Well Owner	Well or Borehole Location
(Landowner if borehole is not for a water well)	Latitude: 30° 37. 149. Longitude: 888 14.329.
Owner Name Dete Northrup	09 89 20 1
Mailing Address: 23973	Method of Lat/Long (circle one): Conventional Survey,
Rd. 429	USGS quad, Hand-held GPS Survey-grade GPS
	$5W 4 NW 4 sec_6 Twn 65 Rng 12W$
City State Zip Code	Distance Direction Nearest Town
Telephone No. ()	Miles of
•	
Well / Bore	chole Data
Date drilling started: 3-15 Date drilling completed: 3-1	15 Hole depth: 170 Hole diameter: 5"
Location of the source of any surface water used for drilling:	
Method of dosing and volume of Chlorine used in drilling and deve	lopment:
Logs run (circle all applicable): No log run Electric Gamma Ray Name of organization running log(s):	Density Sonic Neutron Other:
Purpose of borehole (check one): Water Well Geotechnical/Geol	ogical Investigation Ground Source Heat Pump
Seismic Survey Other (describe If drilling is not related to water well construction	
Purpose of Well (check one): Home Industrial Public Supply	yIrrigationFish CultureOther:
If a flowing well, method of flow regulation: Valve O	Other (describe)
Static Water Level:feet above or the low (circle one)	land surface Date measured: 3-15-10
Method of Measurement (circle one) steel tape electric tape	air line other:
Well depth: <u>170</u> Well grouted to a depth of <u>10</u> feet Type	e of grout (circle ene): Neat Cement Bentonite Mix
Casing length: <u>/60</u> feet Casing diameter: <u>2</u>	_inches Type of casing:
Screen length:feet Screen diameter:2	inches Type of screen:
Screen slot size: ,006 inches Setting depth: From	160 feet to 170 feet
Type of completion (circle all applicable): Gravel packed Under	rreamed Telescoped Open hole Natural Development
Other (describe):	
Top of lap pipe or reduction in casing:feet. <u>If te</u>	
	Form: OLWR-SWR-1A

RECEIVED MAR 2 6 2010

BY: OLWR


The sketch below only required for water wells

If well telescopes, show depths on sketch. Ground Level_

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth
Clay	Ground Level	60
	+ 10	120
Sand	60	135
Clay	135	150
Clay Sand	150	170
	+	
		and the second se

If more than one screen, show location of each on sketch



I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Date

laws. MALVIN WAGNON 0-785 3-15-10 Mal-Wag

Print Name of Responsible Licensee and License No.

Signature of Licensee

MAR 2 6 **2010**

County: HALLISON	Part 2	For Office Use Only:		
Permit = M	Pump Installer's Completion Report ississippi Department of Environmental Quality			
Driller:	Office of Land and Water Resources P.O. Box 10631	Aquifer		
Date completed. 3-16-10	Jackson, MS 39289-0631	Well 4: _ F 505		
Copy information from block on Part 1	(601)961-5210 (601)354-6938 (fax)	Elevation:		
This part of the report must be completed by a	licensed water well contractor or a licensed pump	installar A corp of Part Leftha		
report must be attached and both parts filed wi Well Owner Information	in the Department at the above address within 30	days of well completion.		
Dwner Name: Pete Northrup		ell Location		
	Latitude: 30 38.144	Longitude: 89° 14.329 89-14-20 one): Conventional Survey		
Mailing Address: 23973	Method of Lat Long (check of	one): Conventional Survey		
Rd 429	USGS quad, Hand-hel	d GPSSurvey-grade GPS		
Gulfport Ms. 38	503 5W 4 NW 4 Sec 6	2 T 65 R JOW		
City State	Zip Code Distance Direction	Nearest Town		
$\frac{Rd}{Galfport} \frac{429}{Ms. 38}$ City State City State City Office No. (2) (2) (2) (2) (2) (2) (2) (2) (2) (2)	Direction			
		of		
Punip Type	P	ower Type		
Cirele one		Circle one		
ir Lift Jet Sub	mersible Diesel Engine Gasoli	ne Engine Natural Gas		
lucket Piston Turl	nine Electric Motor Hand	Tractor PTO		
entrifugal Rotary Flo		(specify):		
ther (specify):				
ate Pump Installed: 3-16-10	include i on on rearing of which	r:		
	Setting Depth:	teer		
ned Pump Capacity:Galle	ns Per Minute Number of Stages:	2		
Pump Test Data	Mada 1	· · · · · · · · · · · · · · · · · · ·		
ate Well Tested: 7-16-10		Method of Measuring Water Level Circle one		
	Air Line Electric Mea	asuring Line Steel Tape		
natic Water Level (A): <u>30</u> Feet Below	v Land Surface	Siter Cal		
umping Water Level (B): 80 Feet Below	Land Surface			
rawdown [(B) - (A)]: 50 Feet Below	Land Surface For flowing well, measured	but in head: feet		
est Pumping Rate:Gallo		GPMwith a drawdown of		
uration of Pump Test (minimum 4 hours):				
	<u>Y</u> hours feet after	hours of pumping		
EREBY CERTIFY that the above statements a				
INTHONY VIVEASH SC O nt Name of Pump Installer and License No. (if	-805			
in reality of reality installer allu License No. (If	applicable) Signature of Pump Ir	Form: Ory R-SM-4		
		HEUL		
		MAR 2		
		MAR 2		

2