
Intison STATE WELL REPORT	For Office Use Only:	
County: Hart 1 Driller's Log	Well #: E 515	
Mississippi Department of Environmental Quali	tv	
Driller OASI Water Well STV. Office of Land and Water Resources P.O. Box 2309	Aquifer:	
Date drilling completed: 1-8-16 Jackson, MS 39225-2309	E-Log #:	
(601)961-5210 (601)360-0535 (fax)		
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.		
	orehole Location	
(Landowner if borehole is not for a water well) Latitude: 30°32'13.62	"Longitude: 089° 12' 3.72"	
Owner Name: Tyler Ladner Hathod of Lat (Lang (chart	one): Conventional Survey,	
Mailing Address: 1576 DCLIZQDA KD		
USGS quad, Hand-held	d GPS <u>V</u> , Survey-grade GPS	
Gullor M. 39503 NE 4.5	d GPS_V_, Survey-grade GPS ecT6R12	
Telephone No. 008 800 - 8867 (Distance) (Direction	of <u>Guilling (Nearest Town)</u>	
	, , , , , , , , , , , , , , , , , , , ,	
Well / Borehole Data		
Date drilling started: $7-6-16$ Date drilling completed: $7-8-16$ Hole depth: 36	<u>20</u> Hole diameter: <u>4 X 2 </u>	
Location of the source of any surface water used for drilling: <u>N/A</u>		
	a loop Dillim 2 adtinue 10	
Method of dosing and volume of Chlorine used in drilling and development:	N 1	
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic New	utron Other:	
Name of organization running log(s):		
Purpose of borehole (circle one): Water Well Geotechnical/Geological Investigation	Ground Source Heat Pump	
Seismic Survey Other (describe) If drilling is not related to water well construction, skip the remain	uder of this block	
Purpose of Well (circle all applicable): (Home) Industrial Public Supply Irrigation	Fish Culture	
Other (describe):		
If a flowing well, method of flow regulation: Valve Other (describe)		
Static Water Level:	ured: <u>1-8-16</u>	
Method of measurement (circle one): Steel tape Electric tape (Air line) Other (descri	ibe):	
Well depth: 320 F Well grouted to a depth of: 10 feet Type of grout (circle o	ne): Neat Cement Bentonite Mix	
	of casing: PVC	
	e of screen: <u>PVC</u>	
Screen slot size: <u>• 000</u> inches Setting depth: From <u>300</u> fee		
Type of completion (circle all applicable): Gravel packed Underreamed Open h	ole Natural Development	
	Decolive	
Other (describe):	Hecont	
Top of lap pipe or reduction in casing:feet	Heceive	
0.10		
Top of lap pipe or reduction in casing:feet	A page 101 2020 Form: OLWR-SWR-1A (4/13) By OLW	



For Office Use Only: Well #: F

Description of formations encountered must be provided for all wells

The sketch below only required for water wells




Ground Level


240'-4" pre F450 well casing

Harx2

· swedge co

60'-2" pre ff80 well casing





Form: OLWR-SWR-1A (4/13)

STATE WELL REPORT		
County: Harrison Part 2	For Office Use Only:	
Permit #: Pump Installer's Com	etion Report	
Driller COStWater Wellsk. Mississippi Department of Env Office of Land and Water		
Date completed: 7-8-16 P.O. Box 230	9	
Copy information from block on Part 1 Jackson, MS 3922		
(601) 360-0535		
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.		
Well Owner Information	· Well Location	
	032'13.62"Longitude: 089'12'3.72''	
	Lat/Long (check one): Conventional Survey,	
	, Hand-held GPS, Survey-grade GPS	
Gulfport, M.S. 39503 NF City State Zip Code	4 SE 4, Sec 8 T 65 R 12W	
City State Zip Code	Miles WNW of <u>GULFPORT</u> (Direction) (Nearest Town)	
Telephone No. (2018) 2010 - 88107 (Distance)	(Direction) (Nearest Town)	
Pump Type (circle one)		
Submersible Turbine Air Lift Centrifugal Flowing Well Jet Pisto	Rotary Other (describe):	
Date Pump Installed: Rated Pump	Capacity:Gallons Per Minute	
Is This Pump (circle one): (New) Repaired Replacement		
Power Type (circle one)		
Electric Diesel Gasoline Natural Gas Tractor PTO Windmill Other (describe):		
Horse Power Rating of Motor: 149 Setting Depth: 1497	The Number of Stages:	
Pump Test Data for Non Flowing Well Date Well Tested:		
Static Water Level (A): <u>75</u> Feet Below Land Surface Pumping Water Level (B): <u>NA</u> Feet Below Land Surface		
Drawdown [(B) - (A)]: N/A Feet Below Land Surface Test Pumping Rate: 12 Gallons Per Minute		
Method of measurement (circle one): Steel tape Electric tape (Air line) Other (describe):		
Pump Test Data for Flowing Well		
Measured shut in head:feet.		
Well yieldedGPM with a drawdown offee	afterhours of pumping	
Meter Installation		
Meter Manufacturer:		
Meter Model Number/Name:		
Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc):		
Installation Date: Meter installed by:		
Is This Meter (circle one): New Repaired Replacement		
Important: By submitting the above information you are certifying the	t this meter was installed to manufacturer standards.	
For agricultural wells, a list of approved meters is on the MDEQ website.		
I HEREBY CERTIFY that the above statements are true to the best of m Jack Ridgdell 0-472 Print Name of Pump Installer and License No. (If applicable) Date	16 Signature of Pump Interactive	
Form: OLWR-SWR-1B (4/13)		
JUL 2 0 2016		
	By OLWR	

, [,]

٠.