| 10000 | D | ort 1 | For Office Use Only: | | | | | |
|--|--|---|----------------------|--|--|--|--|--|
| County: HUMSON | Part 1 Mississippi Department of Environmental Quality | | Aquifer: | | | | | |
| Permit#: | | nd Water Resources | | | | | | |
| Drille Coast Water Wells | l . | Box 10631 | Well #: <u>G548</u> | | | | | |
| | Jackson, M | IS 39289-0631 | L. S. Elevation: | | | | | |
| Date drilling completed: 11/8/13 | 1 | 961-5210 | | | | | | |
| (601) 354-6938 (fax) | | 4-6938 (fax) | E-log #: | | | | | |
| State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. | | | | | | | | |
| Well Owner Informa | | Well | Location | | | | | |
| Owner Name Troy Abels | | Latitude: 30.31 1.26 Longitude 189.02.17.29: | | | | | | |
| Mailing Address: 12,077 James Elbert Road | | Method of Lat/Long (circle one): Conventional Survey, | | | | | | |
| | | USGS quad, Hand-held GPS Survey-grade GPS | | | | | | |
| Biloxi, ms 39532 City State Zip Code | | SE 1/3 E 1/4 Sec 13 Twn 765 kng RWW | | | | | | |
| Telephone No. (208) 348 - 0909 | | Distance Direction Nearest Town Miles North of Guspons | | | | | | |
| | | | | | | | | |
| Weil Data | | | | | | | | |
| Purpose of Well (circle one Home Industrial Public Supply Irrigation Fish Culture Other: | | | | | | | | |
| Date well drilling started: 11/6/12 Date well drilling completed: 11/8/12 | | | | | | | | |
| If flowing, method of flow regulation: ValveNA Other (describe) | | | | | | | | |
| Static Water Level: 55 feet above or below (circle one) land surface Date measured: 11/8/13 | | | | | | | | |
| Method of Measurement (circle one) steel tape electric tape air line other: | | | | | | | | |
| Hole depth: 755 FT Well depth: 755 FT Well grouted to a depth of 10 feet | | | | | | | | |
| Type of grout (circle one): Cement Bentonite Mix | | | | | | | | |
| Casing length: 735 feet Casing diameter: 2 inches Type of casing: PVC | | | | | | | | |
| Screen length: 20 feet Screen diameter: 2 inches Type of screen: PVC | | | | | | | | |
| Screen slot size: | | | | | | | | |
| Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development | | | | | | | | |
| Other (describe): | | | | | | | | |
| Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page | | | | | | | | |
| Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: | | | | | | | | |
| Name of organization running log(s): NA | | | | | | | | |
| I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi | | | | | | | | |
| Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. | | | | | | | | |
| Jack Ridgdell 0472 Jan | | | 2 / lue | | | | | |
| Print Name of Water Well Contractor and L | | Vater Well Contractor | | | | | | |

State Well Report

For Office Use Only:

| | Description of Formations Encountered | From | To |
|---|--|--|-------------|
| nd Level | TOD Soil | 0 | 2 |
| | arriage. Clay W/ Streaks of Sand | 121 | ĻŲ |
| | Blue Clay w/streaks of Sana | 110 | 684 |
| | Gray Coarse Sand | 680 | 75 5 |
| | | | |
| | | |] |
| | | | |
| | | | |
| | | | |
| | | 1 | |
| | | 1 1 | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| · | | + | |
| | | + | |
| | | | |
| | | | |
| | | 1 | |
| | | | |
| | | | |
| | | | |
| ore than one screen, show location of each on sketch | location; 2) any permanent structures on the property that | t may | |
| e property layout and include the following. I) the wen | or other items that may aid in locating the property and the | a wall | |
| aid in locating the well; 3) any roads, power lines, o | of outer heris that may aid in locating the property and the | c well, | |
| 4) indicate direction. | | 1 | |
| • | | 1 | |
| , | 1 | } | |
| , | | | : |
| • | | | 3 |
| | | | 3 |
| | P | | |
| | P | | Ŗ |
| | Dog | | R |
| | Rod | | R |
| | \$ | | Ŗ |
| | \$ | | RIVER |
| | \$ | | RIVERS |
| | \$ | | RIVERS R |
| | STAMO | | RIVERS |
| | STAMO | | RIVERS R |
| | Wicksoften | | RIVERS R |
| James Fisear Ro | Wicksoften | | RIVERS R |
| | STAMO | | RIVERS R |
| Well X 11+0USC Tames Elbear RD | Wicksoften | | RIVERS R |
| Well X 11+0USC Tames Elbeat RD | Wicksoften | | RIVERS R |
| Well X 11+0USC Tames Elbeat RD | Wicksoften | | RIVERS R |
| | Wicksoften | | RIVERS R |
| well thouse Tames Erbeat Ro er Name: Troy Abels | Wicksoften | | RIVERS RD. |
| well Thouse Tames Fiscar Ro er Name: Troy Abels | Wicksoften | | RIVERS RD. |
| er Name: Troy Abels The Rolling Rolling | Wicksoften | • | RIVERS RD. |
| Well X 1140USC James Elbear RD | Wicksoften | | RIVERS RD. |
| er Name: Troy Abels Al Ribdell | Wicksoften | | RIVERS RD. |

| Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601) 961-5210 (601) 354-6938 (fax) For Office Use Only: Aquifer: Well #: | | | | | | |
|--|---|--|--|--|--|--|
| (001) 354-0350 (Iax) | ··· | | | | | |
| This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump. | | | | | | |
| Well Owner Information Well Location | | | | | | |
| Owner Name: Troy Abels Latitude 30°31'1.26 Longitud 289°02'1 | Latitude 30°31'1.26" Longitud 089°02'/7.23 | | | | | |
| Mailing Address: 12077 James Elbert Road Method of Lat/Long (circle one): Conventional Survey, | Method of Lat/Long (circle one): Conventional Survey, | | | | | |
| USGS quad, (Hand-held GPS,)Survey-grade GPS | USGS quad, (Hand-held GPS,) Survey-grade GPS | | | | | |
| Di OXI M5 39532 City State Zip Code 5E 4 5E 4 Sec /3 Twn 765 Rng R// | 5E 1/4 SE 1/4 Sec /3 Twn 765 Rng R// W | | | | | |
| Distance Direction Nearest Town | | | | | | |
| Telephone No. 838) 348 - 0939 | Miles NORTH of BULFFORT | | | | | |
| Pump Type Circle one Power Type Circle one | Ţ - | | | | | |
| Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Ga | is | | | | | |
| Bucket Piston Turbine Electric Motor Hand Tractor PT | 5 | | | | | |
| Centrifugal Rotary Flowing Well Windmill Other (specify): | - | | | | | |
| Other (specify): Horse Power Rating of Motor: 2 HP | Horse Power Rating of Motor: 2 HP | | | | | |
| Date Pump Installed 1912 Setting Depth: 80 FT Drop Pipe, feet | Setting Depth: 80 FT. Drop Pipe feet | | | | | |
| Rated Pump Capacity: /2 Gallons Per Minute Number of Stages: 3 | | | | | | |
| Pump Test Data Method of Measuring Water Level | | | | | | |
| Date Well Tested: 1 9/12 | | | | | | |
| Static Water Level (A): 55 Feet Below Land Surface Air Line Electric Measuring Line Steel Tape | | | | | | |
| Pumping Water Level (B): Feet Below Land Surface Other (specify): | _ | | | | | |
| Drawdown [(B) - (A)]:Feet Below Land Surface For flowing well, measured shut in head:fee | For flowing well, measured shut in head:feet | | | | | |
| Test Pumping Rate:Gallons Per Minute Well yieldedGPM with a drawdown of | Well yielded GPM with a drawdown of | | | | | |
| Duration of Pump Test (minimum 4 hours): 5/2 hours feet after NA hours of pumpin | g | | | | | |

Signature of Pump Installer I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

Print Name of Pump Histaller and License No. (if applicable)

Signature