State W	'ell Report	
	art 1 For Office Use Only:	
Mississippi Departmen	t of Environmental Quality Aquifer: H-522	
Permit #: Office of Land a	nd Water Resources Well #: 371	
I Duilloud LIAC I MILLER MPIL SIPY	Sox 10631 L. S. Elevation:	
·	961-5210	
(601)35	4-6938 (fax) E-log #:	
State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well.		
Well Owner Information	Well Location	
Owner Name Amos Leger, JR	Latitude: 30 · 30 · 38 " Longitude: 088 · 54 · 145"	
Mailing Address: Tux River Circle	Method of Lat/Long (circle one): Conventional Survey,	
	USGS quad, Hand-held GPS Survey-grade GPS	
Biloxi Ms 39532 City State Zip Code	SE 1/4 Sec 27 Twn 765 Rng R9W	
Telephone No. (228) 432 - 2529	Distance Direction Nearest Town H Miles Nearth of Differentle	
Well	Data	
Purpose of Well (circle one) Home Industrial Public Supply		
Date well drilling started: 8-22-05 Date v	1	
If flowing, method of flow regulation: Valve Other (d	escribe)	
Static Water Level: 65 feet above or below (circle one) land surface Date measured: 8-22-05		
Method of Measurement (circle one) steel tape electric tape air line other:		
Method of Measurement (circle one) steel tape electric tape air line other: Hole depth: 319' Well depth: 319' Well grouted to a depth of 10 feeSEP 3 0 2005		
Type of grout (circle one): Cement Bentonite Mix BY: OLW		
Casing length: 304 feet Casing diameter: 2	inches Type of casing: PVC	
Screen length: 15 feet Screen diameter: 2	inches Type of screen:	
Screen slot size: 1000 inches Setting depth: From 304 feet to 319 feet		
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development		
Other (describe):		
Top of lap pipe or reduction in casing: NA feet. If telescoped or more than one screen, describe on back of page		
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:		
Name of organization running log(s): I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi		
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.		
2 1 1 1		
Jack Ridgdell 0-472 Jat Right		
Print Name of Water Well Contractor and License No.	Signature of Water Well Contractor	

If well	telescop	es pleas	e sketch	below	and	show	depths
II WCII	いいくろくしひ	CO DICEO	C SKCLOII	001011	410	D110 **	COPUL

H. 527

Ground Level	Description of Formations Encountered	From	To
	TopSoil	$\top O$	a
	0.01 0.0 0.0	Ta	15
	White Coarse SAND	15	.38
	Blue Class W/Streaks Of SAND	38	29
	White Coarse Sand Blue Clay w/streaks of Sand Gray Coarse Sand	291	319

If more than one screen, show location of each on sketch

Sketch the property layout and include the following		
4) indicate direction	oads, power lines, or other items that may a	id in locating the property and the well;
6 LP way 13	DOBSONRO	
	.00	RECEIVE
	wen *	RECEIVED SEP 3 0 2005 BY: OLWR
		J. OLWR
(b)	Tox Rover Ro	
	The Royales	
Landowner Name: Amos Leger,	JR.	

Signature of Water Well Contractor

STATE WELL REPORT				
Permit #: Driller Cast Water Well SKV Date completed: 8-22-05 Pump Installer's Mississippi Departmen Office of Land a P.O. F. Jackson, M. (601)	For Office Use Only: Aquifer: Aquifer: Well #: 1 - 522 - Elevation:			
This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump.				
Well Owner Information	Well Location			
Owner Name: HMOS Leger, JR.	Latitude: 30°30°38″ Longitude: 088°54′145″			
Mailing Address: Tux River Circle	Method of Lat/Long (circle one): Conventional Survey,			
Biloxi M5 395 B 2 City State Zip Code Telephone No. (28432 - 2539	USGS quad, Hand-held GPS, Survey-grade GPS NW 1/4 Sec 28 Twn T65 Rng R9V Distance Direction Nearest Town Miles North of D'TBeauthe			
Pump Type Circle one	Power Type Circle one			
Air Lift Submersible	Diesel Engine Gasoline Engine Natural Gas			
Bucket Piston Turbine	Electric Motor Hand Tractor PTO			
Centrifugal Rotary Flowing Well	Windmill Other (specify):			
Other (specify):	Horse Power Rating of Motor: 1 HP Goulds			
Date Pump Installed: 10-11-05	Setting Depth: 80FT Drop PI pe_feet			
Rated Pump Capacity: 6.5 Gallons Per Minute	Number of Stages:			
Pump Test Data Method of Measuring Water Level				
Date Well Tested: 10-11-05	Circle one			
Static Water Level (A): 65 Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape			
Pumping Water Level (B): N/A Feet Below Land Surface	Other (specify):			
Drawdown [(B) – (A)]: NA Feet Below Land Surface	For flowing well, measured shut in head:feet			
Test Pumping Rate: 6.5 Gallons Per Minute	Well yielded 6.5 GPM with a drawdown of			
Duration of Pump Test (minimum 4 hours):hours	N/A feet after N/A hours of pumping			
I HEREBY CERTIFY that the above statements are true to the best of South	f my knowledge. Signature of Pump Installer			

RECEIVED 0C1 2 4 2005

BY: OLWR