State W	ell Report	For Office Use Only:	
+Arrison P	Part 1		
Mississippi Departmen	Mississippi Department of Environmental Quality Office of Land and Water Resources		
	Box 10631	Well #: H-571	
Driller Lus Viater well SRV. Jackson, N	4S 39289-0631	L. S. Elevation:	
	961-5210 4-6938 (fax)	E-log #:	
(001)33	4-0936 (lax)	L-log #.	
State Law requires that this report be prepared by the 30 days of completion of drilling of the well.			
Well Owner Information		Location	
Owner Name Clayton Williams		" Longitude: <u>088-55</u> , <u>440</u> ,	
Mailing Address: 18170 Arlen Williams Rd.	Method of Lat/Long (circle or	ne): Conventional Survey,	
- · · · · · · · · · · · · · · · · · · ·		GPS Survey-grade GPS	
Saucier, M 5 39574 City State Zip Code Sw 1/4 Sec 6		Twn_ <u>765Rng</u> R9W	
Telephone No. <u>2018</u>) <u>697 – 4686</u>	Distance Direction Miles NONTH		
Weil I	Data		
Purpose of Well (circle one Home Industrial Public Supply	Irrigation Fish Culture	Other:	
Date well drilling started: 8-21-07 Date v			
If flowing, method of flow regulation: ValveOther (d	escribe)		
Static Water Level: 80feet above or below circle one) land surface Date measured: 8-21-0-7			
Method of Measurement (circle one) steel tape electric tape air line other: Hole depth: 3/2 FT. Well depth: 3/2 FT. Well grouted to a depth of 10 PECE/VED Type of grout (circle one): Cement Bentonite Mix			
Hole depth: 3/2 FT. Well depth: 3/2 FT.	Well grouted to a depth of	10 Afect	
Type of grout (circle one): Cement Bentonite Mix		CEIVED	
Type of grout (circle one): Cement Bentonite Mix Casing length: 15 feet Casing diameter: 2 Screen length: 15 feet Screen diameter: 2	inches Type of casing:	PVC BY 2 1 2007	
Screen length: 15 feet Screen diameter: 2	inches Type of screen:	PVCTOLIVA	
Screen slot size:inches Setting depth: From	<u>397</u> feet to <u>3</u>	[2feet	
Type of completion (circle all applicable): Gravel packed Under	reamed Telescoped Open	hole Natural Development	
Top of lap pipe or reduction in casing: NA feet. If tel	escoped or more than one scre	en, describe on back of page	
Logs run (circle all applicable) No log run Electric Gamma Ray	Density Sonic Neutron (Other:	
Name of organization running log(s):			
I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi			
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.			
Jack Ridgdell 0-472	_ ach fin	folder	
Print Name of Water Well Contractor and License No.	Signature of V	Water Well Contractor	

Ground Level	
-	
	·

Description of Formations Encountered	From	To
Topsoil	0	a
orange Clay	\mathbf{a}	as
Blue May wistreaks of Sand.	à5	128
Gray low medium to medium Sand	128	138
Blue Clay	1.38	140
Gray Medium Sand	7.40	160
Blue Clar	760	a 85
Gray Modern to Coarse Sale	285	319
	 	
		
	-	
	·	-
	-	
]	

If more than one screen, show location of each on sketch

Sketch the property layout and include the aid in locating the well; 3) and 4) indicate direction.	following: 1) the well location; 2) any permanent by roads, power lines, or other items that may aid	t structures on the property that may in locating the property and the well;
H	*	
15	Release is ill fam	٨.
Α	St. Arms Ro	RECEIVEL BY OLIVE
) wall	BYOLIVA
(N)	X	
Landowner Name: Clay ton W	illiams	

Signature of Water Well Contractor

STATE WELL REPORT

County: Harrison Permit #: _____ Driller COOST WOTER WELL SRV.

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601)961-5210

For Office Use Only:
Aquifer:
well #: M-501
Elevation:

Date completed: 8 (601)354-6938 (fax) This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump. Well Location Well Owner Information ayton Williams Longitude: 18170 Arlen Williams Rd Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS Survey-grade GPS Saucier, MS 395 City State Z 4 Sec 6 Twn 765 Rng R9W Distance Nearest Town Direction Telephone No. 208 697 - 4686 6 Miles NORTH of Power Type Pump Type Circle one Circle one Jet) Submersible Diesel Engine Gasoline Engine Air Lift Natural Gas Bucket Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): Horse Power Rating of Motor: Other (specify): 8-22-07 Date Pump Installed: Setting Depth: 100 FT. Rated Pump Capacity: Gallons Per Minute Number of Stages: Pump Test Data Method of Measuring Water Circle one Date Well Tested: Air Line Electric Measuring Line Static Water Level (A): Feet Below Land Surface Other (specify): Pumping Water Level (B): NA Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface For flowing well, measured shut in head: Test Pumping Rate: Gallons Per Minute GPM with a drawdown of Duration of Pump Test (minimum 4 hours): feet after hours of pumping

	Tack Ridge 10-472 Tack Ridge 10-472 Tack Ridge 10-472
ļ	Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer