	State wen Report		For Office Use Only:	
County: Harrison	Part 1			
county.	Mississippi Department of Environmental Quality		Aquifer:	
Permit #:		and Water Resources Box 10631	Well #: H- 581	
Driller: Coast Water Wells RV		IS 39289-0631	L. S. Elevation:	
Date drilling completed: 13/1/08		961-5210	E. S. Elevation.	
But drining completes	(601) 35	64-6938 (fax)	E-log #:	
State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well.				
Well Owner Information			Location	
Owner Name Oscar Colon		Latitude: 30 · 38 · 855	5' Longitude: <u>088° 56° 350</u> °	
Mailing Address: 13384 Hudson Krohn Rd		Method of Lat/Long (circle or	ne): Conventional Survey,	
		USGS quad, Hand-held GPS Survey-grade GPS		
Biloxi, Ms 39532 City State Zip Code		SF 1/2 NE 1/2 Sec 36	Twn 765 Rng Riow	
		Distance Direction Miles Direction	Nearest Town	
Well Data				
Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other:				
Date well drilling started: 12-1-08 Date well drilling completed: 12-1-08				
If flowing, method of flow regulation: Valve NA Other (describe)				
Static Water Level: feet above or felow circle one) land surface				
Method of Measurement (circle one) steel tape electric tape air line other:				
Hole depth: 60 FT. Well depth: 60 FT. Well grouted to a depth of 6eet				
Type of grout (circle one): Cement Bentonite Mix				
Casing length: 50 feet Casing diameter: 3 inches Type of casing: PVC				
Screen length: 10 feet Screen diameter: 2 inches Type of screen: PVC				
Screen slot size:, OO6 inches Setting depth: From 50feet to 6et				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on back of page				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:				
Name of organization running log(s): Name of organization running log(s): NA				
I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi				

RECEIVED

Signature of Water Well Contractor

DEC 15 2008

BY: OLWR

From

Description of Formations Encountered

Glound Level	TOPSOIL.	03
İ	orangeclay	13/18
	Whiteroarselvell	18 60
		1-1-1
		-
		-
If more than one screen, show location of each on sketch the property layout and include the following: 1) the aid in locating the well; 3) any roads, power limits and include the following: 1) and 1) and 1) and 2) and	well location; 2) any permanent structures on the property thes, or other items that may aid in locating the property and	nat may the well;
4) indicate direction.		
	MASON PO	
	`	
	1	
	2/	
	3) w	
	\$/ waker	
	John March 1	Ì
	3 Jely Dynes industrie	
	S MAY	
	2003 July []	
	rosay well !	
	resage well to	
	J. J	
, A	SCRIP BEND DR	
<u>س</u>	J. J	
	J. J	
	J. J	
andowner Name: DSCAT COLON	J. J	

If well telescopes please sketch below and show depths.

Signature of Water Well Contractor

Ground Level

RECEIVED
DEC 1 5 2008

BY: OLWR

STATE WELL REPORT

County: Harrison Permit #: Driller Cast Water Wellsky. Date completed: 12/1/08

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631

(601) 961-5210 (601) 354-6938 (fax)

For Office Use Only:				
Aquifer:				
Well #: _	H-581			
Elevation				

This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump.

installation of pump.	
Well Owner Information	Well Location
Owner Name: OScar Colon	Latitudes 30° 28′ 855″ Longitude: 088° 56′ 250″
Mailing Address: 13304 Hudson Krohn Rd	Method of Lat/Long (circle one): Conventional Survey,
	USGS quad, Hand-held GPS Survey-grade GPS
Biloxi, Ms 39532 City State Zip Code	<u>SE 14 NE 14 Sec 36 TWN 765 Rng R10 W</u>
Gilly Sills Lip state	Distance Direction Nearest Town
Telephone No. (208) 806 - 6644	2 Miles NORTH of Biloxi
Pump Type Circle one	Power Type Circle one
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas
Bucket Piston Turbine	Electric Motor Hand Tractor PTO
Centrifugal Rotary Flowing Well	Windmill Other (specify):
Other (specify):	Horse Power Rating of Motor: 1 HP
Date Pump Installed: 12/2/08	Setting Depth: 40FT. Droppipe feet
Rated Pump Capacity: 7.5 Gallons Per Minute	Number of Stages:
Pump Test Data	Method of Measuring Water Level
Date Well Tested: 12 2 08	Circle one
Static Water Level (A): Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape
Pumping Water Level (B): NA Feet Below Land Surface	Other (specify):
Drawdown [(B) – (A)]: NA Feet Below Land Surface	For flowing well, measured shut in head:
Test Pumping Rate:	Well yielded
Duration of Pump Test (minimum 4 hours):hours	N/A feet after N/A hours of pumping
LUCDEDV CEDTIEV de ade alemante de la lace	

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer

RECEIVED

DEC 15 2008

BY: OLWR