				٠
- 1	٦		3	1
- 1	١	_	ı	1

- L- 149	I history
County:	Harrison
Permit #	:
Driller:	ootwater Wells vo
Date dril	ling completed: 6-7-21

STATE WELL REPORT Part 1

Driller's Log

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309
(601)961-5210
(601)360-0535 (fax)

For O	ffice Use Only:
Well #:	H 703
Aquifer: _	
E-Log #: _	

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

on premarie of mining of many
Well or Borehole Location
Latitude: 30°32'25.86 Longitude: 088° 59' 31.14"
Method of Lat/Long (check one): Conventional Survey,
USGS quad, Hand-held GPS, Survey-grade GPS
5W 4 5E 4, Sec 9 T 65 R 10W
6 Miles About of Biloxi
(Distance) (Direction) (Nearest Town)
Borehole Data
d: 6-7-21 Hole depth: 740 FT Hole diameter: 2"
lling: N/A
and development: 191 Fet 1000 Drilling agalin Well
mma Ray Density Sonic Neutron Other:
lina ray belief, some needs.
nnical/Geological Investigation Ground Source Heat Pump
er (describe)
l construction, skip the remainder of this block
DECEIVE
al Public Supply Irrigation Fish Culture
Juva
Other (describe)
ow]land surface Date measured:
ric tape Air line Other (describe):
_ feet Type of grout (circle one): Neat Cement Bentonite Mix
0
inches Type of casing:
OV_{0}
inches Type of screen:
inches Type of screen: PVC oth: From 720 feet to 740 feet
inches Type of screen:
inches Type of screen: PVC oth: From 720 feet to 740 feet

If telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A (4/13)

The sketch below only required for water wells	Description of formations encountered	must be provided	for all wa
	and boreholes, unless specifically exem	pted by regulation	ns
If well telescopes, show depths on sketch.	December of Ferrotions Ferrountered	From (donth)	To (dooth
Ground Level	Description of Formations Encountered	From (depth) Ground level	To (depth
	orange Clay	1 2	18
	Drange Coarse Sand	18	30
	Drange Clay W/streaks of Sand		110
	Blue Clay	110	42
	Gray Colarse Sand	420	50
	Blue Clay	504	104
	Gray Coarse Sand	640	74
보다. 그리고 모드 그리고 생활이 불어받는	Stay core salvaria		
		-	
		-	
강이를 고려하는 그들을 때 이 그리고 그래요. 또			
the well location any permanent structures on the property that ma any roads, power lines, or other items that may ai	d in locating the property and the well		
1) the well location 2) any permanent structures on the property that ma	d in locating the property and the well	SECEIN SA	ED 2021 WR
2) any permanent structures on the property that may all any roads, power lines, or other items that may all 4) north-arrow	Therese All All All All All All All All All Al	BY O	

County: Permit_A# Date completed: /a

STATE WELL REPORT

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309

For C	Office Use Only:
Well #:	H 703
Aquifer:	

Copy information from block on Part 1	(601)961-5210			
	(601) 360-0535 (fax)			
This part of the report must be completed by a licensed w	pater well contractor or a licensed pump installer. A copy of Part 1			
of the report must be attached and both parts filed with the Well Owner Information	he Department at the above address within 30 days of well completion. Well Location			
Owner Name: Terry Lamey	물건으로 되었다. 그 그리고 있는 그리고 있는 그리고 있다. 그리고 있는 그리고 있는 그리고 있는 그리고 있는 그리고 있는 그리고 있는 것이다. 그리고 있는 그리고 있는 그리고 있다. 그리고 있는			
Mailing Address: HWY 67	Method of Lat/Long (check one): Conventional Survey,			
	USGS quad, Hand-held GPS, Survey-grade GPS			
Bilovi Ms 39565 City State Zip Code	Sw 4 SE 4, sec 9 T 65 R/OW			
	Miles 100121H of DINGH			
Telephone No. (228) 669-7878	(Distance) (Direction) (Nearest Town)			
Pump	Type (circle one)			
Submersible Turbine Air Lift Centrifugal Flowing W	/el/ Jet Piston Rotary Other (describe):			
가장에 보면 보다 하는데 하는데 하는데 이번 사람들이 하면 하는데 되었다면 하는데	Rated Pump Capacity: Gallons Per Minute			
Is This Pump (circle one): New Repaired Replace				
	r Type (circle one)			
	Windmill Other (describe):			
	Depth: 140fTDP feet Number of Stages: 3			
[1] [1] 이렇게 하는 [1] [1] [1] [1] [1] [1] [1] [1] [1] [1]	ata for Non Flowing Well			
Date Well Tested: 6-8-31 Duration of Pump Test (minimum 4 hours): 5 hours				
Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface				
Drawdown [(B) - (A)]:Feet Below Land	Surface Test Pumping Rate: Gallons Per Minute			
Method of measurement (circle one): Steel tape Electronic				
Pump Test	t Data for Flowing Well			
Measured shut in head:feet.	N/A			
Well yieldedGPM with a drawdown of	feet afterhours of pumping			
	A Comment of the comm			
Meter Manufacturer:	Ameter Serial Number:			
Meter Model Number/Name:	Type of Meter:			
Totalizer Register Unit and Multiplier Factor (AF x .001	D '			
	by:			
이렇게 마셔졌다. 이번 교리들은 경우의 싫었다면서 없다.				
	cement			
Important: By submitting the above information you a For agricultural wells, a list of	are certifying that this meter was installed to manufacturer standards. of approved meters is on the MDEQ website.			
I HEREBY CERTIFY that the above statements are true	to the best of my knowledge			

I HEREBY CERTIFY that the above statements are true to the	best of my knowled	dge.
Jork Ridadell 0-42	6/8/21	Signature of Pump Installer
Print Name of Pump Installer and License No. (if applicable)	Date	Signature of Pump Installer
		// Form: OLWR-SWR-1B (4/13)