State V	Vell Report
	Oriller's Log For Office Use Only:
Mississippi Departmen	nt of Environmental Quality Aquifer: 380
	and Water Resources Sox 10631 Well #:
Jackson, N	AS 39289-0631 L. S. Elevation:
	961-5210
(601)33	4-6938 (fax) E-log ≠:
State Law requires that this report be prepared by the lic Department at the above address within 30 days of com	ense holder responsible for the work and filed with the pletion of drilling of the well or borehole.
Information on Well Owner	Well or Borehole Location
(Landowner if borehole is not for a water well)	Latitude: 30° 24. 932. Longitude 89° 19. 039
Owner Name Gene Herrin	Method of Lat/Long (circle one): Conventional Survey,
Mailing Address: 9054	Method of Lat/Long (circle one): Conventional Survey,
Cleo Smith Rd.	USGS quad, Hand-held GPS, Survey-grade GPS
Par Cl 1 2 20 20	NAME Sec 20 Twn 15 Rng 13W
Pass Christian Ms. 39571 City State Zip Code	SE SW Distance Direction Nearest Town
Telephone No. 228 255 - 9698	Milesof
Telephone No. (141) 233 - 7697	
Well / Bore	hole Data
Date drilling started: 10 75 Date drilling completed: 10-1	5 Hole depth: 470 Hole diameter: 5"
Location of the source of any surface water used for drilling:	opment:
Logs run (circle all applicable): No log run Electric Gamma Ray Name of organization running log(s):	Density Sonic Neutron Other:
Purpose of borehole (check one): Water WellGeotechnical/Geol	ogical Investigation Ground Source Heat Pump
Seismic SurveyOther (describe If drilling is not related to water well construction	
Purpose of Well (check one): HomeIndustrial Public Supply	IrrigationFish CultureOther:
If a flowing well, method of flow regulation: Valve C	ther (describe)
Static Water Level: 70 feet above or below to cle one)	and surface Date measured: 10-15-09
Method of Measurement (circle one) steel tape electric tape	air line other:
Well depth: 470 Well grouted to a depth of 10 feet Type	of grout (circle one): Neat Cement Bentonite Mix
Casing length: 450 feet Casing diameter: 3-200/2	inches Type of casing: /VC
Screen length: 20 feet Screen diameter: 2	
Screen slot size: .006 inches Setting depth: From _	450 feet to 470 feet
Type of completion (circle all applicable): Gravel packed Under	reamed Telescoped Open hole Natural Development
Other (describe):	
Ton of lan nine or reduction in coging:	

Form: OLWR-SWR-1A

RECEIVED

NOV 0 9 2009

BY: OLWR

The sketch below only required for water wells

If well telescopes, show depths on sketch. Ground Level.

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Clay	Ground Level	20
Sand	20	45
Clay	45	25.2
	-	ļ
Sand	25-5-	270
//a		
Clay	270	440
Sand	11110	(15.0
Sand	440	470
	 	
	 	

If more than one screen, show location of each on sketch

1	operty layout and include the for aid in locating the well; 3) any 4) a north arrow.	ollowing: 1) the well locat roads, power lines, or oth	ion; 2) any permanent structures on er items that may aid in locating the	the property that may property and the well;
J		I-10		J
Nosth	Can Second	Home TI	x John with	O. Tanana Market
		SWol (10	eo Srikh Pal	
Landowner Na	ame: Gene Her			

Form: OLWR-SWR-1A Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.

MALUIN WAGNOW 0-785

10-15-09

Signature of License

Print Name of Responsible Licensee and License No.

Date

0 0 2013

STATE WELL REPORT

Part 2

Pump Installer's Completion Report

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601)961-5210

Fo	r Office Use Only:
Aquifer:	5380
Well #: _	
Elevation	

(601)354-6938 (fax) Copy information from block on Part I This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part I of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Latitude: 30° 24.932 Longitude: 89° 19.039 Owner Name: Bene Herrin Mailing Address: 9054 Method of Lat/Long (check one): Conventional Survey____. Cleo Smith Rel USGS quad____. Hand-held GPS . Survey-grade GPS Pass Christian Ms. 295-71 State Zip Code ____ ¼ ____ ¼ Sec T R Direction Nearest Town Telephone No. (228) 255 - 9698 _____Miles of Pump Type Power Type Circle one Circle one Air Lift Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): Other (specify): Horse Power Rating of Motor: /,5 Date Pump Installed: 10-16-05 Setting Depth: 120 feet Rated Pump Capacity: 22 Gallons Per Minute Number of Stages: ____ Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: 10-16-89 Air Line Electric Measuring Line Steel Tape Static Water Level (A): 70 Feet Below Land Surface Other (specify): Pumping Water Level (B): 120 Feet Below Land Surface Drawdown [(B) - (A)]: 50 Feet Below Land Surface For flowing well, measured shut in head: ______feet Test Pumping Rate: ______ Gallons Per Minute Well yielded _____ GPM with a drawdown of Duration of Pump Test (minimum 4 hours): 24 hours _____feet after _____hours of pumping

I HEREBY CERTIF	that the above	statements are true	to the	best of my	knowledge.
-----------------	----------------	---------------------	--------	------------	------------

MALVIN WAGNOW 0-785
Print Name of Pump Installer and License No. (if applicable)

Matter Wagnature of Pump Installer

RECEIVED

NOV 0 9 2009

BY: OLWR