

MISSISSIPPI DEPARTMENT OF NATURAL RESOURCES
Bureau of Land and Water Resources

P.O. Box 10631
Jackson, Mississippi 39209
WATER WELL DRILLERS LOG

COUNTY WELL LOCATED HARRISON	
WELL NUMBER Φ 2209	CODED
DATE WELL COMPLETED NOV. 22-88	

PERMIT NUMBER 0-239
NAME OF DRILLING FIRM McGill Pump & Wells

NAME & MAILING ADDRESS OF LANDOWNER Dicky Nazaretan 6295 MOORE Rd. Long Beach MS.		
WELL LOCATION: SEC	TOWNSHIP	RANGE
32	8 N	12 E
DISTANCE	DIRECTION	NEAREST TOWN
3 Miles	NORTH of	Preville
OTHER LANDMARK		
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc. Home		

PUMP DATA		
PUMP TYPE (Circle One): Submersible, Turbine, Jet Flowing Well, Other (Describe) _____		
POWER TYPE (Circle One): Electric Tractor, Diesel, Gasoline, Butane, Other (Describe) _____		
Pump Capacity (GPM) 15	No. of Stages 2	Setting Depth 60' FT.
PUMP TEST Well yielded 15 GPM with a drawdown of 10 ft. after 1 hours of pumping		

WELL DATA		
Well Depth 540'	Casing Diameter (In.) 2"	Casing Length (Ft.) 20'
Type of Casing PVC	Hole Depth 540'	Depth to Static Water Level 40'
TYPE OF COMPLETION: (Circle One or More): Gravel Packed, Underreamed, Telescoped, Natural Development , Open Hole, Other		
Top of Lap Pipe or Reduction in Casing FEET IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE		

LOG DATA	
TYPE OF LOG RUN (Circle One): Electric, Gamma Ray, Density, Sonic, No Log Run , Other (Describe) _____	
Name of Organization Running Log	

SCREEN DATA		
Diameter - Inches 2"	Length - Feet 10"	Slot Size - Inches .0006
Screen Type PVC	Depth to Bottom - Feet 540'	

GEOLOGIC DATA (Office Use Only)			
Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test
Driller's Remarks			

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO	FEET	PERCENT SAND	PERCENT SILT	PERCENT CLAY	TO
Sand	0	30					
mud	30	240					
Sand	240	265					
mud	265	350					
Sand	350	380					
mud	380	410					
Sand	410	430					
mud	430	490					
Sand	490	540					

RECEIVED

NOV 30 1988

**Department of Natural Resources
Bureau of Land & Water Resources**

IF MORE SPACE IS NEEDED, USE BACK

