<u>`</u>		
County:	Holmes	
	GW-45926 /	
	Irrigation Equipment	
	ng completed: 05/04/2012	

State Well Report Part 1 – Driller's Log

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225
(601) 961-5210

(601) 961-5228 (fax)

For Office Use Only:		
Aquifer:		
Well #:	G67	
L.S. Eleva	ution:	
E-log#:		

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

Department at the above address within 50 days	*
Information on Well Owner (Landowner if borehole is not for a water well)	Well or Borehole Location
Owner Name Osborn Farms	Latitude: 33 ° 11 ' 53 " Longitude: 90 ° 15 ' 28 "
Mailing Address: 1208 Robert E. Lee Dr.	Method of Lat/Long (check one): Conventional Survey,
Walning Addition.	
	☐ USGS quad, ☐ Hand-held GPS, ☐ Survey-grade GPS
Greenwood Ms 38930 City State Zip code	SW % SW ¼ Sec 36 / Twn 16N / Rng 1W
City State 23p code	Distance Direction Nearest Town
Telephone No. () -	2 Miles Northwest of Tchula
Well / Bo	orehole Data
Date drilling started: 05/04/2012 Date drilling completed: 05/0	4/2012 Hole depth: 116 Hole diameter: 20"
Location of the source of any surface water used for drilling: Surface	Water
Method of dosing and volume of Chlorine used in drilling and development	ent: 50 PPM
Logs run (check all applicable): ☑ No log run ☐ Electric ☐ Gamma Name of organization running log(s):	Ray
Purpose of borehole (check one): Water Well Geotechnical	Geological Investigation Ground Source Heat Pump
	•
Seismic Survey Other (a	escribe)nstruction, skip the remainder of this block
Purpose of Well (check one)	ply 🛮 Irrigation 🗌 Fish Culture 📋 Other:
If flowing, method of flow regulation: Valve Other (des	cribe)
Static Water Level: 17 feet above or below (check one) land	d ⊠ surface Date measured: 05/10/2012
Method of Measurement (check one) ⊠ steel tape ☐ electric tape [air line other:
Well depth: 116 Well grouted to a depth of 10 feet	Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ Mix
Casing length: <u>76 65</u> feet Casing diameter: <u>12</u>	inches Type of casing: PVC
Screen length: 40 feet Screen diameter: 12	inches Type of screen: PVC
Screen slot size:050 inches Setting depth: From	
Type of completion (check all applicable): Gravel packed U	nderreamed Telescoped Open hole Natural Development
Other (describe):	
Top of lap pipe or reduction in casing: feet. If	telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A (04/08)

RECEIVED

MAY 2 4 2012

BY: OLWR

<u>If well telescopes, show depths on </u>	sketch.
--	---------

Ground level

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Clay	Ground level	23
Fine Sand	24	38
Fine Sand & Gravel	39	60
Medium Sand & Gravel	61	104
Fine Sand	105	116
(106 - 116) Blanked 11' on bottom		

	, .	
		-

If more than one screen, show location of each on sketch

ndowner Name:	Osborn Farms	- A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	Fa	rm: OLWR-SWR-1A (04/0

Date

Signature of Licensee

MAY 2 4 2012

BY: OLWR

Print Name of Responsible Licensee and License No.

STATE WELL REPORT

Part 2 **Pump Installer's Completion Report**

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601) 961-5210 (601) 961-5228 (fax)

For Office Use Only:		
Aquifer: _		
Well #:	G67	
Elevation:		

Date drilling completed: 05/04/2012 Copy information from block on Part 1

Driller: Irrigation Equipment

County: Holmes Permit #: **GW-45926**

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the

Well (Owner Information	Well Location
Owner Name: Osborn Fa	arms	Latitude: 33 11' 53 N Longitude: 90 15' 28 W
Mailing Address: 1208 Ro	bert E. Lee	Method of Lat/Long (check one): Conventional Survey,
		☐ USGS quad, ☒ Hand-held GPS, ☐ Survey-grade GPS
Greenw	ood Ms 38930	SW 1/4 SW 1/4 Sec 36 T 16N R 1W
City	State Zip code	Distance Direction Nearest Town
Telephone No. ()		2 Miles Northwest of Tchula
	Pump Type Check one	Power Type Check one
Air Lift	Jet Submersible	☐ Diesel Engine ☐ Gasoline Engine ☐ Natural Gas
Bucket	Piston	☐ Electric Motor ☐ Hand ☐ Tractor PTO
Centrifugal	Rotary	☐ Windmill ☐ Other (specify):
Other (specify):		
Date Pump Installed: 05/10	0/2012	Setting Depth: 70 feet
Rated Pump Capacity 2500)+/- Gallons Per Min	ute Number of Stages: 1
Pı	ımp Test Data	Method of Measuring Water Level Check one
Date Well Tested:		☐ Air Line ☐ Electric Measuring Line ☐ Steel Tape
	Feet Below Land Surf	face Other (specify):
Pumping Water Level (B): _	Feet Below Land Surf	ace
Drawdown [(B) - (A)]:	Feet Below Land Surf	For flowing well, measured shut in head: feet
Test Pumping Rate:	Gallons Per Minut	Well yielded GPM with a drawdown of
Duration of Pump Test (mini	mum 4 hours): ho	purs feet after hours of pumping
This is for (check one):	New Well Rep	placement of Existing Pump Repair of Existing Pump
I HEREBY CERTIFY that the	ne above statements are true to the best	of my knowledge. RECEIVE
Patrick Chism	06	95
	ler and License No. (if applicable)	Signature of Pump Installer MAY 2 4 70

Form: OLWR-SWR-1C (07-09)