

County: Holmes  
 Permit #: GW-45047  
 Irrigation Equipment  
 Date drilling completed: 4-11-11

**State Well Report**  
**Part 1 - Driller's Log**  
 Mississippi Department of Environmental Quality  
 Office of Land and Water Resources  
 P.O. Box 2309  
 Jackson, MS 39225  
 (601)961-5210  
 (601)961-5228 (fax)

For Office Use Only:  
 Aquifer: K 149  
 Well #: \_\_\_\_\_  
 L. S. Elevation: \_\_\_\_\_  
 E-log #: \_\_\_\_\_

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

<p>Information on Well Owner          (Landowner if borehole is not for a water well)</p> <p>Owner Name: <u>Ms. Mudd Inc.</u>          Mailing Address: <u>184 Bayou Road</u>  <u>Greenville Ms. 38701</u>          City State Zip Code          Telephone No. ( ) _____</p>	<p>Well or Borehole Location</p> <p>Latitude: <u>33.09214</u> Longitude: <u>90.12.12.3</u>          Method of Lat/Long (circle one): Conventional Survey, <input type="checkbox"/>          USGS quad, Hand-held GPS, Survey-grade GPS <input checked="" type="checkbox"/>  <u>SW 1/4 SE 1/4 Sec 16</u> <input checked="" type="checkbox"/> <u>Twp 15N</u> <u>Rng 1E</u>          SE SW          Distance Direction Nearest Town  <u>2</u> Miles <u>SE</u> of <u>Tchula</u></p>
--	---

Well / Borehole Data

Date drilling started: 4-11-11 Date drilling completed: 4-11-11 Hole depth: 124 Hole diameter: 24"

Location of the source of any surface water used for drilling: Surface Water  
 Method of dosing and volume of Chlorine used in drilling and development: 50 PPM

Logs run (circle all applicable):  No log run  Electric  Gamma Ray  Density  Sonic  Neutron  Other: \_\_\_\_\_  
 Name of organization running log(s): \_\_\_\_\_

Purpose of borehole (check one): Water Well  Geotechnical/Geological Investigation \_\_\_\_\_ Ground Source Heat Pump \_\_\_\_\_  
 Seismic Survey \_\_\_\_\_ Other (describe) \_\_\_\_\_

*If drilling is not related to water well construction, skip the remainder of this block.*

Purpose of Well (check one): Home \_\_\_\_\_ Industrial \_\_\_\_\_ Public Supply \_\_\_\_\_ Irrigation  Fish Culture \_\_\_\_\_ Other: \_\_\_\_\_

If a flowing well, method of flow regulation: Valve \_\_\_\_\_ Other (describe) \_\_\_\_\_

Static Water Level: 14 feet above or below (circle one) land surface Date measured: 4-12-11

Method of Measurement (circle one)  steel tape  electric tape  six line other: \_\_\_\_\_

Well depth: 124 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement  Bentonite  Mix

Casing length: 86 feet Casing diameter: 16 inches Type of casing: PVC

Screen length: 38 feet Screen diameter: 16 inches Type of screen: PVC

Screen slot size: See back inches Setting depth: From See back feet to \_\_\_\_\_ feet

Type of completion (circle all applicable):  Gravel packed  Underreamed  Telescoped  Open hole  Natural Development  
 Other (describe): \_\_\_\_\_

Top of log pipe or reduction in casing: \_\_\_\_\_ feet. *If telescoped or more than one screen, describe on next page.*

RECEIVED  
 APR 13 2011  
 11:30 AM



