

T49

Holmes

MISSISSIPPI DEPARTMENT OF NATURAL RESOURCES

Bureau of Land and Water Resources

P.O. Box 10631

Jackson, Mississippi 39209

WATER WELL DRILLERS LOG

COUNTY WELL LOCATED <u>Attala</u>		PERMIT NUMBER <u>OSTA 9404</u>
WELL NUMBER <u>AT 84</u>	CODED	NAME OF DRILLING FIRM <u>Lambert Drilling</u>
DATE WELL COMPLETED <u>2 Oct 89</u>		

NAME & MAILING ADDRESS OF LANDOWNER
Internatl Paper Co.

WELL LOCATION: SEC 1 TOWNSHIP 14 RANGE 4
14 19 N 7 E

DISTANCE 0 Miles DIRECTION _____ NEAREST TOWN Roseburg

OTHER LANDMARK Durant

WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc.

PUMP DATA

PUMP TYPE (Circle One): Submersible Turbine, Jet, Flowing Well,
Other (Describe) 7 1/2 Hp.

POWER TYPE (Circle One): _____
Electric, Tractor, Diesel, Gasoline, Butane,
Other (Describe) _____ H/P _____

Pump Capacity (GPM) 200 No. of Stages _____ Setting Depth _____ FT.

PUMP TEST
Well yielded _____ GPM with
a drawdown of _____ ft.
after _____ hours of pumping

WELL DATA

Well Depth <u>300</u>	Casing Diameter (In.) <u>6"</u>	Casing Length (Ft.) <u>260</u>
Type of Casing <u>PVC</u>	Hole Depth <u>300</u>	Depth to Static Water Level <u>18 ft</u>

TYPE OF COMPLETION: (Circle One or More):
Natural Development, Gravel Packed, Underreamed, Telescoped,
Open Hole, Other

Top of Lap Pipe or Reduction in Casing
FEET _____ IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE

LOG DATA

TYPE OF LOG RUN (Circle One): _____ No Log Run,
Electric, Gamma Ray, Density, Sonic, Neutron,
Other (Describe) _____

Name of Organization Running Log _____

GEOLOGIC DATA (Office Use Only)

Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test

Driller's Remarks

SCREEN DATA

Diameter - Inches <u>6</u>	Length - Feet <u>40</u>	Slot Size - Inches <u>13</u>
Screen Type	Depth to Bottom - Feet	

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO	FORMATIONS (Continued)	FROM	TO
<u>Clay</u>	<u>0</u>	<u>30</u>			
<u>blue clay</u>	<u>30</u>	<u>105</u>			
<u>Clay sand st.</u>	<u>105</u>	<u>265</u>			
<u>Sand</u>	<u>265</u>	<u>300</u>			

IF MORE SPACE IS NEEDED, USE BACK