State Well R	
	Report
County: <u>Humphreys</u> Part 1	For Office Use Only:
Mississippi Department of En	vironmental Quality Aquifer:
	ter Descurrence
Irrigation Equipment Drille: P.O. Box 100	631 Well #: <u>B281</u>
Jackson, MS 392	89-0631 L. S. Elevation:
Date drilling completed: <u>6-19-09</u> (601)961-52	.10
(601)354-6938	E-log #:
State Law requires that this report be prepared by the driller	in detail and filed with the Department within
<u></u>	u mot mit me peparement within
Well Owner Information	Well Location
Dwner Name_ R + A Farms Latitu	1. 22 1 5 . 21 m
	de: <u>33°15 '36</u> " Longitude: <u>90°42 '19</u> "
Mailing Address: C/o Robbic Forbes Method	od of Lat/Long (circle one): Conventional Survey,
234 Jaketown Road	USGS quad, Hand-held GPS, Survey-grade GPS
CI VIICIUM NOAd CF	1/4 SW 1/4 Sec_ 3- Twn 16N Ring SW
Belzoni Ms. 39038 SE City State Zip Code Distan	14 Jev 1/4 Sec Iwn _ O' Rng _ D
City State Zip Code Distan	nce Direction Nearest Town
relephone No. (662) 207-0797 6	Miles of TS0/9
Well Data	
Purpose of Well (simila one) Iteres to to the term	
Purpose of Well (circle one) Home Industrial Public Supply Irrigat	
Date well drilling started: <u>6-19-09</u> Date well drill	ing completed: 6-19-09
f flowing, method of flow regulation: Valve Other (describe)	
Static Water Level: feet above or below circle one) land surf	face Date measured: <u>6²20²09</u>
Method of Measurement (circle one) steel tape electric tape air	line other:
Iole depth: <u>121</u> Well depth: <u>121</u> Well	grouted to a depth offeet
Type of grout (circle one): Cement Bentonite Mix	
	0.42
Casing length: <u>8/</u> feet Casing diameter: 16 inches	Type of casing: PVC
Casing length: <u>8/</u> feet Casing diameter: 16 inches	A
Casing length: <u>81</u> feet Casing diameter. <u>16</u> inches Screen length: <u>40</u> feet Screen diameter: <u>16</u> inches	Q_
Casing length: <u>8/</u> feet Casing diameter: 16 inches	s Type of screen: PVC
Casing length: <u>81</u> feet Casing diameter: <u>16</u> inches Screen length: <u>40</u> feet Screen diameter: <u>16</u> inches	s Type of screen: \underline{PVC} L feet to $\underline{121}$ feet
Casing length: <u>81</u> feet Casing diameter: <u>16</u> inches Screen length: <u>40</u> feet Screen diameter: <u>16</u> inches Screen slot size: <u>050</u> inches Setting depth: From <u>82</u>	s Type of screen: $\frac{PVC}{121}$ feet to $\frac{121}{126}$
Casing length: <u>81</u> feet Casing diameter: <u>16</u> inches Screen length: <u>40</u> feet Screen diameter: <u>16</u> inches Screen slot size: <u>.050</u> inches Setting depth: From <u>82</u> Sype of completion (circle all applicable): Gravel packed Underreamed Other (describe):	s Type of screen: $\frac{PVC}{2}$ feet to $\frac{121}{\text{feet}}$ feet to $\frac{121}{2}$ feet
Casing length: <u>8</u> / feet Casing diameter: <u>16</u> inches Gereen length: <u>40</u> feet Screen diameter. <u>16</u> inches Gereen slot size: <u>050</u> inches Setting depth: From <u>82</u> Type of completion (circle all applicable): Gravel packed Underreamed Other (describe): Top of lap pipe or reduction in casing:feet. If telescoped	s Type of screen: <u>feet to</u> <u>feet to</u> <u>feet to</u> <u>feet to</u> <u>feet to</u> <u>feet to</u> <u>feet</u> <u>feet to</u> <u>feet</u> feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet feet
Casing length: <u>8</u> / feet Casing diameter: <u>16</u> inches increase length: <u>40</u> feet Screen diameter: <u>16</u> inches inches increase slot size: <u>050</u> inches Setting depth: From <u>82</u> type of completion (circle all applicable): Gravel packed Underreamed Other (describe): <u>50</u> feet. If telescoped ogs run (circle all applicable): No log run Electric Gamma Ray Densit	s Type of screen: provide the provided at th
Casing length: <u>8</u> / feet Casing diameter: <u>16</u> inches inches increen length: <u>40</u> feet Screen diameter: <u>16</u> inches inches inches Setting depth: From <u>82</u> inches Setting depth: From <u>82</u> inche	s Type of screen: <u>PVC</u> <u>feet to 121</u> feet Telescoped Open hole Natural Development or more than one screen, describe on back of page ty Sonic Neutron Other:
Casing length: <u>81</u> feet Casing diameter: <u>16</u> inches Gereen length: <u>40</u> feet Screen diameter: <u>16</u> inches Gereen slot size: <u>050</u> inches Setting depth: From <u>82</u> Type of completion (circle all applicable): Gravel packed Underreamed Other (describe): <u>66</u> Cop of lap pipe or reduction in casing: <u>feet. If telescoped</u> Logs run (circle all applicable): No log run Electric Gamma Ray Densit <u>lame of organization running log(s):</u> certify that the well was drilled, constructed, and completed in accordant	s Type of screen: <u>PVC</u> <u>feet to 121</u> feet Telescoped Open hole Natural Development or more than one screen, describe on back of page ty Sonic Neutron Other: nee with all applicable requirements of the Mississippi
Casing length: <u>8</u> / feet Casing diameter: <u>16</u> inches Gereen length: <u>40</u> feet Screen diameter: <u>16</u> inches Gereen slot size: <u>050</u> inches Setting depth: From <u>82</u> Type of completion (circle all applicable): Gravel packed Underreamed Other (describe): <u>50</u> Top of lap pipe or reduction in casing: <u>feet. If telescoped</u> Logs run (circle all applicable): No log run Electric Gamma Ray Densit <u>lame of organization running log(s):</u> certify that the well was drilled, constructed, and completed in accordant Department of Environmental Quality and/or the Mississippi Department	s Type of screen: <u>PVC</u> <u>feet to 121</u> feet Telescoped Open hole Natural Development or more than one screen, describe on back of page ty Sonic Neutron Other: nee with all applicable requirements of the Mississippi
Casing length: <u>8</u> / feet Casing diameter: <u>16</u> inches Gereen length: <u>40</u> feet Screen diameter: <u>16</u> inches Gereen slot size: <u>050</u> inches Setting depth: From <u>82</u> Type of completion (circle all applicable): Gravel packed Underreamed Other (describe): <u>feet. If telescoped</u> cogs run (circle all applicable): No log run Electric Gamma Ray Densite lame of organization running log(s): certify that the well was drilled, constructed, and completed in accordance Department of Environmental Quality and/or the Mississippi Department Irrigation Equipment Inc.	s Type of screen: <u>PVC</u> <u>feet to 121</u> feet Telescoped Open hole Natural Development or more than one screen, describe on back of page ty Sonic Neutron Other: nee with all applicable requirements of the Mississippi
Casing length: <u>8</u> / feet Casing diameter: <u>16</u> inches Gereen length: <u>40</u> feet Screen diameter: <u>16</u> inches Gereen slot size: <u>050</u> inches Setting depth: From <u>82</u> Type of completion (circle all applicable): Gravel packed Underreamed Other (describe): <u>50</u> Top of lap pipe or reduction in casing: <u>feet. If telescoped</u> Logs run (circle all applicable): No log run Electric Gamma Ray Densit <u>lame of organization running log(s):</u> certify that the well was drilled, constructed, and completed in accordant Department of Environmental Quality and/or the Mississippi Department	s Type of screen: <u>PVC</u> <u>feet to 121</u> feet Telescoped Open hole Natural Development or more than one screen, describe on back of page ty Sonic Neutron Other: nee with all applicable requirements of the Mississippi
Casing length: <u>8</u> / feet Casing diameter: <u>16</u> inches Gereen length: <u>40</u> feet Screen diameter: <u>16</u> inches Gereen slot size: <u>050</u> inches Setting depth: From <u>82</u> Type of completion (circle all applicable): Gravel packed Underreamed Other (describe): <u>50</u> Cop of lap pipe or reduction in casing: <u>feet</u> . If telescoped Logs run (circle all applicable): No log run Electric Gamma Ray Densite Lame of organization running log(s): certify that the well was drilled, constructed, and completed in accordant Department of Environmental Quality and/or the Mississippi Department Errigation Equipment Inc. John P. Chism 0439	s Type of screen: <u>PVC</u> <u>feet to 121</u> feet Telescoped Open hole Natural Development or more than one screen, describe on back of page y Sonic Neutron Other: nce with all applicable requirements of the Mississippi t of Health regulations and state laws.
Casing length: <u>8</u> / feet Casing diameter: <u>16</u> inches inches iccreen length: <u>40</u> feet Screen diameter: <u>16</u> inches iccreen slot size: <u>050</u> inches Setting depth: From <u>82</u> iype of completion (circle all applicable): Gravel packed Underreamed Other (describe): <u>50</u> inches Setting depth: From <u>82</u> Other (describe): <u>50</u> inches Setting depth: From <u>82</u> Underreamed Other (describe): <u>50</u> inches Setting depth: From <u>82</u> inches Setting depth: From <u>82</u> inches Setting depth: From <u>82</u> Underreamed Other (describe): <u>50</u> inches Setting depth: From <u>82</u> inches Setting depth: From <u>82</u> Underreamed Other (describe): <u>50</u> inches Setting depth: From <u>82</u> inches Setting depth: From <u>82</u> inches Setting depth: From <u>82</u> Underreamed Other (describe): <u>50</u> inches Setting depth: From <u>82</u> inches Setting depth inches Setting	s Type of screen: <u>PVC</u> <u>feet to 121</u> feet Telescoped Open hole Natural Development or more than one screen, describe on back of page ty Sonic Neutron Other: nee with all applicable requirements of the Mississippi
asing length: <u>8</u> / feet Casing diameter: <u>16</u> inches creen length: <u>40</u> feet Screen diameter: <u>16</u> inches creen slot size: <u>050</u> inches Setting depth: From <u>82</u> ype of completion (circle all applicable): Gravel packed Underreamed Other (describe): <u>50</u> op of lap pipe or reduction in casing: <u>feet. If telescoped</u> ogs run (circle all applicable): No log run Electric Gamma Ray Densite <u>ame of organization running log(s)</u> : certify that the well was drilled, constructed, and completed in accordance epartment of Environmental Quality and/or the Mississippi Department rrigation Equipment Inc. John P. Chism 0439	s Type of screen: <u>PVC</u> <u>feet to 121</u> feet Telescoped Open hole Natural Development or more than one screen, describe on back of page y Sonic Neutron Other: nce with all applicable requirements of the Mississippi t of Health regulations and-state laws.

• ₍₁₁

? `.y

JUN 2 8 2009 8 Y: OLVVR

.

If well telescopes please sketch below and show depths.

Ground Level

Description of Formations Encountered	From	То
Clay Fine Sand Fine Sand & Grave	0	19
Fine Sand	20	38
Fine Sand + Gravel Medium Sand + Gravel	.39	58
Medium Sand + Gravel	59	121
· · · · · · · · · · · · · · · · · · ·		
	-	
	-	
	_	<u> </u>
		<u> </u>
······································		<u> </u>
······································		
· · · · · · · · · · · · · · · · · · ·		
· · · · · · · · · · · · · · · · · · ·		
· · · · · · · · · · · · · · · · · · ·	_	
	_	L
1	1	1

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well;
4) indicate direction.

R+ A Farms Landowner Name:

Signature of Water Well Contractor

BECEIVED JUN 2.9 2009 BY: OLVING

STATE WELL REPORT		
County: Humphreys Pump Installer Permit #:	Part 2 For Office Use Only: r's Completion Report Aquifer: and Water Resources Aquifer: Box 10631 Well #: MS 39289-0631 B28 1)961-5210 Elevation:	
This report should be prepared by the pump installer in det installation of pump.	tail and filed with the Department within 30 days of the	
Well Owner Information Owner Name: <u>R + A Farms</u> Mailing Address: <u>Clo Robble</u> Forbes <u>234 Jaketuwn Road</u> <u>Belzoni Ms. 39038</u> City State Zip Code Telephone No. (662) 207-0797	Well Location Latitude: 33°15′ 36″ Longitude: 90°4 2' 19″ Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS SE ½ SW ½ Sec 3 Twn 16N Rng 5 W Distance Direction Nearest Town 6 Miles W of IS0/9	
Pump Type Circle one	Power Type Circle one	
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston Turbifie	Electric Motor Hand Tractor PTO	
Centrifugal Rotary Flowing Well	Windmill Other (specify):	
Other (specify):	Horse Power Rating of Motor:60	
Date Pump Installed: $6 - 20 - 09$ Rated Pump Capacity: $2800 \pm$ Gallons Per Minute	Setting Depth:	
Pump Test Data	Method of Measuring Water Level	
Date Well Tested:	Circle one	
Static Water Level (A):Feet Below Land Surface Pumping Water Level (B):Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify):	
Drawdown [(B) – (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet	
Test Pumping Rate:Gallons Per Minute	Well yielded GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping	
I HEREBY CERTIFY that the above statements are true to the best John P. Chism 0439 Print Name of Pump Installer and License No. (if applicable)	of my knowledge. Signature of Pump Installer	
	JUN 2 9 2009	

•

.


) ir

ء ر

.

BY CUM-

B281



• * . . . *

RIVER