County:	Humphre	ys /
Permit #:	GW-4629	7 7
Driller:	Irrigation	Equipment
Date drilli	ng completed:	06/16/2012
	· .	

State Well Report

Part 1 – Driller's Log

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225
(601) 961-5210
(601) 961-5228 (fax)

	For Office Use Only:	
Aquifer:	B301	
Well #:		_
L.S. Elev	ation:	
E-log#:		

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department, at the above address within 30 days of completion of drilling of the well or borehole.

Department at the above address within 50 days				
Information on Well Owner (Landowner if borehole is not for a water well)	Well or Borehole Location			
Owner Name Jane Pratt	Latitude: 33 ° 14 ' 47 " Longitude: 90 ° 41 ' 51 "			
Mailing Address: P.O. Box 1720	Method of Lat/Long (check one): Conventional Survey,			
	☐ USGS quad, ☐ Hand-held GPS, ☐ Survey-grade GPS			
Collierville Ms 38017	<u>№E ¼ SE ¼ Sec 10 ✓ Twn 16N Rng 5W</u>			
City State Zip code	SW Distance Direction Nearest Town			
Telephone No(5 Miles West of Isola			
Well / B	Sorehole Data			
Date drilling started: 06/16/2012 Date drilling completed: 06/	16/2012 Hole depth: 127 Hole diameter: 24"			
Location of the source of any surface water used for drilling: Surface	e Water			
Method of dosing and volume of Chlorine used in drilling and development	nent: 50 PPM			
Name of organization munical acts).	a Ray			
<u>_</u>	al/Geological Investigation Ground Source Heat Pump			
	•			
☐ Seismic Survey ☐ Other (If drilling is not related to water well co	aescribe)			
Purpose of Well (check one)	······································			
If flowing, method of flow regulation: Valve Other (de	escribe)			
Static Water Level: 32 feet above or below (check one) □ land ☒ surface Date measured: 06/18/2012				
Method of Measurement (check one) Steel tape □ electric tape □ air line □ other:				
Well depth: 127 Well grouted to a depth of 10 feet Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ Mix				
Casing length: 87 feet Casing diameter: 16	inches Type of casing: PVC			
Screen length: 40 feet Screen diameter: 16	inches Type of screen: PVC			
Screen slot size:050 inches Setting depth: From				
Type of completion (check all applicable):	Underreamed Telescoped Open hole Natural Development			
Other (describe):				
Top of lap pipe or reduction in casing: feet. L	f telescoped or more than one screen, describe on next page			

Form: OLWR-SWR-1A (04/08)

RECEIVED

JUL 8 6 2012

BY: OLWA

The sk	etch below only	required for water wells
<u>If well</u>	telescopes, sho	w depths on sketch.
G	round level	

<u>Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations</u>

Description of Formations Encountered	From (depth)	To (depth)
Clay	Ground level	23
Fine Sand	24	29
Fine Sand & Gravel	30	55
Medium Sand & Gravel	56	127

If more than one screen, show location of each on sketch

Landowner Name:	Jane Pratt		_	

BY: OLWA

STATE WELL REPORT

Part 2 **Pump Installer's Completion Report**

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601) 961-5210

	For Office Use Only:
Aquifer: _	
Well #:	B301
Elevation:	

County: Humphreys Permit #: **GW-46297** Driller: Irrigation Equipment Date drilling completed: 06/16/2012Copy information from block on Part 1

(601) 961-5228 (fax)

				nsed pump installer. A copy s within 30 days of well com	
ſ <u></u>	ell Owner Informa			Well Location	
Owner Name: Jane l	Pratt		Latitude: 33 14' 4	47 N Longitude:	90 41' 51 W
Mailing Address: P.O). Box 1720		Method of Lat/Long	(check one): Conven	tional Survey,
-			USGS qua	d, 🛛 Hand-held GPS, [Survey-grade GPS
Col	llierville	Tn 38017	-		6N R 5W
City		State Zip code	Distance	Direction Nearest	
Talankana Na	`				10WII
Telephone No. (-		5 Miles	West of Isola	
	Pump Type			Power Type	
	Check one			Check one	
☐ Air Lift	☐ Jet	Submersible	Diesel Engine	Gasoline Engine	Natural Gas
Bucket	☐ Piston	Turbine	Electric Motor	Hand	Tractor PTO
Centrifugal	Rotary	Flowing Well	Windmill	Other (specify):	
Other (specify):			Horse Power Rating	of Motor: 40	
Date Pump Installed:	06/18/2012		Setting Depth: 70		feet
Rated Pump Capacity	1400+/-	Gallons Per Minute	Number of Stages:	1	<u></u>
	Pump Test Data		Me	ethod of Measuring Water Check one	Level
Date Well Tested:			Air Line	☐ Electric Measuring Line	Steel Tape
Static Water Level (A):		Feet Below Land Surface	Other (specify):		
Pumping Water Level (I	B):	Feet Below Land Surface			
Drawdown [(B) - (A)]:		Feet Below Land Surface	For flowing well, me	easured shut in head:	feet
Test Pumping Rate:		Gallons Per Minute	Well yielded	GF	M with a drawdown of
Duration of Pump Test	(minimum 4 hours):	hours		feet after	hours of pumping
This is for (check of	one): New	Well Replacen	nent of Existing Pump	Repair of Existing Pu	mp
I HEREBY CERTIFY	that the above stateme	ents are true to the best of m	y knowledge.	<u> </u>	
Patrick Chism Print Name of Pump	Installar and Lines -	0695	Jak	Duma Installer	RECEIVED
	mstatici and License i	чо. (п аррисавіе)	Signature of	Pump Installer	

Google earth fee

feet _______3000 km

RECEIVED

JUL 0 6 2012

BY: OLWR