
State W	ell Report		
County: Humphreys Part 1 - I	Priller's Log For Office Use Only:		
Pomistry Col. 1- LI Co. Mississippi Department	t of Environmental Quality		
Unice of Land at	nd Water Resources Box 2309  Well #:		
Jackson	, MS 39225		
	061- 5210 L. S. Elevation:		
	E-log#:		
State Law requires that this report be prepared by the lice	ense holder responsible for the work and filed with the		
Information on Well Owner  Well or borehole.			
(Landowner if borehole is not for a water well)	Well or Borehole Location		
Owner Name St. Rest Planting	Latitude: 33 • 14 · 55" Longitude: 90 • 35 · 37"		
Mailing Address: 65 Holly Ridge Road	Method of Lat/Long (circle one): Conventional Survey,		
	USGS quad, Hand-held GPS, Survey-grade GPS		
Indianola Ms. 3875/	SW 4 NE 4 Sec 10 1wn 16 N Rng 4W		
City State Zip Code	NE SE Distance Direction Nearest Town		
Telephone No. ()	Distance Direction Nearest Town  Miles South of TS0/9		
Well / Bore			
Date drilling started: $621-12$ Date drilling completed: $6-21-7$	Learning Hole diameter: 18"		
	urface Water		
Method of dosing and volume of Chlorine used in drilling and devel	opment: 50 PPM		
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:			
Purpose of borehole (check one): Water Well Geotechnical/Geole	ogical Investigation Ground Source Heat Pump		
· · · · · · · · · · · · · · · · · · ·			
Seismic Survey Other (describe  If drilling is not related to water well construction	) n. skip the remainder of this block		
Purpose of Well (check one): HomeIndustrialPublic Supply			
If a flowing well, method of flow regulation: Valve Other (describe)			
Static Water Level: 36 feet above or below (circle one) land surface Date measured: 6-22-12			
Method of Measurement (circle one) steel tape electric tape air line other:			
Well depth: 125 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix			
Casing length: 85 feet Casing diameter: 10 inches Type of casing: PVC			
Screen length: 40 feet Screen diameter: 10 inches Type of screen: PVC			
Screen slot size:	86 feet to 125 feet		
Type of completion (circle all applicable): Gravel packed Under	reamed Telescoped Open hole Natural Development		
Other (describe):			
Top of lap pipe or reduction in casing:feet. If tel	escoped or more than one screen, describe on next page		

Form: OLWR-SWR-1A (04/08)



Description of formations encountered	d must be provided for all
wells and boreholes, unless specifical	ly exempted by regulations

f well telescopes, show depths on sketch.	wells and boreholes, unless specifically exem		
Ground Level	Description of Formations Encountered	Fron	

Description of Formations Encountered	From (depth)	To (depth)
Clay	Ground Level	27
Find Sand Fine Sand + Gravel Medium Sand + Gravel	28	49
Fine Sand + Gravel	50	6.5
Medium Sand + Gravel	66	125
		<del></del>
		<del></del>
		<del> </del>
	<u> </u>	<del> </del>
		<u> </u>
	<del> </del>	, , , , , , , , , , , , , , , , , , ,
	<del></del>	

Sketch the property layout and include the following: 1) the well location; 2) any permanent structure aid in locating the well; 3) any roads, power lines, or other items that may aid in locating 4) a north arrow.	es on the property that may ng the property and the well;
Landowner Name: St. Rest Planting	
	Form: OLWR-SWR-1A (04/08)
I certify that the well/borehole was drilled, constructed, and completed in accordance with all applications of the Mississippi Department of Health regrams.  Patrick M. Chism 0695	plicable requirements of the ulations, if applicable, and state
Print Name of Responsible Licensee and License No. Date Signature of	of I iconocco
Signature of	Likensee
	AUR 7 - 3816
•	AN OWE

County: Tum Phreys	art 2 For Office Use Only:		
Irrigation Foundament Mississippi Departmen	at Of Environmental Quality and Water Resources  Aquifer:		
Date completed: 6-21-12 P.O. Jackson	Box 2309   Well #:		
	961-5210 il-5228 (fax)		
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.			
Well Owner Information Well Location			
Owner Name: St. Rest Planting	Latitude: 33 14 55 Longitude: 90 35 37		
Mailing Address: 65 Holly Ridge Road	Method of Lat/Long (check one): Conventional Survey		
	USGS quad, Hand-held GPS, Survey-grade GPS		
Indianola Ms. 3875/ City State Zip Code	SW 4 NE 4 Sec 10 T/6N R 4W		
Telephone No. ()	Distance Direction Nearest Town  Miles South of Isola		
Pump Type Circle one	Power Type Circle one		
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas		
Bucket Piston Turbine	Electric Motor Hand Tractor PTO		
Centrifugal Rotary Flowing Well	Windmill Other (specify):		
Other (specify):	Horse Power Rating of Motor: 30		
Date Pump Installed: 6-22-12	Setting Depth: 60 feet		
Rated Pump Capacity: 1000 ± Gallons Per Minute	Number of Stages:		
f Pump Test Data	Method of Measuring Water Level		
Date Well Tested:	Circle one		
Static Water Level (A):Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape		
Pumping Water Level (B):Feet Below Land Surface	Other (specify):		
Drawdown [(B) - (A)]: Feet Below Land Surface	For flowing well, measured shut in head:feet		
Test Pumping Rate: Gallons Per Minute	Well yieldedGPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping		
Dawton of Lump 10st (minimum 4 nours)nours	nous or pumping		
This is for (circle one): New Well Replacement of Ex			
This is for (circle one): New Well Replacement of Ex	isting Pump Repair of Existing Pump		
This is for (circle one): New Weil Replacement of Ex  I HEREBY CERTIFY that the above statements are true to the best of	isting Pump Repair of Existing Pump		
This is for (circle one): New Well Replacement of Ex	isting Pump Repair of Existing Pump		

AU / AU