County:	Humphreys	
	GW-48900	
Driller:	Irrigation Eq	uipment Inc.
Date drill	ing completed:	6-16-2015

STATE WELL REPORT

Part 1

Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309

Jackson, MS 39225-2309 (601) 961-5210 (601) 360-0535 (fax)

For	Office Use Only:
Well #:	<u>C315</u>
Aquifer:	
E-Log #:	

work and filed with the

Well Owner Information (Landowner if borehole is not for a water well)	Well or Borehole Location					
Owner Name: Preston Aust IV	Latitude: 33 12' 17.4" Longitude: 90 32' 27.9"					
Mailing Address: 5290 State Highway 7	Method of Lat/Long (check one): ☐ Conventional Survey, ☐ USGS quad, ☒ Hand-held GPS, ☐ Survey-grade GPS					
maning Address.						
Belzoni MS 39038	NE 1/4 SE 1/4, Sec 30 T 16N R 3W					
Belzoni MS 39038 City State Zip code	NE 24 SE 24, Sec 30 1 1010 K 311					
Telephone No	Miles North West of Belzoni (Distance) (Direction) (Nearest Town)					
Well / B	orehole Data					
Date drilling started: 6-16-2015 Date drilling completed:	6-16-2015 Hole depth: 126 Hole diameter: 18					
Location of the source of any surface water used for drilling:						
Method of dosing and volume of Chlorine used in drilling and de						
	mma Ray ☐ Density ☐ Sonic ☐ Neutron ☐ Other:					
Name of organization running log(s):						
Purpose of borehole (check one): Water Well Geote	chnical/Geological Investigation					
☐ Seismic Survey ☐	Other (describe)					
_ , _	Other (describe) Onstruction, skip the remainder of this block					
_ , _	onstruction, skip the remainder of this block					
If drilling is not related to water well co	onstruction, skip the remainder of this block					
If drilling is not related to water well concerns of Well (check all applicable): ☐ Home ☐ Industrial ☐ ☐ Other (describe):	onstruction, skip the remainder of this block Public Supply ⊠ Irrigation □ Fish Culture					
If drilling is not related to water well concerns the second of the sec	Public Supply ☑ Irrigation ☐ Fish Culture Other (describe)					
If drilling is not related to water well concerns the second of the sec	onstruction, skip the remainder of this block Public Supply ⊠ Irrigation □ Fish Culture					
If drilling is not related to water well composed of Well (check all applicable): ☐ Home ☐ Industrial ☐ ☐ Other (describe): If a flowing well, method of flow regulation: Valve ☐ ☐ Static Water Level: 34 ☐ feet [☐ above or ☑ be (check one)	onstruction, skip the remainder of this block Public Supply ☑ Irrigation ☐ Fish Culture Other (describe) How] land surface Date measured: 6-17-2015					
If drilling is not related to water well complete the second of the sec	onstruction, skip the remainder of this block Public Supply ☑ Irrigation ☐ Fish Culture Other (describe) How] land surface Date measured: 6-17-2015					
If drilling is not related to water well complete the second of the property	onstruction, skip the remainder of this block Public Supply ☑ Irrigation ☐ Fish Culture Other (describe) How] land surface Date measured: 6-17-2015 Date ☐ Air line ☐ Other: (describe) Determine ☐ Other: (describe) Determine ☐ Other: (describe) ☐ Neat Cement ☒ Bentonite ☐ Mix					
If drilling is not related to water well complete the second of the sec	onstruction, skip the remainder of this block Public Supply ☑ Irrigation ☐ Fish Culture Other (describe) How] land surface Date measured: 6-17-2015 Date ☐ Air line ☐ Other: (describe) Deter Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ Mix Discription ☐ Inches Type of casing: PVC					
If drilling is not related to water well collected to water well collected and policial in the property of the pro	onstruction, skip the remainder of this block Public Supply ☑ Irrigation ☐ Fish Culture Other (describe) How] land surface Date measured: 6-17-2015 Date Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ Mix Of					
If drilling is not related to water well colored and policial is not related to water well colored and policial is not related to water well colored and policial is not related to water well colored and policial is not related to water well colored and policial is not related to a flow in the policy in the	Onstruction, skip the remainder of this block Public Supply ☑ Irrigation ☐ Fish Culture Other (describe) How] land surface Date measured: 6-17-2015 Date Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ Mix O inches Type of casing: PVC D inches Type of screen: PVC The From 87 feet to 126 feet					
If drilling is not related to water well colored and policial is not related to water well colored and policial is not related to water well colored and policial is not related to water well colored and policial is not related to water well colored and policial is not related to a flow in the policial is not related to a flow in the policial is not related to a flow in the policial is not related to a flow in the policial is not related to a flow in the policial is not related to a flow in the policial is not related to a flow in the policial in the policial is not related to a flow in the policial in t	Onstruction, skip the remainder of this block Public Supply ☑ Irrigation ☐ Fish Culture Other (describe) How] land surface Date measured: 6-17-2015 Date Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ Mix O inches Type of casing: PVC D inches Type of screen: PVC The From 87 feet to 126 feet					
If drilling is not related to water well colored and policial is not related to water well colored and policial is not related to water well colored and policial is not related to water well colored and policial is not related to water well colored and policial is not related to a flow in the policy in the	Onstruction, skip the remainder of this block Public Supply ☑ Irrigation ☐ Fish Culture Other (describe) How] land surface Date measured: 6-17-2015 Date Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ Mix O inches Type of casing: PVC D inches Type of screen: PVC The From 87 feet to 126 feet					

Form: OLWR-SWR-1A (4/13)

County: Humphreys Permit #: GW-48900				Office Use (Only:
The sketch below only required f		Description of formations of and boreholes, unless speci	encountered must ifically exempted	be provided for al by regulations	l wells
If well telescopes, show depths o	<u>n sketch.</u>	Description of Formations	s Encountered	From (depth)	To (depth)
Ground level		Clay		Ground level	63
		Med. Sand & Grave	el	64	126
:					
					-
				<u> </u>	
If more than one screen, show	v location of each on sketch			1	
Sketch the property layout 1) the well location 2) any permanent str 3) any roads, power I 4) a north arrow	and include the following: uctures on the property that maines, or other items that may a	ay aid in locating the well id in locating the property and	I the well		
Landowner Name:					
				Form: OLWR-S	WR-1A (04/08)
requirements of the Missis	the well/borehole was drilled, o sippi Department of Environm	onstructed, and completed in ental Quality and the Mississi	accordance with ppi Department of	n all applicable	
if applicable, and state law 0695	'S .	12-4-2015	CS		-

12-4-2015 Date

Print Name of Responsible Licensee and License No.

Signature of Licensee
Form: OLWR-SWR-1A (4/13)
DEC 0 2015

County: Humphreys GW-48900 Permit #: **Driller:** Irrigation Equipment Inc. Date drilling completed: 6-16-2015 Copy information from block on Part 1

STATE WELL REPORT Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601) 961-5210 (601) 360-0535 (fax)

For	Office Use Only:
Well#:	<u>C312</u>
Aquifer:	

		Information	filed with the De			Well	Locati	ion			
Owner Name: P	reston Aust l	v		Latitude:	33 12'	17.4"	_ Long	itude: _	90	32° 27 .	9"
Mailing Address:	5290 State	Highway 7		Method of	f Lat/Long	(check on	e): [] Conv	entic	onal Sur	vey,
				□usgs	quad, 🛚	Hand-held	GPS,	☐ Sur	vey-	grade G	PS
Belzoni		MS	39038		<u>NE</u>	% <u>SE</u> %, s	Sec <u>30</u>	т <u>16N</u>	R <u>3</u> 1	<u>N</u>	
City		State	Zip code		B.4:1	North \	Noet	-4		Beizon	i
Telephone No.	()			(Distan	Miles ce)	North \ (Direct		or		arest Tov	
			Pump Ty	ype (check on	e)						
⊠ Submersible □											
Date Pump Instal					Capacity:	600+/-			Gal	ions Pe	r Minute
ls This Pump <i>(che</i>	eck one): 🛭 N	ew 🗌 Repaire									
			Power T	ype (check on	e)						
☑ Electric ☐ Die	sel 🗌 Gasoline	e 🗌 Natural G	as Tractor PT	O Windmill	☐ Other	(describe):					
Horse Power Rati	ing of Motor:	15	_ Setting Depth	n: 70		_ feet Nu	ımber o	f Stage	es:	1	
			Pump Test Data	for Non Flov	ving Well						
			F								
Date Well Tested	·			Duration of	of Pump T	est (minim	um 4 h	ours):			Hou
		Foot Re	olour Land Surfac	Duration o	-			-			_
Static Water Leve	el (A):			e Pumping	Water Lev	/el (B):		_ Fee	t Be	low Lan	— d Surfac
Static Water Leve Orawdown [(B) - (el (A): (A)]:	Fee	t Below Land Su	e Pumping rface Test P	Water Lev	/el (B): ate:		Fee	et Be _ G	low Lan	— d Surfac
Static Water Leve Drawdown [(B) - (el (A): (A)]:	Fee	t Below Land Su	e Pumping rface Test P	Water Lev	/el (B): ate:		Fee	et Be _ G	low Lan	— d Surfac
Static Water Leve Drawdown [(B) - (el (A): (A)]:	Fee	t Below Land Su	e Pumping rface Test P tape Air lin	Water Levelumping R	/el (B): ate:		Fee	et Be _ G	low Lan	— d Surfac
Static Water Leve Drawdown [(B) - (Method of measu	el (A): (A)]: rement <i>(check</i>	one): ☐ Stee	t Below Land Sui I tape ☐ Electric Pump Test D	e Pumping rface Test P tape Air lin	Water Levelumping R	/el (B): ate:		Fee	et Be _ G	low Lan	— d Surfac
Date Well Tested Static Water Leve Drawdown [(B) - (Method of measu Measured shut in Well yielded	el (A): (A)]: rement (check	Fee one): ☐ Stee Fe	t Below Land Sur I tape Electric Pump Test Date et	rface Test F tape	Water Lev Pumping R e ☐ Other	rel (B): ate: r (describe):	Fee	et Be	low Lan allons P	d Surfac
Static Water Leve Drawdown [(B) - (Method of measu Measured shut in	el (A): (A)]: rement (check	Fee one): ☐ Stee Fe	t Below Land Sur I tape ☐ Electric Pump Test Do et wdown of	rface Test F tape	Water Lev Pumping R e ☐ Other	rel (B): ate: r (describe):	Fee	et Be	low Lan allons P	d Surfac
Static Water Leve Drawdown [(B) - (Method of measu Measured shut in Well yielded	el (A): (A)]: rement (check head: G	Fee one): ☐ Stee Fee PM with a dra	t Below Land Sur I tape	rface Test P tape Air lin ata for Flowin	Water Level Pumping R e ☐ Other eg Well feet afte	vel (B): ate: r (describe):	Fee	urs o	low Lan allons P	d Surfac
Static Water Leve Drawdown [(B) - (Method of measu Measured shut in Well yielded Meter Manufactur	el (A):(A)]:rement (check head: G	Fee one): ☐ Stee Fee PM with a dra	t Below Land Sur I tape ☐ Electric Pump Test Do et wdown of	rface Test P tape Air lin ata for Flowin r Installation Meter	Water Levelumping R e ☐ Other ing Well feet afte	rel (B):ate:):	Fee	urs o	low Lan allons P	d Surfac
Static Water Leve Drawdown [(B) - (Method of measu Measured shut in Well yielded Meter Manufactur Meter Model Num	el (A): (A)]: Irement (check head: G rer: mber/Name:	Fee one): ☐ Stee Fee PM with a dra	t Below Land Sur I tape	rface Test P tape	Water Levelumping R e ☐ Other ing Well feet afte	rel (B):ate:):	Fee	urs o	low Lan allons P	d Surfac
Static Water Leve Drawdown [(B) - (Method of measu Measured shut in Well yielded Meter Manufactur Meter Model Num Totalizer Register	el (A): (A)]: rement (check head: G rer: renber/Name:	Fee one): Stee Fee PM with a dra	t Below Land Sur I tape	rface Test F tape Air line ata for Flowin r Installation Meter Type 000, etc):	Water Levelumping R e ☐ Other ing Well feet afte Serial Nur e of Meter:	rel (B):ate:):	hou	urs o	low Lan allons P	d Surfac
Static Water Leve Drawdown [(B) - (Method of measu Measured shut in Well yielded Meter Manufactur Meter Model Num Totalizer Register Installation Date:	el (A): (A)]: Irement (check head: G rer: mber/Name: r Unit and Multi	Fee one): Stee Fee PM with a dra	t Below Land Sur I tape Electric Pump Test Duet wdown of Meter AF x .001, gal x 10 er installed by:	rface Test P tape Air lin ata for Flowin r Installation Meter Type 000, etc):	Water Levelumping R e ☐ Other ing Well feet afte Serial Nur e of Meter:	rel (B):ate:):	hou	urs o	low Lan allons P	d Surfac
Static Water Level Drawdown [(B) - (Method of measu Measured shut in Well yielded Meter Manufactur Meter Model Num Totalizer Register Installation Date:	el (A): (A)]: prement (check head: Gree: renber/Name: r Unit and Multi eck one): No By submitting to	Fee one): Stee Fee PM with a dra splier Factor (A Mete ew Repaire	t Below Land Sur I tape Electric Pump Test Duet wdown of Meter AF x .001, gal x 10 er installed by:	rface Test F tape Air line ata for Flowin r Installation Meter Type 000, etc): ent certifying that is	Water Levelumping R e ☐ Other ing Well feet afte Serial Nur e of Meter:	rel (B): ate: r (describe):	hou	et Be	low Lan allons P	d Surfac
Static Water Level Drawdown [(B) - (Method of measu Measured shut in Well yielded Meter Manufactur Meter Model Num Totalizer Register Installation Date:	el (A): (A)]: Irement (check head: Gree: Greer: Unit and Multi eck one): By submitting to	Fee one): Stee Fee PM with a dra phier Factor (A Meto ew Repaire the above inforor agricultura.	It Below Land Sur It tape ☐ Electric Pump Test Do et wdown of	rface Test F tape Air line ata for Flowin r Installation Meter Type 000, etc): ent certifying that is pproved meters	Water Levelumping Re Other Oth	rel (B): ate: r (describe):	hou	et Be	low Lan allons P	d Surfac
Static Water Level Drawdown [(B) - (Method of measu Measured shut in Well yielded Meter Manufactur Meter Model Num Totalizer Register Installation Date: Is This Meter (che	el (A): (A)]: Irement (check head: Gree: Greer: Unit and Multi eck one): By submitting to	Fee one): Stee Fee PM with a dra phier Factor (A Meto ew Repaire the above inforor agricultura.	It Below Land Sur It tape ☐ Electric Pump Test Do et wdown of	rface Test F tape Air line ata for Flowin r Installation Meter Type 000, etc): ent certifying that is pproved meters best of my kn	Water Levelumping Re Other Oth	rel (B): ate: r (describe):	hou	et Be	low Lan allons P	d Surfac