	STATE WELL REPORT	For Office Use Only:
County: Humphreys	Part 1	Well#: P3W
Permit #: <b>GW-49359</b>	Driller's Log Mississippi Department of Environmental Quality	Aquifer:
Driller: Irrigation Equipment, Inc.	Office of Land and Water Resources	E-Log #:
Date drilling completed: 6-21-16	P.O. Box 2309 Jackson, MS 39225-2309	
	(601) 961-5210 (601) 360-0535 (fax)	
State Law requires that this report be	prepared by the license holder responsible fo	r the work and filed with the
weil Owner Informatio		ell or borehole. orehole Location
(Landowner if borehole is not for	a water well)	
Owner Name: Darryl Jones	Latitude: 33 15' 22.7"	Longitude: 90 21' 57.3"
Mailing Address: PO Box 534	Method of Lat/Long (check o	ne):   Conventional Survey,
		d GPS, 🗍 Survey-grade GPS
Belzoni MS		
City State	Zip code	Sec <u>13</u> T <u>16N</u> R <u>2W</u>
Telephone No	MilesN	
	(Distance) (Direc	tion) (Nearest Town)
	Well / Borehole Data	
Date drilling started: 6-21-16 Dat	e drilling completed: 6-21-16 Hole depth: 11	3' Hole diameter: 24"
ocation of the source of any surface water	used for drilling: Surface Water	
•		
Aethod of dosing and volume of Chloring u	od in drilling and developments 60 DDM	
Nethod of dosing and volume of Chlorine u		
	sed in drilling and development: 50 PPM	Neutron D Other:
		Neutron 🗍 Other:
ogs run (check all applicable): 🛛 No log rows and log r	un 🗌 Electric 🔲 Gamma Ray 🗍 Density 🗍 Sonic [	
Logs run (check all applicable): I No log n Name of organization running log(s): Purpose of borehole (check one): I Nate	un  Electric Gamma Ray Density Sonic	
Logs run (check all applicable): X No log run Name of organization running log(s): Purpose of borehole (check one): X Wate Seit	un 🗌 Electric 🗋 Gamma Ray 🗋 Density 🗍 Sonic [ er Well 📄 Geotechnical/Geological Investigation smic Survey 📄 Other ( <i>describe</i> )	Ground Source Heat Pump
Logs run (check all applicable): X No log run Name of organization running log(s): Purpose of borehole (check one): X Wate Seit	un  Electric Gamma Ray Density Sonic	Ground Source Heat Pump
Logs run (check all applicable): I No log run Name of organization running log(s): Purpose of borehole (check one): I Wate I Seis If drilling is not relate	un 🗌 Electric 🗋 Gamma Ray 🗋 Density 🗍 Sonic [ er Well 📄 Geotechnical/Geological Investigation smic Survey 📄 Other ( <i>describe</i> )	Ground Source Heat Pump
Logs run (check all applicable): I No log m Name of organization running log(s): Purpose of borehole (check one): I Wate I Seis If drilling is not relate Purpose of Well (check all applicable): I H	un 🗌 Electric 🗋 Gamma Ray 🗋 Density 🗍 Sonic [ er Well 📄 Geotechnical/Geological Investigation smic Survey 📄 Other ( <i>describe</i> ) ed to water well construction, skip the remained	Ground Source Heat Pump
Logs run (check all applicable): I No log run         Name of organization running log(s):         Purpose of borehole (check one): I Wate         I Sein         If drilling is not relate         Purpose of Well (check all applicable): I H         Other (describe):	un 🗌 Electric 🗋 Gamma Ray 🗋 Density 🗍 Sonic 🗍 er Well 🔹 Geotechnical/Geological Investigation smic Survey 🔹 Other ( <i>describe</i> ) ed to water well construction, skip the remained ome 🗋 Industrial 🗋 Public Supply 🖾 Irrigation 🗋 Fis	Ground Source Heat Pump
Logs run (check all applicable): I No log run Name of organization running log(s): Purpose of borehole (check one): I Wate I Seit If drilling is not relate Purpose of Well (check all applicable): I H Other (describe): f a flowing well, method of flow regulation:	un Electric Gamma Ray Density Sonic er Well Geotechnical/Geological Investigation smic Survey Other ( <i>describe</i> )	Ground Source Heat Pump der of this block Sh Culture AUG 26 BY OL
Logs run (check all applicable): I No log run Name of organization running log(s): Purpose of borehole (check one): I Wate I Seit If drilling is not relate Purpose of Well (check all applicable): I H Other (describe): f a flowing well, method of flow regulation:	un 🗌 Electric 🗋 Gamma Ray 🗋 Density 🗍 Sonic 🗍 er Well 🔹 Geotechnical/Geological Investigation smic Survey 🔹 Other ( <i>describe</i> ) ed to water well construction, skip the remained ome 🗋 Industrial 🗋 Public Supply 🖾 Irrigation 🗋 Fis	Ground Source Heat Pump der of this block Sh Culture AUG 26 BY OL
Logs run (check all applicable): I No log run         Name of organization running log(s):         Purpose of borehole (check one): I Wate         I Seis         If drilling is not relate         Purpose of Well (check all applicable): I H         Other (describe):         f a flowing well, method of flow regulation:         Static Water Level:       21	un Electric Gamma Ray Density Sonic er Well Geotechnical/Geological Investigation smic Survey Other ( <i>describe</i> )	Ground Source Heat Pump Her of this block Sh Culture AUG 26 BY OL Issured: 6-23-16
Logs run (check all applicable): I No log run         Name of organization running log(s):         Purpose of borehole (check one): I Wate         I Seis         If drilling is not relate         Purpose of Well (check all applicable): I H         Other (describe):         f a flowing well, method of flow regulation:         Static Water Level:       21	un Electric Gamma Ray Density Sonic er Well Geotechnical/Geological Investigation smic Survey Other ( <i>describe</i> ) ed to water well construction, skip the remained ome Industrial Public Supply Irrigation Fis Valve Other (describe) t [ above or I below] land surface Date mean (check one)	Ground Source Heat Pump Ger of this block Sh Culture AUG 26 BY OL asured: 6-23-16 Dep
Logs run (check all applicable): I No log run         Name of organization running log(s):         Purpose of borehole (check one): I Wate         I Seis         If drilling is not relate         Purpose of Well (check all applicable): I H         Other (describe):         f a flowing well, method of flow regulation:         Static Water Level:       21	un Electric Gamma Ray Density Sonic er Well Geotechnical/Geological Investigation smic Survey Other ( <i>describe</i> )	□ Ground Source Heat Pump Arr of this block Sh Culture AUG 26 BY OL asured: 6-23-16 De) ] Neat Cement ⊠ Bentonite □ Mix
Logs run (check all applicable): ⊠ No log run         Name of organization running log(s):         Purpose of borehole (check one):       ⊠ Wate         □ Seis         If drilling is not relate         Purpose of Well (check all applicable):       □ H         □ Other (describe):	un Electric Gamma Ray Density Sonic er Well Geotechnical/Geological Investigation smic Survey Other ( <i>describe</i> )	□ Ground Source Heat Pump  Aer of this block  AUG 2 6  BY 0  asured: 6-23-16  De) Deat Cement ⊠ Bentonite □ Mix of casing: PVC
Logs run (check all applicable): ⊠ No log run         Name of organization running log(s):         Purpose of borehole (check one):       ⊠ Wate         □ Seis         If drilling is not relate         Purpose of Well (check all applicable):       □ H         □ Other (describe):	un Electric Gamma Ray Density Sonic er Well Geotechnical/Geological Investigation smic Survey Other ( <i>describe</i> )	□ Ground Source Heat Pump  Aer of this block  AUG 2 6  BY 0  asured: 6-23-16  De) Deat Cement ⊠ Bentonite □ Mix of casing: PVC of screen: PVC
.ogs run (check all applicable): ⊠ No log run         Name of organization running log(s):         Purpose of borehole (check one):       ⊠ Wata         □ Seis         If drilling is not relate         Purpose of Well (check all applicable):       □ H         □ Other (describe):	un Electric Gamma Ray Density Sonic er Well Geotechnical/Geological Investigation smic Survey Other ( <i>describe</i> )	Ground Source Heat Pump der of this block AUG 2 G BY O asured: 6-23-16 De) Deat Cement ⊠ Bentonite □ Mix of casing: PVC of screen: PVC eet to 113 feet
.ogs run (check all applicable): ⊠ No log run         Name of organization running log(s):         Purpose of borehole (check one):       ⊠ Wata         □ Seit         If drilling is not relate         Purpose of Well (check all applicable):       □ H         □ Other (describe):	un Electric Gamma Ray Density Sonic er Well Geotechnical/Geological Investigation smic Survey Other ( <i>describe</i> )	Ground Source Heat Pump der of this block AUG 2 G BY O asured: 6-23-16 De) Deat Cement ⊠ Bentonite □ Mix of casing: PVC of screen: PVC eet to 113 feet
Logs run (check all applicable): ⊠ No log run         Name of organization running log(s):         Purpose of borehole (check one):       ⊠ Wate         □ Seis         If drilling is not relate         Purpose of Well (check all applicable):       □ H         □ Other (describe):	un Electric Gamma Ray Density Sonic er Well Geotechnical/Geological Investigation smic Survey Other ( <i>describe</i> )	Ground Source Heat Pump der of this block AUG 2 G BY O asured: 6-23-16 De) Deat Cement ⊠ Bentonite □ Mix of casing: PVC of screen: PVC eet to 113 feet
.ogs run (check all applicable): ⊠ No log run         Name of organization running log(s):         Purpose of borehole (check one):       ⊠ Wate         □ Seis         If drilling is not relate         Purpose of Well (check all applicable):       □ H         □ Other (describe):	un Electric Gamma Ray Density Sonic Cereen diameter: 16 Inches Type Cerem Carlo Setting depth: From 74 for the construction of	□ Ground Source Heat Pump

•. •

County: Humphreys Permit #: GW-49359			Fo: Well #:	r Office Useの こそし	Only:
The sketch below only required f		Description of formations encou and boreholes, unless specifical	untered mus ly exempted	t be provided for a by regulations	<u>ll wells</u>
		Description of Formations End	countered	From (depth)	To (depth)
Ground level		Clay		Ground level	43
		Fine Sand		44	52
		Fine Sand & Gravel		53	67
		Med. Sand & Gravel		68	110
		Clay		111	113
			·····		
				-	
If more than one screen, show		L		- <b>1</b>	-d
	uctures on the property that m	aay aid in locating the well aid in locating the property and the	well		
					<b>Ceive</b>
				AUG	<b>26</b> 2015
				BY (	DLWF

Landowner Name:	<u>.</u>	
		$\sim$
		Form: OLWR-SWR-1A (04/08)
I HEREBY CERTIFY that the well/borehole was drilled, con	nstructed, and corr	pleted in accordance with all applicable
requirements of the Mississippi Department of Environmer		
if applicable, and state laws.		
	0 00 40	
0695	8-22-16	<b>K</b>
Print Name of Responsible Licensee and License No.	Date	Signature of Licensee

Form: OLWR-SWR-1A (4/13)

ч г

	STATE WI	ELL REPORT		Office Use Only:
County: Humphreys		Part 2		090
Permit #:	Pump Installer's	s Completion Report		
Driller: Irrigation Equipment, Inc.	Mississippi Departmen Office of Land a	nt of Environmental Qualit	y Aquifer:	
Date drilling completed: 6-21-16	P.O.	Box 2309		
Copy information from block on Part 1		MS 39225-2309 961-5210	<b></b>	الا <u>ن بيناني بين الم</u>
		60-0535 (fax)		
This part of the report must be comple of the report must be attached and both Well Owner Inform	h parts filed with the Depart	ment at the above address w		vs of well completion.
Owner Name: Darryl Jones		Latitude: 33 15' 22.7"	Longit	ude: 90 21' 57.3"
Mailing Address: PO Box 534		Method of Lat/Long (check	one): 🔲	Conventional Survey,
		🗌 USGS quad, 🛛 Hand-ł	ield GPS, [	] Survey-grade GPS
Belzoni MS City Sta		<u>NW</u> ¼ <u>NW</u>	¼, Sec <u>13</u> <sup>-</sup>	r <u>16N</u> R <u>2W</u>
Telephone No ( ) -				f Belzoni
		(Distance) (Dir	ection)	(Nearest Town)
	tural Gas 🔲 Tractor PTO 🗍			Stages: _1
Horse Power Rating of Motor:         60           Date Well Tested:	tural Gas [] Tractor PTO [] Setting Depth: 7 Pump Test Data for Feet Below Land Surface Feet Below Land Surface	Windmill D Other (describ 70 feet r Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): e Test Pumping Rate:	Number of	urs): Hours Feet Below Land Surface
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]: Method of measurement (check one): [	tural Gas [] Tractor PTO [ Setting Depth: 7 Pump Test Data for Feet Below Land Surface Feet Below Land Surface Steel tape [] Electric tape Pump Test Data f	Windmill 🗌 Other (describ 70feet r Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): e Test Pumping Rate: e 🗌 Air line 🗋 Other (descri	Number of	urs): Hours Feet Below Land Surface
Horse Power Rating of Motor: <u>60</u> Date Well Tested: F Static Water Level (A): F Drawdown [(B) - (A)]:	tural Gas [] Tractor PTO [ Setting Depth: 7 Pump Test Data for Feet Below Land Surface Feet Below Land Surface Steel tape [] Electric tape Pump Test Data f	Windmill 🗌 Other (describ 70feet r Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): e Test Pumping Rate: e 🗌 Air line 🗋 Other (descri	Number of	urs): Hours Feet Below Land Surface
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]: Method of measurement (check one): [ Measured shut in head: Well yielded GPM with	tural Gas 🔲 Tractor PTO 🗍 Setting Depth: _7 Pump Test Data for Feet Below Land Surface Feet Below Land Surface Steel tape 🗌 Electric tape Pump Test Data for Feet	Windmill 🗌 Other (describ 70 feet 7 Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): e Test Pumping Rate: e 🗆 Air line 🗋 Other (descriftor Flowing Well for Flowing Well feet after	nimum 4 hor	urs): Hours Feet Below Land Surface Gallons Per Minute hours of pumping
Horse Power Rating of Motor: 60 Date Well Tested: F Static Water Level (A): F Drawdown [(B) - (A)]: Method of measurement (check one): [ Measured shut in head: Well yielded GPM with	tural Gas 🔲 Tractor PTO 🗍 Setting Depth: _7 Pump Test Data for Feet Below Land Surface Feet Below Land Surface Steel tape 🗌 Electric tape Pump Test Data for Feet	Windmill 🗌 Other (describ 70 feet 7 Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): e Test Pumping Rate: e 🗆 Air line 🗋 Other (descriftor Flowing Well for Flowing Well feet after	nimum 4 hor	urs): Hours Feet Below Land Surface Gallons Per Minute hours of pumping
Horse Power Rating of Motor:       60         Date Well Tested:	tural Gas 🔲 Tractor PTO 🗍 Setting Depth: _7 Pump Test Data for Feet Below Land Surface Feet Below Land Surface Steel tape 🗌 Electric tape Pump Test Data for Feet	Windmill 🗌 Other (describ 70 feet 7 Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): e Test Pumping Rate: e 🗆 Air line 🗋 Other (descriftor Flowing Well for Flowing Well feet after	nimum 4 hor	urs): Hours Feet Below Land Surface Gallons Per Minute hours of pumping
Horse Power Rating of Motor:       60         Date Well Tested:	tural Gas 🔲 Tractor PTO 🗍 Setting Depth: _7 Pump Test Data for Feet Below Land Surface Feet Below Land Surface Steel tape 🗌 Electric tape Pump Test Data for Feet	Windmill 🗌 Other (describ 70 feet 7 Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): e Test Pumping Rate: e 🗆 Air line 🗋 Other (descriftor Flowing Well for Flowing Well feet after	nimum 4 hor	urs): Hours Feet Below Land Surface Gallons Per Minute hours of pumping
Horse Power Rating of Motor:       60         Date Well Tested:	tural Gas 🔲 Tractor PTO 🗌 Setting Depth: _7 Pump Test Data for Feet Below Land Surface Feet Below Land Surface Steel tape 🗌 Electric tape Pump Test Data for Feet n a drawdown of Meter Ins	Windmill D Other (describ 70feet 7 Non Flowing Well Duration of Pump Test (min Pumping Water Level (B): e Test Pumping Rate: e Air line Other (descrifter for Flowing Well feet after feet after tallation Meter Serial Number:	Number of	urs): Hours Feet Below Land Surface Gallons Per Minute hours of pumping
Horse Power Rating of Motor:       60         Date Well Tested:	tural Gas [] Tractor PTO [] Setting Depth: _7 Pump Test Data for Feet Below Land Surface Feet Below Land Surface Steel tape [] Electric tape Pump Test Data for Pump Test Data for Meter Ins	Windmill Other (describ   70 feet   8 feet   8 feet   8 feet   9 feet   9 feet   9 feet   9 feet   10 feet   11 feet   12 feet   13 feet	Number of	urs): Hours Feet Below Land Surface Gallons Per Minute hours of pumping Receiv AUG 26 2
Horse Power Rating of Motor:       60         Date Well Tested:	tural Gas 🗌 Tractor PTO 🗌 Setting Depth: _7 Pump Test Data for Feet Below Land Surface Feet Below Land Surface Steel tape 🗌 Electric tape Pump Test Data f Feet n a drawdown of Meter Ins	Windmill Other (describ   70 feet   8 feet   8 feet   8 feet   9 feet   9 feet   9 feet   9 feet   10 feet   11 feet   12 feet   13 feet	Number of	urs): Hours Feet Below Land Surface Gallons Per Minute hours of pumping Receiv AUG 26 2
☑ Electric □ Diesel □ Gasoline □ Nat         Horse Power Rating of Motor: 60         □         Date Well Tested:         Static Water Level (A):	tural Gas 🔲 Tractor PTO 🗍Setting Depth: _7 Pump Test Data for Feet Below Land Surface Feet Below Land Surface ] Steel tape 🗋 Electric tape Pump Test Data fFeet n a drawdown of detor (AF x .001, gal x 1000, Meter installed by:Repaired 🗋 Replacement	Windmill Other (describ   70 feet   70 feet	Number of	urs): Hours Feet Below Land Surface Gallons Per Minute hours of pumping Receive AUG 2.6 21 BY OL
Horse Power Rating of Motor: 60 Date Well Tested:	tural Gas [] Tractor PTO [] Setting Depth: _7 Pump Test Data for Feet Below Land Surface Feet Below Land Surface Steel tape [] Electric tape Pump Test Data for Pump Test Data for Feet n a drawdown of Meter Ins Installed by: Repaired [] Replacement the information you are certify ultural wells, a list of approvi	Windmill Other (describ   70 feet   9 Air line   Other (describe)   6 Flowing Well   for Flowing Well   feet after   feet after   feet after   feet after   feet after   feet after   fype of Meter: fying that this meter was inside the model fying that this meter was inside the model	Number of	urs): Hours Feet Below Land Surface Gallons Per Minute hours of pumping Receive AUG 2.6 21 BY OL
Horse Power Rating of Motor:       60         Date Well Tested:	tural Gas [] Tractor PTO [] Setting Depth: _7 Pump Test Data for Feet Below Land Surface Feet Below Land Surface Steel tape [] Electric tape Pump Test Data for Pump Test Data for Feet n a drawdown of Meter Ins Installed by: Repaired [] Replacement the information you are certify ultural wells, a list of approvi	Windmill Other (describ   70 feet   9 Air line   Other (describe)   6 Flowing Well   for Flowing Well   feet after   feet after   feet after   feet after   feet after   feet after   fype of Meter: fying that this meter was inside the model fying that this meter was inside the model	Number of	urs): Hours Feet Below Land Surface Gallons Per Minute hours of pumping Receive AUG 2.6 21 BY OL

Form: OLWR-SWR-1B (4/13)

۰ ۲