County:	Humphreys	
Permit #:	GW-47707	<u>' </u>
Driller:	Irrigation Eq	uipment
Date drilli	ing completed:	01/24/2014

STATE WELL REPORT Part 1

Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309
(601) 961-5210
(601) 360-0535 (fax)

For	Office Use Only:
Well#:	_F212
Aquifer:	
E-Log #:	

State Law requires that this report be prepared by the lic Department at the above address within 30 days of com	
Well Owner Information	Well or Borehole Location
(Landowner if borehole is not for a water well) Owner Name: Roberts Farms Inc.	Latitude: 33 10' 59.9 N Longitude: 90 31' 37.9 W
Mailing Address: P.O. Box 202	Latitude: So to St.5 tr Eurigitude: So to St.5 tr
Maning Address. F.O. BOX 202	
	☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS
Belzoni Ms 39038 City State Zip code	<u>NW 1/4 NÉ 1/4, Sec 5 T 15 N</u> R <u>3 W</u>
Telephone No. () -	2 Miles West of Belzoni
,	(Distance) (Direction) (Nearest Town)
Well / Bo	rehole Data
Date drilling started: 01/24/2014 Date drilling completed:	01/24/2014 Hole depth: 126 Hole diameter: 18"
Location of the source of any surface water used for drilling:	Surface Water
Method of dosing and volume of Chlorine used in drilling and deve	elopment: 50 PPM
Logs run (check all applicable): ⊠ No log run ☐ Electric ☐ Gam	nma Ray 🔲 Density 🔲 Sonic 🗎 Neutron 🗍 Other:
Name of organization running log(s):	
Purpose of borehole (check one): Water Well Geotech	nnical/Geological Investigation
☐ Seismic Survey	Other (describe)
If drilling is not related to water well con	nstruction, skip the remainder of this block
Purpose of Well <i>(check all applicable)</i> : ☐ Home ☐ Industrial ☐ F	Public Supply ⊠ Irrigation □ Fish Culture
☐ Other (describe):	
If a flowing well, method of flow regulation: Valve	Other (describe)
Static Water Level: 33' feet [☐ above or ☒ belo (check one)	w] land surface Date measured: 01/25/2014
Method of Measurement (check one) ⊠ Steel tape ☐ Electric tal	pe 🗌 Air line 🔲 Other: (describe)
Well depth: 126 Well grouted to a depth of: 10 fee	t Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ Mix
Casing length: 86 feet Casing diameter: 10	inches Type of casing: PVC
Screen length: 40 feet Screen diameter: 10	inches Type of screen: PVC
Screen slot size: .050 inches Setting depth:	From <u>87</u> feet to <u>126</u> feet
Type of completion (check all applicable): ⊠ Gravel packed ☐ U	Inderreamed ☐ Open hole ☐ Natural Development
Other (describe):	
Top of lap pipe or reduction in casing: Feet	A Marine Service Servi
If telescoped or more than on	ne screen, describe on next page
	Form: OI WR-SWR-1A (4/13)

		For Office Use	Only:
County: Humphreys	Well #:	Fals	- ,
Permit #: GW-47707			
	<u> </u>		
he sketch below only required for water wells	Description of formations encountered	must he provided for a	II wells
well telescopes, show depths on sketch	and boreholes, unless specifically exem		и пець
	Description of Formations Encounter	ed From (depth)	To (depth)
Ground level	Clay	Ground level	23
	Fine Sand	24	44
	Fine Sand & Gravel	45	68
	Medium Sand & Gravel	69	126
ļ			
Į			
more than one screen, show location of each on sketch			
ketch the property layout and include the following:			
1) the well location			
2) any permanent structures on the property that ma	d in locating the property and the well		
	d in locating the property and the well		
 any permanent structures on the property that ma any roads, power lines, or other items that may air 	d in locating the property and the well		
 any permanent structures on the property that ma any roads, power lines, or other items that may air 	d in locating the property and the well		
 any permanent structures on the property that ma any roads, power lines, or other items that may air 	d in locating the property and the well		
 any permanent structures on the property that ma any roads, power lines, or other items that may air 	d in locating the property and the well		
 any permanent structures on the property that ma any roads, power lines, or other items that may air 	d in locating the property and the well		
2) any permanent structures on the property that ma3) any roads, power lines, or other items that may air	d in locating the property and the well		
2) any permanent structures on the property that ma3) any roads, power lines, or other items that may air	d in locating the property and the well		
 any permanent structures on the property that ma any roads, power lines, or other items that may air 	d in locating the property and the well		
 any permanent structures on the property that ma any roads, power lines, or other items that may air 	d in locating the property and the well		
any permanent structures on the property that ma 3) any roads, power lines, or other items that may aid 4) a north arrow	d in locating the property and the well		
2) any permanent structures on the property that ma 3) any roads, power lines, or other items that may aid 4) a north arrow Delta to English and the property that may aid 4) a north arrow	d in locating the property and the well		
any permanent structures on the property that ma any roads, power lines, or other items that may aid a north arrow	d in locating the property and the well	Form: OI WR-S	SWR-1A (04/08)
2) any permanent structures on the property that ma 3) any roads, power lines, or other items that may aid 4) a north arrow Roberts Farms Inc. HEREBY CERTIFY that the well/borehole was drilled, co	onstructed, and compl ete d in accordance	with all applicable	SWR-1A (04/08)
2) any permanent structures on the property that ma 3) any roads, power lines, or other items that may aid 4) a north arrow Roberts Farms Inc. HEREBY CERTIFY that the well/borehole was drilled, concequirements of the Mississippi Department of Environme	onstructed, and compl ete d in accordance	with all applicable	
2) any permanent structures on the property that ma 3) any roads, power lines, or other items that may aid 4) a north arrow andowner Name: Roberts Farms Inc.	onstructed, and compl ete d in accordance	with all applicable	

Farm manifeld bir Farma On & Diale 044 040 0400 FarmaOn & Diale cam

BY OLWA

County:	Humphreys	
Permit #:	GW-47707	
Driller:	Irrigation Eq	uipment
Date drill	ing completed:	01/24/2014
		m block on Part 1

STATE WELL REPORT Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources

P.O. Box 2309 Jackson, MS 39225-2309 (601) 961-5210 (601) 360-0535 (fax)

For Office Use Only:	
Well#:	<u> Faia</u>
Aquifer:	

	er Information	he Department at the above address within 30 days of well completion. Well Location
Owner Name: Roberts Farm	ns Inc	Latitude: 33 10' 59.9 N Longitude: 90 31' 37.9 W
Mailing Address: P.O. Box 2	202	Method of Lat/Long (check one): Conventional Survey,
		☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS
Belzoni	Ms 39038	
City	State Zip code	e
Telephone No. (-	2 Miles West of Belzoni (Distance) (Direction) (Nearest Town)
	Pun	np Type (check one)
☑ Submersible ☐ Turbine ☐ A		wing Well ☐ Jet ☐ Piston ☐ Rotary ☐ Other (describe):
Date Pump Installed 01/25/2	2014	Rated Pump Capacity: 900+/- Gallons Per Minute
ls This Pump (check one): 🛛 N		
		ver Type (check one)
		or PTO Windmill Other (describe):
Horse Power Rating of Motor:	25 Setting D	Depth: 70 feet Number of Stages: 1
	Rumn Toet	Data for Non Flowing Well
	runith 1621	Data for Noti Liowilla Agu
Date Mell Tested:	<u>-</u>	_
		Duration of Pump Test (minimum 4 hours): Hou
Static Water Level (A):	Feet Below Land St	Duration of Pump Test (minimum 4 hours): Hoururface Pumping Water Level (B): Feet Below Land Surface
Static Water Level (A): Drawdown [(B) - (A)]:	Feet Below Land Si	Duration of Pump Test (minimum 4 hours): Hoursday urface Pumping Water Level (B): Feet Below Land Surface d Surface Test Pumping Rate: Gallons Per Minute
Static Water Level (A): Drawdown [(B) - (A)]:	Feet Below Land St Feet Below Land Feet Below Land k one): □ Steel tape □ Elec	Duration of Pump Test (minimum 4 hours): Hoururface Pumping Water Level (B): Feet Below Land Surface Surface Test Pumping Rate: Gallons Per Minuscric tape Air line Other (describe):
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement <i>(checle</i>)	Feet Below Land St Feet Below Land K one): Steel tape Elect Pump Te	Duration of Pump Test (minimum 4 hours): Hoursday urface Pumping Water Level (B): Feet Below Land Surface d Surface Test Pumping Rate: Gallons Per Minute
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check Measured shut in head:	Feet Below Land Si Feet Below Land Kone): Steel tape Ele Pump Te Feet	Duration of Pump Test (minimum 4 hours): Hoururface Pumping Water Level (B): Feet Below Land Surface Surface Test Pumping Rate: Gallons Per Minuscric tape Air line Other (describe):
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check Measured shut in head:	Feet Below Land Steed Below Land Feet Below Land Kone): Steel tape Elect Pump Te Feet Feet GPM with a drawdown of	Duration of Pump Test (minimum 4 hours): Hoururface Pumping Water Level (B): Feet Below Land Surfaced Surface Test Pumping Rate: Gallons Per Minusertric tape Air line Other (describe):
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check Measured shut in head:	Feet Below Land Si Feet Below Land Kone): Steel tape Ele Pump Te Feet GPM with a drawdown of	Duration of Pump Test (minimum 4 hours): Houreurface Pumping Water Level (B): Feet Below Land Surface d Surface Test Pumping Rate: Gallons Per Minusertric tape Air line Other (describe): est Data for Flowing Well feet after hours of pumping
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check Measured shut in head: Well yielded Meter Manufacturer: None	Feet Below Land State Feet Below Land State Feet Below Land Feet	Duration of Pump Test (minimum 4 hours): Hourerface Pumping Water Level (B): Feet Below Land Surface describe
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check Measured shut in head: Well yielded Meter Manufacturer: None	Feet Below Land Si Feet Below Land Kone): Steel tape Elec Pump Te Feet GPM with a drawdown of N	Duration of Pump Test (minimum 4 hours): Hourerface Pumping Water Level (B): Feet Below Land Surface describe Test Pumping Rate: Gallons Per Minuserric tape Air line Other (describe): Feet Below Land Surface describe Feet Pumping Rate: Feet Below Land Surface Feet Minuserric tape Feet Pumping Rate: Feet Below Land Surface Feet Minuserric Type of Meter: Hours of pumping Feet After hours of pumping Feet Installation Feet Meter: Type of Meter: Type of Meter: Type of Meter: Type of Meter Feet After Feet Below Land Surface Feet Minuserric Feet After hours of pumping Feet After hours of pumping Feet Installation Feet After hours of pumping Feet After
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check Measured shut in head: Well yielded Meter Manufacturer: None Meter Model Number/Name:	Feet Below Land Si Feet Below Land Kone): Steel tape Elec Pump Te Feet GPM with a drawdown of N	Duration of Pump Test (minimum 4 hours): Hoururface Pumping Water Level (B): Feet Below Land Surface d Surface Test Pumping Rate: Gallons Per Minusertric tape
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check Measured shut in head: Well yielded Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Mult	Feet Below Land Some Feet Below Land Some Feet Below Land Rome): Steel tape Elector Feet Feet GPM with a drawdown of Market Installed by Meter installed by Feet Below Land Some Feet BPM with a drawdown of Market Installed by Meter Installed by Feet Below Land Some Feet BPM with a drawdown of Market Installed by Meter Installed by Meter Installed by Feet Below Land Some Feet Below Land	Duration of Pump Test (minimum 4 hours): Hourerface Pumping Water Level (B): Feet Below Land Surface describe to the structure of
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check Measured shut in head: Well yielded Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multinstallation Date: Is This Meter (check one):	Feet Below Land State Feet Below Land State Feet Below Land Feet Below Land Feet Fe	Duration of Pump Test (minimum 4 hours): Hourerface Pumping Water Level (B): Feet Below Land Surface describe to the structure of
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check Measured shut in head: Well yielded Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multinstallation Date: Is This Meter (check one):	Feet Below Land State Feet Below Land State Feet Below Land Feet Below Land Feet Fe	Duration of Pump Test (minimum 4 hours): Hourerface Pumping Water Level (B): Feet Below Land Surface describe to the surface Test Pumping Rate: Gallons Per Minuseric tape
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (check Measured shut in head: Well yielded Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multinstallation Date: Is This Meter (check one):	Feet Below Land State Feet Below Land State Feet Below Land Feet Below Land Feet Fe	Duration of Pump Test (minimum 4 hours): Hourerface Pumping Water Level (B): Feet Below Land Surface describe to the surface Test Pumping Rate: Gallons Per Minuseric tape