	STATE WELL REP	ORT	For Office Use Only:
County: Humphreys	Part 1	Well	#: _ 687
Permit #: GW-47688	Driller's Log Mississippi Department of Environm	Aquit	er:
Driller: Irrigation Equipment	Office of Land and Water Res		y#:
Date drilling completed: 10/09/2013	P.O. Box 2309 Jackson, MS 39225-230 (601) 961-5210	9	<u> </u>
	(601) 360-0535 (fax)		
State Law requires that this report b Department at the above address w			
Well Owner Informat (Landowner if borehole is not for	ion	Well or Boreho	
Owner Name: Jones Planting Co. II	Latitude: 33	08' 47.8 N Lor	ngitude: 90 20' 39.7 W
Mailing Address: P.O. Box 1546	Method of Lat	'Long (check one):	Conventional Survey,
	USGS qua	d, 🛛 Hand-held GPS	, 🗆 Survey-grade GPS
Yazoo City Ms City State	39194 Zip code	NE 14 SW 14, Sec 1	3 Ť <u>15 N</u> R <u>1 W</u>
Telephone No. () -	<u> </u>	Ailes East	of Belzoni
	(Distance)	(Direction)	(Nearest Town)
	Well / Borehole Data	407	
	ate drilling completed: <u>10/09/2013</u> H	ole depth: <u>12/</u>	_ Hole diameter: _ 24"
Location of the source of any surface wate	er used for drilling: Surface Water		
Method of dosing and volume of Chlorine	used in drilling and development: 5	0 PPM	
	5 <u>-</u>		ron 🗌 Other:
Logs run (check all applicable): 🛛 No log	5 <u>-</u>	sity 🗌 Sonic 🗌 Neu	· <u>····································</u>
Method of dosing and volume of Chlorine Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 Wa	run 🗌 Electric 🗌 Gamma Ray 🗍 Den	sity 🗌 Sonic 🗌 Neu	
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 Wa 	run 🗌 Electric 🗌 Gamma Ray 🗍 Den	sity Sonic Neu Investigation	
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 Wa 🗌 Se	run 🗌 Electric 🗌 Gamma Ray 🗍 Den ater Well 🔹 Geotechnical/Geologica	sity Sonic Neu Investigation	Ground Source Heat Pump
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 Wa 🗌 Se	run 🗌 Electric 🗌 Gamma Ray 🗌 Den ater Well 🔹 Geotechnical/Geologica eismic Survey 👘 Other (<i>describe</i> <i>ted to water well construction, skip</i>	sity Sonic Neu Novestigation	Ground Source Heat Pump
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 Wa 🗌 Se <i>If drilling is not rela</i> Purpose of Well (<i>check all applicable</i>): 🔲	run 🗌 Electric 🗌 Gamma Ray 🗌 Den ater Well 🔹 Geotechnical/Geologica eismic Survey 👘 Other (<i>describe</i> <i>ted to water well construction, skip</i>	sity Sonic Neu Investigation	Ground Source Heat Pump
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 Wa 🗌 Se <u>If drilling is not rela</u> Purpose of Well (check all applicable): 🔲	run 🗌 Electric 🗌 Gamma Ray 🗌 Den ater Well 🔹 Geotechnical/Geologica eismic Survey 📄 Other (<i>describe</i> <i>ted to water well construction, skip</i> Home 🗋 Industrial 🗋 Public Supply 🖾	sity Sonic Neu Investigation	Ground Source Heat Pump
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 Wa 🗌 Se <i>If drilling is not rela</i> Purpose of Well (check all applicable): 🗌	run 🗌 Electric 🗌 Gamma Ray 🗌 Den ater Well 📄 Geotechnical/Geologica eismic Survey 📄 Other (<i>describe</i> <i>ted to water well construction, skip</i> Home 🗋 Industrial 🗋 Public Supply 🖾 : Valve Other (descri	sity Sonic Neu Investigation	Ground Source Heat Pump
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 Wa	run 🗌 Electric 🗌 Gamma Ray 🗍 Den ater Well 📄 Geotechnical/Geologica eismic Survey 📄 Other (<i>describe</i> <i>ted to water well construction, skip</i> Home 🗌 Industrial 📄 Public Supply 🖾 : Valve Other (descri et [] above or 🖾 below] land surface (check one)	sity Sonic Neu Investigation	Ground Source Heat Pump
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 Wa	run 🗌 Electric 🗌 Gamma Ray 🗌 Den ater Well 🔹 Geotechnical/Geologica eismic Survey 📄 Other (<i>describe</i> <i>ted to water well construction, skip</i> Home 🗌 Industrial 📄 Public Supply 🖾 : Valve Other (descri et [] above or 🖾 below] land surface (check one) teel tape 🗋 Electric tape 🗌 Air line 🗌	sity Sonic Neu Investigation	Ground Source Heat Pump
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🖾 Wa 🗌 Se If drilling is not rela Purpose of Well (check all applicable): 🗌 Other (describe): If a flowing well, method of flow regulation	run 🗌 Electric 🗌 Gamma Ray 🗌 Den ater Well 🔹 Geotechnical/Geologica eismic Survey 📄 Other (<i>describe</i> <i>ted to water well construction, skip</i> Home 🗌 Industrial 📄 Public Supply 🖄 : Valve Other (descri et [] above or 🛛 below] land surface (check one) teel tape 📄 Electric tape 🗋 Air line 📄 lepth of: _10 feet Type of grout	sity Sonic Neu Investigation	Ground Source Heat Pump This block ure 10/11/2013 Cement ⊠ Bentonite □ Mix
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ Wa □ Se <i>If drilling is not rela</i> Purpose of Well (check all applicable): □ □ Other (describe): □ Other (describe): If a flowing well, method of flow regulation Static Water Level: 23' Method of Measurement (check one) ⊠ S Well depth: 127 Well grouted to a d	run 🗌 Electric 🗌 Gamma Ray 🗌 Den ater Well 🔹 Geotechnical/Geologica eismic Survey 📄 Other (<i>describe</i> <i>ted to water well construction, skip</i> Home 🗌 Industrial 🗋 Public Supply 🖄 : Valve Other (<i>descri</i> et [] above or 🛛 below] land surface (<i>check one</i>) teel tape 📄 Electric tape 🗋 Air line 📄 lepth of: 10 feet Type of grout Casing diameter: 16 inc	sity Sonic Neu Investigation	Ground Source Heat Pump This block ure 10/11/2013 Cement ⊠ Bentonite □ Mix ug: _PVC
Logs run (check all applicable): No log Name of organization running log(s): Purpose of borehole (check one): Va	run 🗌 Electric 🗌 Gamma Ray 🗌 Den ater Well 🔹 Geotechnical/Geologica eismic Survey 📄 Other (<i>describe</i> <i>ted to water well construction, skip</i> Home 🗌 Industrial 📄 Public Supply 🖄 : Valve Other (descri et [] above or 🛛 below] land surface (<i>check one</i>) :teel tape 📄 Electric tape 📄 Air line 📄 lepth of: 10 feet Type of grout Casing diameter: 16 ind Screen diameter: 16 ind	sity Sonic Neu Investigation the remainder of Trigation Fish Cut be) Date measured Other: (describe) (check one): Neat ches Type of casir ches Type of scree	Ground Source Heat Pump This block ure 10/11/2013 Cement ⊠ Bentonite □ Mix ug: <u>PVC</u> en: <u>PVC</u>
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ Wa □ Se <i>If drilling is not rela</i> Purpose of Well (check all applicable): □ □ Other (describe): □ Other (describe): If a flowing well, method of flow regulation. Static Water Level: 23' Method of Measurement (check one) ⊠ S Well depth: 127 Well grouted to a d Casing length: 87 Screen length: 40 Screen slot size: .050	run 🗌 Electric 🗌 Gamma Ray 🗌 Den ater Well 🔹 Geotechnical/Geologica eismic Survey 📄 Other (<i>describe</i> <i>ted to water well construction, skip</i> Home 🗋 Industrial 🗋 Public Supply 🖄 : Valve Other (<i>descri</i> et [] above or 🖄 below] land surface (<i>check one</i>) iteel tape 📄 Electric tape 📄 Air line 📄 lepth of: 10 feet Type of grout Casing diameter: 16 ind Screen diameter: 16 ind ches Setting depth: From 88	sity Sonic Neu Investigation the remainder of Trigation Trigation Trigation Cother: (describe) (check one): Neat Cothes Type of casir Ches Type of screet feet to	Ground Source Heat Pump This block ure 10/11/2013 Cement ⊠ Bentonite □ Mix ng: PVC en: PVC 127 feet
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ Wa □ Se If drilling is not related Purpose of Well (check all applicable): □ □ Other (describe): □ □ Other (describe): □ If a flowing well, method of flow regulation Static Water Level: 23' Method of Measurement (check one) ⊠ Se Well depth: 127 Well grouted to a de Casing length: Screen length: 40 Screen slot size: .050 Image: Type of completion (check all applicable): Image: Type of completion (check all applicable):	run 🗌 Electric 🗌 Gamma Ray 🗌 Den ater Well 🔹 Geotechnical/Geologica eismic Survey 📄 Other (<i>describe</i> <i>ted to water well construction, skip</i> Home 🗋 Industrial 🗋 Public Supply 🖄 : Valve Other (<i>descri</i> et [] above or 🖄 below] land surface (<i>check one</i>) iteel tape 📄 Electric tape 📄 Air line 📄 lepth of: 10 feet Type of grout Casing diameter: 16 ind Screen diameter: 16 ind ches Setting depth: From 88	sity Sonic Neu Investigation	Ground Source Heat Pump This block ure 10/11/2013 Cement ⊠ Bentonite □ Mix ng: PVC en: PVC 127 feet
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ Wa □ Se If drilling is not rela Purpose of Well (check all applicable): □ □ Other (describe): □ Other (describe): If a flowing well, method of flow regulation Static Water Level: 23' Method of Measurement (check one) ⊠ S Well depth: 127 Well grouted to a d Casing length: 87 Screen length: 40 Type of completion (check all applicable):	run 🗌 Electric 🗌 Gamma Ray 🗌 Den- ater Well 🔹 Geotechnical/Geologica eismic Survey 📄 Other (<i>describe</i> <i>ted to water well construction, skig</i> Home 🗋 Industrial 📄 Public Supply 🖾 : Valve Other (descri et [] above or 🖾 below] land surface (<i>check one</i>) :teel tape 📄 Electric tape 📄 Air line 📄 lepth of: 10 feet Type of grout Casing diameter: 16 ind Screen diameter: 16 ind ches Setting depth: From 88 🖾 Gravel packed 🗋 Underreamed 🗋 0	sity Sonic Neu Investigation	Ground Source Heat Pump This block ure 10/11/2013 Cement ⊠ Bentonite □ Mix ng: PVC en: PVC 127 feet

ı ,


	F	or Office Use	Only:
County: Humphreys	Well #:	G87	
Permit #: GW-47688			
The sketch below only required for water wells	Description of formations encountered mu	ist be provided for a	ll wells
	and boreholes, unless specifically exempted	d by regulations	
If well telescopes, show depths on sketch.	Description of Formations Encountered	From (depth)	To (depth)
Ground level	Clay	Ground level	22
	Fine Sand	23	42
	Fine Sand & Gravel	43	62
	Medium Sand & Gravel	63	127
	hat the		
	· ····································		<u> </u>
			1
			·
[L
If more than one screen, show location of each on sket	cn		

 the well location any permanent structures on the property that m any roads, power lines, or other items that may a a north arrow 			
Landowner Name: Jones Planting Co II			
I HEREBY CERTIFY that the well/borehole was drilled, or requirements of the Mississippi Department of Environm if applicable, and state laws. Patrick Chism 0695	constructed, and compl ental Quality and the M 10/22/2013	Form: OLWR-SWR-1A (04/08) ered in accordance with all applicable lississippi Department of Health regulations,	
Print Name of Responsible Licensee and License No.	Date	Signature of Licensee Form: OLWR-SWR-1A (4/13)	

t r

		ELL REPORT	For Office Use Only:
County: Humphreys	- 1	Part 2	Well#: <u>C-87</u>
Permit #: GW-47688	— Mississippi Departme	s Completion Report ent of Environmental Quality	
Driller: Irrigation Equipment	_ Office of Land a	and Water Resources Box 2309	Aquifer:
Date drilling completed: 10/09/2013	Jackson,	MS 39225-2309	,
Copy information from block on Part	(001) 961-5210 60-0535 (fax)	
mant i cut i cut	ζ,	, , , , , , , , , , , , , , , , , , ,	installar A comp of Dant 1
This part of the report must be composited of the report must be attached and be	leted by a licensed water well oth parts filed with the Depar	contractor or a ucensea pumy tment at the above address with	hin 30 days of well completion.
Well Owner Infor	mation	We	II Location
Owner Name: Jones Planting Col	1	Latitude: 33 08' 47.8 N	Longitude: 90 20' 39.7 W
Mailing Address: P.O. Box 1546		Method of Lat/Long (check of	ne): 🔲 Conventional Survey,
		🔲 USGS quad, 🖾 Hand-he	ld GPS, 🔲 Survey-grade GPS
Yazoo City Ms	s 39194	NE ½ SW ½	Sec <u>18</u> T <u>15 N</u> R <u>1 W</u>
	State Zip code		
Telephone No. () -		8 Miles Ea	st of Belzoni (Nearest Town)
······			
	Pump Type	(check one)	
Submersible I Turbine I Air Lift		•	· · · · · · · · · · · · · · · · · · ·
		ated Pump Capacity: 2500+	Gallons Per Minute
s This Pump (check one): 🛛 New 🗌		check one)	
🗆 Electric 🛛 Diesel 🗇 Gasoline 🗇 N	51	. ,).
Horse Power Rating of Motor: 60			
	Pump Test Data fo	r Non Flowing Well	
Date Well Tested:		Duration of Pump Test (minin	num 4 hours): Hours
	Foot Bolow Land Curfoon	Pumping Water Level (B):	Feet Below Land Surface
Static Water Level (A):	Feet below Land Surface		
		e Test Pumping Rate:	
Drawdown [(B) - (A)]:	Feet Below Land Surfac		Gallons Per Minute
Drawdown [(B) - (A)]:	Feet Below Land Surfac		Gallons Per Minute
Drawdown [(B) - (A)]:	Feet Below Land Surfac	e 🗌 Air line 🗌 Other (describ	Gallons Per Minute
Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> Measured shut in head:	Feet Below Land Surfac	e Air line Other (describ	Gallons Per Minute
Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> Measured shut in head:	Feet Below Land Surfac Steel tape Electric tap Pump Test Data Feet ith a drawdown of	e Air line Other (describ	e):
Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> Measured shut in head: Well yielded GPM wi	Feet Below Land Surfac □ Steel tape □ Electric tap Pump Test Data Feet ith a drawdown of Meter Ins	e Air line Other (describ for Flowing Well feet after stallation	e): Gallons Per Minute
Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> Measured shut in head: Well yielded GPM wi Meter Manufacturer: None Installe	Feet Below Land Surfac D Steel tape D Electric tap Pump Test Data Teet Feet th a drawdown of Meter Insect	e Air line Other (describ for Flowing Well feet after feet after Meter Serial Number:	e): Gallons Per Minute
Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> Measured shut in head: Well yielded GPM wi Meter Manufacturer: None Installe Meter Model Number/Name:	Feet Below Land Surfac Steel tape Electric tap Pump Test Data Feet ith a drawdown of Meter Insed	e Air line Other (describ for Flowing Well feet after feet after feet after feet after feet after fructure feet after function f	e): Gallons Per Minute
Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> Measured shut in head: Mell yielded GPM wi Meter Manufacturer: None Installe Meter Model Number/Name: Fotalizer Register Unit and Multiplier F	Feet Below Land Surfac D Steel tape D Electric tap Pump Test Data Feet ith a drawdown of Meter Insect Eactor (AF x .001, gal x 1000	e Air line Other (describ for Flowing Well feet after	e): Gallons Per Minute
Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> Measured shut in head: Well yielded GPM wi Meter Manufacturer: GPM wi Meter Model Number/Name: Totalizer Register Unit and Multiplier F Installation Date:	Feet Below Land Surfac Steel tape Feet Feet ith a drawdown of Meter Installed by: Factor (AF x .001, gal x 1000 Meter installed by:	e Air line Other (describ for Flowing Well feet after	e): Gallons Per Minute
Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> Measured shut in head: Well yielded GPM wi Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier F Installation Date: s This Meter <i>(check one)</i> : New	Feet Below Land Surfac □ Steel tape □ Electric tap Pump Test Data Feet ith a drawdown of Meter Insection Factor (AF x .001, gal x 1000 Meter installed by: Repaired □ Replacement	e Air line Other (describ for Flowing Well feet after stallation Meter Serial Number: Type of Meter:, etc):	Gallons Per Minute e): hours of pumping
Well yielded GPM wi Meter Manufacturer: None Installe Meter Model Number/Name: Totalizer Register Unit and Multiplier F Installation Date: Is This Meter (check one): New Important: By submitting the abo	Feet Below Land Surfac □ Steel tape □ Electric tap Pump Test Data Feet ith a drawdown of Meter Inse ed Factor (AF x .001, gal x 1000 Meter installed by: Repaired □ Replacement ove information you are certi	e Air line Other (describ for Flowing Well feet after stallation Meter Serial Number: Type of Meter:, etc):	Gallons Per Minute e): hours of pumping hours of pumping
Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded GPM wi Meter Manufacturer: GPM wi Meter Model Number/Name: Totalizer Register Unit and Multiplier F Installation Date: Is This Meter (check one): New Important: By submitting the abo	Feet Below Land Surfac □ Steel tape □ Electric tap Pump Test Data Feet ith a drawdown of Meter Inse ed Factor (AF x .001, gal x 1000 Meter installed by: Repaired □ Replacement ove information you are certi icultural wells, a list of appro-	e Air line Other (describ for Flowing Well feet after stallation Meter Serial Number: Type of Meter:, etc): fying that this meter was instance of the MDEQ were meters is on the MDEQ were m	Gallons Per Minute e): hours of pumping hours of pumping
Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> Measured shut in head: Well yielded GPM wi Meter Manufacturer: Mone Installe Meter Model Number/Name: Meter Model Number/Name: Totalizer Register Unit and Multiplier F Installation Date: Is This Meter <i>(check one)</i> : New <i>Important: By submitting the abo For agri</i>	Feet Below Land Surfac □ Steel tape □ Electric tap Pump Test Data Feet ith a drawdown of Meter Inse ed Factor (AF x .001, gal x 1000 Meter installed by: Repaired □ Replacement ove information you are certi icultural wells, a list of appro-	e Air line Other (describ for Flowing Well feet after stallation Meter Serial Number: Type of Meter:, etc): fying that this meter was instance of the MDEQ were meters is on the MDEQ were m	Gallons Per Minute e): hours of pumping hours of pumping

,



1

Google earth

feet km

RECEIVED OCT 2 8 2013 BY: OLWR

G87