county: Humphreys
Permit #: 6W - 45676
Driller: J. NEWCOME 0.773
Date drilling completed: 11-14-2011
State Law requires that this rep

State Well Report

Part 1 – **Driller's Log**Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601)961-5210 (601)961-5228 (fax)

For Office Use Only:	_
Aquifer: $\frac{34}{34}$	
Well #:	
L. S. Elevation:	
E-log #:	

ort be prepared by the license holder responsible for the work and filed with the

Department at the above address within 30 days of comp	letion of drilling of the well or borehole.		
Information on Well Owner	Well or Borehole Location		
(Landowner if borehole is not for a water well) Owner Name La Jolla Farms	Latitude: 33 · 00 · 53 " Longitude: 90 · 31 · 40 "		
	Method of Lat/Long (circle one): Conventional Survey,		
Mailing Address: 412 redwell	USGS quad, Mand-held GPS Survey-grade GPS		
20	NE 45W 4 Sec 32 / Twn 14 N kng 03W		
Madison M5 39110 City State Zip Code	Distance Direction Nearest Town		
Telephone No. ()	Distance Direction Nearest Town Miles N.E. of LOUSE		
Well / Borel			
Date drilling started: 11.14.2011 Date drilling completed: 11.14.22	Hole depth: 1/2 Hole diameter: 24"		
Location of the source of any surface water used for drilling: DTT	4		
Method of dosing and volume of Chlorine used in drilling and develo	opment: CHOKINE TABLETS		
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):			
Purpose of borehole (check one): Water Well X Geotechnical/Geolo	ogical Investigation Ground Source Heat Pump		
Seismic Survey Other (describe) If drilling is not related to water well construction	n, skip the remainder of this block		
Purpose of Well (check one): Home Industrial Public Supply	Irrigation X Fish Culture Other:		
If a flowing well, method of flow regulation: Valve Of	ther (describe)		
Static Water Level:feet above or below (circle one) la	and surface Date measured:		
Method of Measurement (circle one) steel tape electric tape air line other:			
Well depth: Well grouted to a depth of 10 feet Type	of grout (circle one): Neat Cemen Bentonite Mix		
Casing length:feet Casing diameter:	_inches Type of casing:		
Screen length: 40 feet Screen diameter: 16	inches Type of screen: P.V. C.		
Screen slot size: .050 inches Setting depth: From	feet to feet		
Type of completion (circle all applicable): Ofavel packed Underr	reamed Telescoped Open hole Natural Development		
Other (describe):			
Top of lap pipe or reduction in casing:feet. If tele	escoped or more than one screen, describe on next page		
	Form: OLIMP CMP 14 (04/00)		

Form: OLWR-SWR-1A (04/08)



	Treate with botterious, writers specificant	y exempted by regu	<u>lations</u>
If well telescopes, show depths on sketch. Ground Level.	Description of Formations Encountered	From (depth)	Γο (depth
	TOP SOIL	Ground Level	10 (deptir
1	CLAY,	10	40
	FINE SAND CLIPY MIX	40	50
117(),-	COARSE SMUD PERRUA	100	10
CCF	BOTTOM	110	117
10 5000			
CASING			
{			
1.1.			
V			
1 / .			
1140,5			
16" scesson			
16" Scere			
		 	
If more than one screen, show location of each on sketch			
See	M. 0		
	L IAT		
andowner Name:ertify that the well/borehole was drilled, constructed, and ssissippi Department of Environmental Quality and the I	Form I completed in accordance with all applicable	-	he
andowner Name: Partify that the well/borehole was drilled, constructed, and sissisppi Department of Environmental Quality and the I	Form I completed in accordance with all applicable Mississippi Department of Health regulations,	requirements of t	he
rtify that the well/borehole was drilled, constructed, and sissippi Department of Environmental Quality and the I	Form I completed in accordance with all applicable	requirements of t	he

County: HUMPHREYS
Permit #: GW-45676
Driller: J. NEWCOME 0.773

Date completed: 11-14-2011

Copy information from block on Part

STATE WELL REPORT

Part 2

Pump Installer's Completion Report


Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225
(601)961-5210
(601)961-5228 (fax)

For Office Use Only:	
Aquifer:	
Well #:	J134
Elevation:	

Copy information from block on Furt 1	1 3220 (MAX)
This part of the report must be completed by a licensed water well report must be attached and both parts filed with the Department of	contractor or a licensed pump installer. A copy of Part 1 of the at the above address within 30 days of well completion.
Well Owner Information	Well Location
Owner Name: LAJOUA FRAMS	Latitude: 33° 60′53″ Longitude: 90° 31′ 40′
Mailing Address: 412 TREND WELL	Method of Lat/Long (check one): Conventional Survey,
	USGS quad, Hand-held GPS Survey-grade GPS
MADISON, MS 39110 City State Zip Code	NE 45W 4 Sec 32 TI4N RO3W
Telephone No. ()	Distance Direction Nearest Town Miles N.E. of LOWSE
Pump Type	Power Type
Circle one	Circle one
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas
Bucket Piston Turbine	Electric Motor Hand Tractor PTO
Centrifugal Rotary Flowing Well	Windmill Other (specify):
Other (specify):	Horse Power Rating of Motor:
Date Pump Installed: 11-16-2011	Setting Depth:feet
Rated Pump Capacity: 2400 Gallons Per Minute	Number of Stages:
Pump Test Data	Method of Measuring Water Level
Date Well Tested: Static Water Level (A):Feet Below Land Surface	Circle one Air Line Electric Measuring Line Steel Tape
	Other (specify):
Pumping Water Level (B): Feet Below Land Surface	NOT TESTED
Drawdown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet
Test Pumping Rate:Gallons Per Minute	Well yieldedGPM with a drawdown of
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping
This is for (circle one): New Well Replacement of Ex	isting Pump Repair of Existing Pump .
I HEREBY CERTIFY that the above statements are true to the best	of my knowledge
Core Rave 0.711P	()

DEC 1 2 2011

BY: NWR



MARIS Online Maps