
State V	Vell Report					
County: Part 1	State Well Report Part 1 – Driller's Log					
Permit #: 6-W-44222 Mississippi Departme	Mississippi Department of Environmental Quality					
Driller: 4 CONT EQUIPMENT P.O.	Office of Land and Water Resources P.O. Box 2309					
Date drilling completed: 5-8-10 (601	Jackson, MS 39225 (601)961- 5210					
(601)96	(601)961- 5228 (fax)					
State Law requires that this report be prepared by the li	E-log#:					
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.						
Information on Well Owner (Landowner if borehole is not for a water well)	Owner Or a water well Well or Bo					
P L + C C						
Owner Name Robert C. Evans	ert C. Evans Latitude: 32. 57.05.					
Method of Lat/Long (circle o						
	USGS quad Hand-held					
Anguilla Ms. 3872/ Nwy Nwy Sec 32		13N Rng 4W				
	City State Zip Code Distance Direction					
Telephone No. ()	State Zip Code Distance Direction Miles Shows					
Wall (D						
Well/Bore	chole Data					
Date drilling started: 5-8-10 Date drilling completed: 5-8-	10 Hole depth: 117	Hole diameter: 24"				
Location of the source of any surface water used for drilling: Surface Water Method of dosing and volume of Chlorine used in drilling and development: 50 PPM						
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:						
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump						
Seismic Survey Other (describe)						
If drilling is not related to water well construction, skip the remainder of this block						
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:						
If a flowing well, method of flow regulation: Valve Other (describe)						
Static Water Level: 12 feet above of below circle one) land surface Date measured: 5-1/-10						
Method of Measurement (circle one) steel tape electric tape air line other:						
Well depth: Well grouted to a depth of feet Type of grout (circle one): Neat Cement Mix						
Casing length: 90 feet Casing diameter: 16 inches Type of casing: PVC						
Screen length: 27 feet Screen diameter: 16 inches Type of screen: PVC						
Screen slot size: , 050 inches Setting depth: From 91 feet to 117 feet						
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development						

Other (describe):

Top of lap pipe or reduction in casing:

feet. If telescoped or more than one screen, describe on next page





	uired for water wells	<u>De</u>	Cription of formations	encountered	nous ha mana d	
Ground Level.	oths on sketch.	we	ls and boreholes, unle	s specifically	nusi be provided exempted by regu	<u>for all</u> clations
Ground Level			iption of Formations E			
		: <u>C</u> 7	ay		Ground Level	Fo (depth
		E	ne Sand + C	lay	28	38
		- E 1	ne. Sand		39	49
]	Fi	ie Sand + C	1	50	60
		F	ne Sand	ay	72	 7 1
		Me	dium Sand d	Granal	90	89
		C	ay		116	1//2
•			/			11/
			· · · · · · · · · · · · · · · · · · ·			
	· ·			·		
	j			·		
						
·		ļ				
	·					
	-	. —				
•						
	show location of each on					
tch the property layout an	od include the following to	\d1	; 2) any permanent stru tems that may aid in lo	ctures on the p	roperty that may perty and the well;	
tch the property layout an		\d1	; 2) any permanent stru tems that may aid in lo	ctures on the p	roperty that may berty and the well;	
tch the property layout an	od include the following to	\d1	; 2) any permanent stru tems that may aid in lo	ctures on the p	roperty that may certy and the well;	
tch the property layout an	od include the following to	\d1	; 2) any permanent stru tems that may aid in lo	ctures on the p	roperty that may certy and the well;	
tch the property layout an	od include the following to	\d1	; 2) any permanent stru tems that may aid in lo	ctures on the p cating the prop	roperty that may earty and the well;	
tch the property layout an	od include the following to	\d1	; 2) any permanent stru tems that may aid in lo	ctures on the p cating the prop	roperty that may certy and the well;	
tch the property layout an	od include the following to	\d1	; 2) any permanent stru tems that may aid in lo	ctures on the p	roperty that may early and the well;	
tch the property layout an aid in locating t 4) a north arrow	od include the following to	\d1	; 2) any permanent stru tems that may aid in lo	ctures on the p cating the prop	roperty that may certy and the well;	
tch the property layout an aid in locating t 4) a north arrow	od include the following to	\d1	; 2) any permanent stru tems that may aid in lo	ctures on the p	roperty that may certy and the well;	
tch the property layout an aid in locating t 4) a north arrow	od include the following to	\d1	; 2) any permanent stru tems that may aid in lo	ctures on the p cating the prop	roperty that may certy and the well;	
tch the property layout an aid in locating t 4) a north arrow	od include the following to	\d1	; 2) any permanent stru tems that may aid in lo	ctures on the p cating the prop	roperty that may certy and the well;	
tch the property layout an aid in locating t 4) a north arrow	od include the following to	\d1	; 2) any permanent stru tems that may aid in lo	ctures on the prop	roperty that may earty and the well;	
tch the property layout an aid in locating t 4) a north arrow	od include the following to	\d1	; 2) any permanent stru tems that may aid in lo	ctures on the p	roperty that may certy and the well;	
tch the property layout an aid in locating t 4) a north arrow	od include the following to	\d1	; 2) any permanent stru tems that may aid in lo	ctures on the p	roperty that may certy and the well;	
tch the property layout an aid in locating t 4) a north arrow	od include the following to	\d1	; 2) any permanent stru tems that may aid in lo	ctures on the p	roperty that may certy and the well;	
tch the property layout an aid in locating t 4) a north arrow	od include the following to	\d1	; 2) any permanent stru tems that may aid in lo	ctures on the p	roperty that may certy and the well;	
tch the property layout an aid in locating t 4) a north arrow	od include the following to	\d1	; 2) any permanent stru tems that may aid in lo	ctures on the p	roperty that may certy and the well;	
tch the property layout an aid in locating t 4) a north arrow	od include the following to	\d1	; 2) any permanent struters that may aid in lo	ctures on the p	roperty that may exty and the well;	
aid in locating to 4) a north arrov	od include the following to	the well location ver lines, or other	; 2) any permanent stru tems that may aid in lo	ctures on the prop	roperty that may exty and the well;	

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Date

ő695

Patrick M. Chism

Print Name of Responsible Licensee and License No.


Signature of Licensee

BYONE

County: Humphreys	Part 2		For Office Use Only:		
Permit #: 6-W-44222	Pump Installer's Completion Deport		Aquifer:		
Irrigation Equipment	wississippi Departme	III of Environmental Quality			
Times,	Office of Land and Water Resources P.O. Box 2309		Wdl#:		
Date completed: 5-8-10	Jackson, MS 39225		·		
Copy information from block on Part 1	(60:	1)961-5210	Elevation:		
		61-5228 (fax)	·		
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.					
i Well Owner Informed	ion	The state of the s	ays of well completion. l Location		
Owner Name: Robert C.	F_{ij}		,		
11/11/11/11	115	Latitude:	Longitude:		
Mailing Address: 4/64 Stra	ight Bayon		e): Conventional Survey,		
		USGS quad, Hand-held	GPS Survey-grade GPS		
Anguilla Me	15. 38721 NW 4NW 4		Sec_30_T/3N_R_4W		
	•	Distance Direction	Non- T		
Telephone No. ()	· ·	Distance Direction H Miles Sw of	Nearest Town		
Pump Type		D	T		
Circle one Air Lift Jet	C.1	Ci	ver Type ircle one		
	Submersible	Diesel Engine Gasolin	e Engine Natural Gas		
Bucket Piston	Turbine	Electric Motor Hand			
Centrifugal Rotary	Flowing Well		Tractor PTO		
Other (specify):		02101 (2	specify):		
	Horse Power Rating o		Motor:60		
Date Pump Installed: 5-11-11	7	Setting Depth:			
Rated Pump Capacity: 2500 ±	Call B an	į.	_		
supposition of the supposition o	Gallons Per Minute Number of Stages:				
Pump Test Data Date Well Tested:	7,	Method of Mea	suring Water Level		
		Cir	cle one		
Static Water Level (A):Feet I	Below Land Surface	Air Line Electric Meas	uring Line Steel Tape		
Pumping Water Level (B):Feet B	elong I and Game	Other (specify):			
· ·		a de de la companya			
Drawdown [(B) – (A)]:Feet H		For flowing well, measured shu	t in head:feet		
Test Pumping Rate:		Well yielded	GPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):	hours				
		iicet anter	hours of pumping		
This is for (circle one): New Well Replacement of Existing Pump Repair of Existing Pump					
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.					
Patrick M. Chism 0695					
Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer					
Form: OLVAR SWR-1C (07-08)					

BY: OUNF

MAY 17 2010



RECEIVED
MAY 17 2010
BY: OLWP