	STATE WELL	REPORT		Use Only:
County: Humphreys	Part 1		Well #:	. 195
Permit #: GW-46735 J	Driller's I Mississippi Department of Er		Aquifer:	·
Driller: Irrigation Equipment	Office of Land and Wa	ter Resources		
Date drilling completed: 05/21/2013	P.O. Box 23 Jackson, MS 392			
	(601) 961-5			
	(601) 360-053		·	Glad with the
State Law requires that this report Department at the above address w				tiea wun the
Well Owner Informa		Well or	Borehole Location	
(Landowner if borehole is not fo	· ·			
Owner Name: IAI US Fund II	Latitud	e: 32 59' 06.6 N	Longitude: _90	37' 38.5 W
Mailing Address: 2004 Fox Drive	Metho	d of Lat/Long (check	one): 🔲 Convent	ional Survey,
Suite L	Uus	GS quad, 🛛 Hand-h	<i>,</i>	
Champaign IL	61820	<b>.</b> 8É ½ SE ½	i, Sec <u>8</u> T <u>13 N</u> R <u>4</u>	w
City Stat		NW	· · · · <u> </u>	_
Telephone No. () -		2MilesM	est of	Louise
	(Dis	stance) (Din	ection) (Ne	earest Town)
	Weil / Borehole D	ata		
Logs run (check all applicable): 🛛 No log				
Purpose of borehole (check one): 🛛 🕅	_	eological Investigation	n 🔲 Ground Sou	rce Heat Pump
_			1 (4):-11-1	
If drilling is not rel	lated to water well construction	on, skip the remai	nder of this block	<u> </u>
Purpose of Well (check all applicable):	] Home 🗋 Industrial 🗌 Public Su	pply 🛛 Irrigation 🔲	Fish Culture	
Other (describe):				
If a flowing well, method of flow regulation	on: Valve Othe	r (describe)		
Static Water Level: 8	feet [☐ above or ⊠ below] land s (check one)	surface Date m	easured: 05/21/20	013
Method of Measurement (check one) 🛛	Steel tape 🗌 Electric tape 🗌 Air	line 🗌 Other: (desc	ribe)	
Well depth: _115 Well grouted to a	a depth of: <u>10</u> feet Type	of grout (check one):	🗋 Neat Cement 🛛	Bentonite 🛛 Mix
Casing length: 75 feet	Casing diameter: 16	inches Type	of casing: PVC	
Screen length: 40 feet	Screen diameter: 16	inches Type	of screen: PVC	
Screen slot size: .050	inches Setting depth: From	76	feet to 115	RECEN
Type of completion (check all applicable	e): 🛛 Gravel packed 🗌 Underrea	med 🔲 Open hole 🗌	] Natural Developm	ent AUG 0 5 20
Other (describe):				
Top of lap pipe or reduction in casing:	Feet			BY: OLV
If tel	escoped or more than one screet	n. describe on next i	age	

Form: OLWR-SWR-1A (4/13)

en e

County: Humphreys		For Office Use	-
Permit #: GW-46735	L		
<u>The sketch below only required for water wells</u> f well telescopes, show depths on sketch.	Description of formations encountered and boreholes, unless specifically exem	must be provided for pted by regulations	<u>all wells</u>
well letescopes, show depins on sketch.	Description of Formations Encounter	ed From (depth	) To (depl
Ground level		Ground leve	
	Brown Sand	16	25
	Fine Sand	26	45
	Medium Sand	46	65
	Course Sand	66	85
	Course Sand & Gravel	86	115
f more than one screen, show location of each on sketch			
Sketch the property layout and include the following: 1) the well location 2) any permanent structures on the property that m 3) any roads, power lines, or other items that may 4) a north arrow	nay aid in locating the well aid in locating the property and the well		


	yout and include the following:				
1) the well locati	on It structures on the property that ma	v aid in locating the w			
2) any permaner 3) any roads no	wer lines, or other items that may ai	d in locating the prop	erty and the well		
4) a north arrow			,		
,					
	IAI US Fund II				
Landowner Name:					
				VR-SWR-1A (04/08)	
I HEREBY CERTIFY	that the well/borehole was drilled, c	onstructed, and comp	leted in accordance with all applicabl	e RE(CE)	VEN
requirements of the M	lississippi Department of Environme	ental Quality and the M	hississippi Department of Health regu	ulations, 🦳 👾 / 👘	N Cron San
if applicable, and stat	e laws.		WA .	1112 A. C.	5 <b>1</b> 5 1 15
Patrick Chism	0695	07/24/2013	- Sile	AUG U.D	7013
Print Name of Respo	nsible Licensee and License No.	Date	Signature of License		
			Form: OLW	R-SWR-1A (4/13)	
				1	


/ **.** . . . .

	STATE WELL REPORT	For Office Use Only: Well #: K195
County: Humphreys	Part 2 Pump Installer's Completion Report	
Permit #: GW-46735	Pump Installer's Completion Report Mississippi Department of Environmental Quali	ty
Driller: Irrigation Equipment	Office of Land and Water Resources P.O. Box 2309	Aquifer:
Date drilling completed: 05/21/2013 Copy information from block on Part 1	Jackson, MS 39225-2309	
Copy information from block on Part 1	(601) 961-5210 (601) 360-0535 (fax)	
This part of the report must be complete of the report must be attached and both Well Owner Information	ed by a licensed water well contractor or a licensed pu parts filed with the Department at the above address ation	mp installer. A copy of Part 1 within 30 days of well completion. Nell Location
		Longitude: 90 37' 38.5 W
Mailing Address: 2004 Fox Drive		k one): 🛛 Conventional Survey,
Suite L	🗌 USGS quad, 🛛 Hand-	held GPS, 🔲 Survey-grade GPS
Champaign IL City Sta		¼, Sec <u>8</u> T <u>13 N</u> R <u>4 W</u>
Telephone No. () -	2 Miles	West of Louise
		irection) (Nearest Town)
	Pump Type (check one)	
	Centrifugal  Flowing Well  Jet  Piston  Rated Pump Capacity: 250	y  Other (describe):
Date Pump Installed Is This Pump (check one): 🛛 New 🗌 R		Ganon's Per Minute
	Power Type (check one)         ural Gas       Tractor PTO       Windmill       Other (description)	·
Horse Power Rating of Motor: 60	ural Gas	Number of Stages: 1
Horse Power Rating of Motor:	ural Gas [] Tractor PTO [] Windmill [] Other (descri Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (mi	Number of Stages: 1
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): F	ural Gas	Number of Stages: inimum 4 hours): Hours Feet Below Land Surface
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]:	ural Gas  Tractor PTO  Windmill  Other (description) Setting Depth: 70 Feet Pump Test Data for Non Flowing Well Duration of Pump Test (minimum ceet Below Land Surface Pumping Water Level (B):	Number of Stages:       1         inimum 4 hours):       Hours         Feet Below Land Surface       Gallons Per Minute
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]:	ural Gas [] Tractor PTO [] Windmill [] Other (descri Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (minimized Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate:	Number of Stages:       1         inimum 4 hours):       Hours         Feet Below Land Surface       Gallons Per Minute
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]: Method of measurement <i>(check one)</i> :	ural Gas [] Tractor PTO [] Windmill [] Other (description of setting Depth:       70	Number of Stages:       1         inimum 4 hours):       Hours         Feet Below Land Surface       Gallons Per Minute
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]: Method of measurement (check one): [] Measured shut in head:	ural Gas [] Tractor PTO [] Windmill [] Other (description of setting Depth:       70	Number of Stages: inimum 4 hours): Hours Feet Below Land Surface Gallons Per Minute pribe):
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]: Method of measurement (check one): [] Measured shut in head:	ural Gas [] Tractor PTO [] Windmill [] Other (descri Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (minimized Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: 1 Steel tape [] Electric tape [] Air line [] Other (description of Pump Test Data for Flowing Well Feet	Number of Stages: inimum 4 hours): Hours Feet Below Land Surface Gallons Per Minute pribe):
Horse Power Rating of Motor: 60	ural Gas [] Tractor PTO [] Windmill [] Other (descri Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (milling eet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape [] Electric tape [] Air line [] Other (desc Pump Test Data for Flowing Well Feet a drawdown offeet after Meter Installation	Number of Stages:       1         inimum 4 hours):
Horse Power Rating of Motor: 60	ural Gas  Tractor PTO  Windmill  Other (description of the setting Depth: 70 feet  Pump Test Data for Non Flowing Well Duration of Pump Test (main feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: 1 Steel tape  Electric tape  Air line  Other (description of the set Below Content	Number of Stages:       1         inimum 4 hours):
Horse Power Rating of Motor: 60	ural Gas [] Tractor PTO [] Windmill [] Other (descri Setting Depth: 70feet Pump Test Data for Non Flowing Well Duration of Pump Test (mini- eet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate:] Steel tape [] Electric tape [] Air line [] Other (description Pump Test Data for Flowing Well Feet a drawdown offeet after Meter Installation Meter Serial Number:	Number of Stages:       1         inimum 4 hours):
Horse Power Rating of Motor: 60	ural Gas [] Tractor PTO [] Windmill [] Other (description of Setting Depth: 70	Number of Stages:       1         inimum 4 hours):
Horse Power Rating of Motor: 60	ural Gas  Tractor PTO  Windmill  Other (description) Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (mathematication) Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape  Electric tape  Air line  Other (description)  Feet A drawdown of feet after Meter Installation Meter Serial Number: Type of Meter: Meter installed by:	Number of Stages:       1         inimum 4 hours):
Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): F Drawdown [(B) - (A)]: Method of measurement (check one): □ Measured shut in head: Well yielded GPM with Meter Manufacturer: None Installed Meter Model Number/Name: Totalizer Register Unit and Multiplier Fac Installation Date: Is This Meter (check one): □ New □ Re Important: By submitting the above	ural Gas  Tractor PTO  Windmill  Other (description) Setting Depth: 70 feet Pump Test Data for Non Flowing Well Duration of Pump Test (mathematication) Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape  Electric tape  Air line  Other (description)  Feet A drawdown of feet after Meter Installation Meter Serial Number: Type of Meter: Meter installed by:	Number of Stages:       1         inimum 4 hours):
Horse Power Rating of Motor: 60	ural Gas Tractor PTO   Windmill Other (description)   Setting Depth: 70   feet feet     Pump Test Data for Non Flowing Well   Duration of Pump Test (milling)   feet Below Land Surface   Pump Test Data for Pumping Water Level (B):   Feet Below Land Surface   Test Pumping Rate:   Steel tape   Electric tape   Air line   Other (description)   Pump Test Data for Flowing Well   Feet   a drawdown of   feet Installation   Meter Installation   Type of Meter:   Ctor (AF x .001, gal x 1000, etc):   Meter installed by:   epaired   Replacement   e information you are certifying that this meter was implication	Number of Stages:       1         inimum 4 hours):
Horse Power Rating of Motor: 60	ural Gas Tractor PTO   Windmill Other (description)   Setting Depth: 70   feet feet     Pump Test Data for Non Flowing Well   Duration of Pump Test (milling)   feet Below Land Surface   Pump Test Data for Non Flowing Well   feet Below Land Surface   Feet Below Land Surface   Test Pumping Rate:   Steel tape   Electric tape   Air line   Other (description)   Pump Test Data for Flowing Well   Feet   a drawdown of   feet after   Meter Installation   Meter Serial Number:   Type of Meter:   Cotor (AF x .001, gal x 1000, etc):   Meter installed by:   epaired   Replacement   e information you are certifying that this meter was intuitural wells, a list of approved meters is on the MDEQ	Number of Stages:       1         inimum 4 hours):
Horse Power Rating of Motor:       60         Date Well Tested:	ural Gas Tractor PTO Windmill Other (description)   Setting Depth: 70 feet     Pump Test Data for Non Flowing Well   Duration of Pump Test (milling)   Geet Below Land Surface Pumping Water Level (B):   Feet Below Land Surface Test Pumping Rate:   I Steel tape Electric tape   Air line Other (description)   Pump Test Data for Flowing Well   Feet   a drawdown of   feet Installation   Meter Installation   Meter Serial Number:   Type of Meter:   Ctor (AF x .001, gal x 1000, etc):   Meter installed by:   epaired   Replacement   e information you are certifying that this meter was in   witural wells, a list of approved meters is on the MDE(   07/24/2013	Number of Stages:       1         inimum 4 hours):

e y a e







AUS 05 2013

BY