

COUNTY WELL LOCATED
ISSAQUENA
 WELL NUMBER **A 90** CODE

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
 Bureau of Land and Water Resources
 PERMIT NUMBER **1855 165D**
 NAME OF DRILLING FIRM
IRRIGATION EQUIPMENT
 601/887-2555

P. O. Box 10631
 Jackson, MS 39289-0631
 WATER WELL DRILLERS LOG

DATE WELL COMPLETED
5-12-92

NAME & MAILING ADDRESS OF LANDOWNER
INDIANOLA, MS
SOMC Lobster RANCH
P.O. Box 247
GLEN ALLAN, MS 38744

WELL LOCATION: SEC **5** TOWNSHIP **13** RANGE **8**
(N) (S) (E) (W)

DISTANCE **3** Miles **South** of **Glen Allan**

OTHER LANDMARK

WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc.
POND

PUMP DATA

PUMP TYPE (Circle One):
 Submersible Turbine, Jet, Flowing Well,
 Other (Describe) _____

POWER TYPE (Circle One):
 Electric Tractor, Diesel, Gasoline, Butane,
 Other (Describe) H/P **15**

Pump Capacity (GPM) **800** No. of Stages **1** Setting Depth **60** FT.

PUMP TEST

Well yielded _____ GPM with
 a drawdown of _____ ft.
 after _____ hours of pumping

WELL DATA

Well Depth 115	Casing Diameter (In.) 8	Casing Length (Ft.) 75
Type of Casing PVC	Hole Depth 115	Depth to Static Water Level 10' 9"

TYPE OF COMPLETION: (Circle One or More):
 Gravel Packed, Underreamed, Telescoped,
 Natural Development, Open Hole, Other
 (Describe) _____

Top of Lap Pipe or Reduction in Casing
 FEET IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE

LOG DATA

TYPE OF LOG RUN (Circle One):
 No Log Run, Electric, Gamma Ray, Density, Sonic, Neutron,
 Other (Describe) _____

Name of Organization Running Log

SCREEN DATA

Diameter - Inches 8	Length - Feet 40	Slot Size - Inches .030
Screen Type PVC	Depth to Bottom - Feet 115	

GEOLOGIC DATA (Office Use Only)

Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test

Driller's Remarks

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO	FORMATIONS (Continued)	FROM	TO
Clay	0	70	RECEIVED MAY 26 1992 Dept. of Environmental Quality Bureau of Land & Water Resources		
Coarse SAND + GRAVEL	70	115			

IF MORE SPACE IS NEEDED, USE BACK