County:	Issaquena	
	GW-48451	$\sqrt{}$
Driller:	Irrigation Eq	uipment
Date drill	ing completed:	07/30/2014

## **STATE WELL REPORT**

## Part 1

Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309

Jackson, MS 39225-2309

(601) 961-5210

(601) 360-0535 (fax)

For Office Use Only:	
Well#:	<u>B87</u>
Aquifer:	
E-Log #:	

Well Owner Information (Landowner if borehole is not for a water well	Well or Borehole Location
Owner Name: Waye Windham Farms	Latitude: 32 50' 30.5 N Longitude: 90 59' 01.0 W
Mailing Address: 3363 Willette Road	Method of Lat/Long (check one): ☐ Conventional Survey,
	☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS
Dellin Fad	
Rolling Fork Ms 391 City State Zipo	NE % SE %, Sec 37 T 12 N R 8 W
Telephone No(	5 Miles Southeast of Mayersville (Distance) (Direction) (Nearest Town)
	Well / Borehole Data
Date drilling started: 07/30/2014 Date drilling co	mpleted: 07/30/2014 Hole depth: 114' Hole diameter: 24"
Location of the source of any surface water used for dr	rilling: Surface Water
Method of dosing and volume of Chlorine used in drilling	ng and development: 50 PPM
-	ric    Gamma Ray    Density    Sonic    Neutron    Other:
Name of organization running log(s):	
Purpose of borehole (check one):   Water Well	☐ Geotechnical/Geological Investigation ☐ Ground Source Heat Pump
Purpose of borehole (check one):   Water Well  Seismic Surve	•
☐ Seismic Surve	
☐ Seismic Surve	y Other (describe) r well construction, skip the remainder of this block
☐ Seismic Surver ☐ Seismic Surver ☐ Seismic Surver ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	y Other (describe) r well construction, skip the remainder of this block
☐ Seismic Survey  If drilling is not related to water  Purpose of Well (check all applicable): ☐ Home ☐ Indi ☐ Other (describe):	y ☐ Other (describe)
☐ Seismic Survey  If drilling is not related to water  Purpose of Well (check all applicable): ☐ Home ☐ Indeed  ☐ Other (describe):  If a flowing well, method of flow regulation: Valve  Static Water Level: 18' feet [☐ above]	y ☐ Other (describe)
☐ Seismic Survey  If drilling is not related to water  Purpose of Well (check all applicable): ☐ Home ☐ Ind  ☐ Other (describe):  If a flowing well, method of flow regulation: Valve  Static Water Level: 18' feet [☐ above (check)	y ☐ Other (describe)
☐ Seismic Survey  If drilling is not related to water  Purpose of Well (check all applicable): ☐ Home ☐ Indi ☐ Other (describe):  If a flowing well, method of flow regulation: Valve  Static Water Level: 18' feet [☐ above (check of Measurement (check one) ☒ Steel tape ☐	Other (describe)  r well construction, skip the remainder of this block  ustrial  Public Supply  Irrigation  Fish Culture  Other (describe)  or  below] land surface Date measured: 07/31/2014  ok one)  Electric tape  Air line  Other: (describe)
☐ Seismic Survey  If drilling is not related to water  Purpose of Well (check all applicable): ☐ Home ☐ Indi ☐ Other (describe):  If a flowing well, method of flow regulation: Valve  Static Water Level: 18' feet [☐ above (check of Measurement (check one) ☒ Steel tape ☐  Well depth: 114' Well grouted to a depth of: 10'	y ☐ Other (describe)
☐ Seismic Survey  If drilling is not related to water  Purpose of Well (check all applicable): ☐ Home ☐ Indi ☐ Other (describe):  If a flowing well, method of flow regulation: Valve  Static Water Level: 18' feet [☐ above (check)  Steel tape ☐  Well depth: 114' Well grouted to a depth of: 10'  Casing length: 74' feet Casing diam	y ☐ Other (describe)
☐ Seismic Survey  If drilling is not related to water  Purpose of Well (check all applicable): ☐ Home ☐ Indi ☐ Other (describe):  If a flowing well, method of flow regulation: Valve  Static Water Level: 18' feet [☐ above (check one) ☒ Steel tape ☐  Well depth: 114' Well grouted to a depth of: 10'  Casing length: 74' feet Casing diam  Screen length: 40' feet Screen diam	y ☐ Other (describe)
☐ Seismic Survey  If drilling is not related to water  Purpose of Well (check all applicable): ☐ Home ☐ Indeed  ☐ Other (describe):  If a flowing well, method of flow regulation: Valve ☐  Static Water Level: 18' feet [☐ above (check of the context)]  Well depth of Measurement (check one) ☒ Steel tape ☐  Well depth: 114' Well grouted to a depth of: 10'  Casing length: 74' feet Casing diamonates are context.  Screen length: 40' feet Screen diamonates are context.	Twell construction, skip the remainder of this block  ustrial □ Public Supply ☒ Irrigation □ Fish Culture  Other (describe)  or ☒ below] land surface □ Date measured: 07/31/2014  ck one)  Electric tape □ Air line □ Other: (describe)  feet Type of grout (check one): □ Neat Cement ☒ Bentonite □ Mi  eter: 16" inches Type of casing: PVC  meter: 16" inches Type of screen: PVC  ting depth: From 75' feet to 114' feet
☐ Seismic Survey  If drilling is not related to water  Purpose of Well (check all applicable): ☐ Home ☐ Indi ☐ Other (describe):  If a flowing well, method of flow regulation: Valve	Other (describe)  well construction, skip the remainder of this block  ustrial  Public Supply  Irrigation  Fish Culture  Other (describe)  or  below] land surface  Date measured: 07/31/2014  ck one)  Electric tape  Air line  Other: (describe)  feet  Type of grout (check one):  Neat Cement  Bentonite  Mi  eter: 16"  inches  Type of casing: PVC
Seismic Survey   If drilling is not related to water	Twell construction, skip the remainder of this block  ustrial □ Public Supply ☒ Irrigation □ Fish Culture  Other (describe)  or ☒ below] land surface □ Date measured: 07/31/2014  ck one)  Electric tape □ Air line □ Other: (describe)  feet Type of grout (check one): □ Neat Cement ☒ Bentonite □ Mi  eter: 16" inches Type of casing: PVC  leter: 16" inches Type of screen: PVC  ting depth: From 75' feet to 114' feet

		For Office Us	se Only:
County: Issaquena	Well#	: <u>B87</u>	
Permit #: <b>GW-48451</b>			
The objects hadow only norminal for water will	Description of famoustines are	l muune ka maaaidad C	or all walls
The sketch below only required for water wells	Description of formations encountered and boreholes, unless specifically exen		
If well telescopes, show depths on sketch.			
Ground level ———	Description of Formations Encounter	red From (dept Ground lev	
<u> </u>	Clay Fine Sand	33	42
	Fine Sand & Gravel	43	63
	Medium Sand & Gravel	64	111
		112	114
	Clay	112	114
i			
more than one screen, show location of each on sketch			
ketch the property layout and include the following:  1) the well location  2) any permanent structures on the property that m.			
ketch the property layout and include the following:  1) the well location  2) any permanent structures on the property that may any roads, power lines, or other items that may a			
ketch the property layout and include the following:  1) the well location  2) any permanent structures on the property that m.			
ketch the property layout and include the following:  1) the well location  2) any permanent structures on the property that may any roads, power lines, or other items that may a			
ketch the property layout and include the following:  1) the well location  2) any permanent structures on the property that may any roads, power lines, or other items that may a			
ketch the property layout and include the following:  1) the well location  2) any permanent structures on the property that may any roads, power lines, or other items that may a			
ketch the property layout and include the following:  1) the well location  2) any permanent structures on the property that may any roads, power lines, or other items that may a			
ketch the property layout and include the following:  1) the well location  2) any permanent structures on the property that may any roads, power lines, or other items that may a			
ketch the property layout and include the following:  1) the well location  2) any permanent structures on the property that may a supermanent structures.			
ketch the property layout and include the following:  1) the well location  2) any permanent structures on the property that may a supermanent structures.			
ketch the property layout and include the following:  1) the well location  2) any permanent structures on the property that may a supermanent structures.			
ketch the property layout and include the following:  1) the well location 2) any permanent structures on the property that many and any roads, power lines, or other items that may a			
ketch the property layout and include the following:  1) the well location 2) any permanent structures on the property that many and any roads, power lines, or other items that may a			
ketch the property layout and include the following:  1) the well location  2) any permanent structures on the property that m  3) any roads, power lines, or other items that may a  4) a north arrow			
ketch the property layout and include the following:  1) the well location  2) any permanent structures on the property that m  3) any roads, power lines, or other items that may a  4) a north arrow			
Sketch the property layout and include the following:  1) the well location  2) any permanent structures on the property that m  3) any roads, power lines, or other items that may a  4) a north arrow			
iketch the property layout and include the following:  1) the well location  2) any permanent structures on the property that m.  3) any roads, power lines, or other items that may a  4) a north arrow  andowner Name: Waye Windham Farms	aid in locating the property and the well	Form: OLW	R-SWR-1A (04/08)
iketch the property layout and include the following:  1) the well location  2) any permanent structures on the property that m.  3) any roads, power lines, or other items that may a.  4) a north arrow  Waye Windham Farms  HEREBY CERTIFY that the well/borehole was drilled, cequirements of the Mississippi Department of Environment.	aid in locating the property and the well	with all applicable	
Sketch the property layout and include the following:  1) the well location  2) any permanent structures on the property that m.  3) any roads, power lines, or other items that may a.  4) a north arrow  Waye Windham Farms  HEREBY CERTIFY that the well/borehole was drilled, or equirements of the Mississippi Department of Environments applicable, and state laws.	constructed, and completed in accordance	with all applicable	
any permanent structures on the property that m.     any roads, power lines, or other items that may a     a north arrow	constructed, and completed in accordance ental Quality and the Mississippi Departm	with all applicable	ations,

·		
County:	Issaquena	
Permit #:	GW-48451	
Driller:	Irrigation Eq	uipment
Date drilli	ing completed:	07/30/2014

## STATE WELL REPORT

## **Pump Installer's Completion Report**

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309
(601) 961-5210

For Office Use Only:	
Well #:	<u>B87</u>
Aquifer:	

Copy information from block on Part 1

0695

Print Name of Pump Installer and License No. (if applicable)

Patrick Chism

(601) 360-0535 (fax) This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. **Well Owner Information** Well Location Owner Name: Waye Windham Farms Latitude: 32 50' 30.5 N Longitude: 90 59' 01.0 W Mailing Address: 3363 Willette Road Method of Lat/Long (check one): 

Conventional Survey, ☐ USGS quad, ☐ Hand-held GPS, ☐ Survey-grade GPS 39159 NE 1/4 SE 1/4, Sec 37 T 12 N R 8 W Rolling Fork State Zip code City Miles Southeast of Maversville Telephone No. (Distance) (Direction) (Nearest Town) Pump Type (check one) □ Submersible ☑ Turbine □ Air Lift □ Centrifugal □ Flowing Well □ Jet □ Piston □ Rotary □ Other (describe): Rated Pump Capacity: 2500+/-Date Pump Installed 07/31/2014 Is This Pump (check one): 

New □ Repaired □ Replacement Power Type (check one) ☐ Electric ☑ Diesel ☐ Gasoline ☐ Natural Gas ☐ Tractor PTO ☐ Windmill ☐ Other (describe): Horse Power Rating of Motor: 60 Setting Depth: 70' feet Number of Stages: 1 Pump Test Data for Non Flowing Well Date Well Tested: Duration of Pump Test (minimum 4 hours): Static Water Level (A): \_\_\_\_\_ Feet Below Land Surface Pumping Water Level (B): \_\_\_\_\_ Feet Below Land Surface Gallons Per Minute Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: \_\_\_\_ Method of measurement (check one): ☐ Steel tape ☐ Electric tape ☐ Air line ☐ Other (describe): **Pump Test Data for Flowing Well** Measured shut in head: Feet GPM with a drawdown of \_\_\_\_\_\_ feet after \_\_\_\_\_ hours of pumping Meter Installation Meter Serial Number: Meter Manufacturer: Meter Model Number/Name: Type of Meter: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc): Installation Date: Meter installed by: Is This Meter (check one): 
New Repaired Replacement Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards. For agricultural wells, a list of approved meters is on the MDEQ website. I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

08/15/2014

Date

PEOMP

Signature of Pump lostallers