maltin Pivot well

## State Well Report Part 1

Driller: J. HEWCOME 0-773

Date drilling completed: 12-07-06

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631

ackson, MS 39289-06. (601)961-5210 (601)354-6938 (fax)

For Office Use Only:	
Aquifer:	
Well #: <u>\{ -32</u>	
L. S. Elevation:	
E-log #:	

State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well.

30 days of completion of drilling of the well.		
Well Owner Information	Well Location	
Owner Name MARTIN FARMS	Latitude: $32^{\circ}$ $39^{\circ}$ $\cancel{27}$ Longitude $\cancel{90}$ $\cancel{59}$ $\cancel{27}$ $\cancel{59}$ $\cancel{30}$	
Mailing Address: Po Pox 456	Method of Lat/Long (circle one): Conventional Survey,	
	USGS quad, Hand-held GPS, Survey-grade GPS	
1.161110 MC 38721	NE 45W 14 Sec 2 Twn 9N Rng 8W	
City State Zip Code	SE NW	
ANGUILLED, MS 3872/ City State Zip Code Telephone Nolve 62 - 873 - 7096	Distance Direction Nearest Town  Miles SW of ONWARD	
Well	Data	
Purpose of Well (circle one) Home Industrial Public Supply	Irrigation Fish Culture Other:	
Date well drilling started: 12-07-06 Date	•	
If flowing, method of flow regulation: Valve Other (	describe)	
Static Water Level:feet above or below (circle one)	land surface Date measured:	
Method of Measurement (circle one) steel tape electric tape	e air line other:	
Hole depth: 143 Well depth: 140 Well grouted to a depth of 10 feet		
Type of grout (circle one): Cement Bentonite Mix		
Casing length: 95 feet Casing diameter: 16	inches Type of casing:	
Screen length: 45 feet Screen diameter: 16	inches Type of screen:	
Screen slot size: <u>D50</u> inches Setting depth: From	_	
Type of completion (circle all applicable): Gravel packed Under	erreamed Telescoped Open hole Natural Development	
Other (describe):		
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page		
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:		
Name of organization running log(s):	·	
I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi		
Department of Environmental Quality and/or the Mississippi D	epartment of Health regulations and state laws.	
JOHN NEWCOME 0-773	4 Dower	
Print Name of Water Well Contractor and License No.	Signature of Water Well Contractor	

RECEIVED

JAN 0 8 2007

BY: OLW P

Ground Level	
45-1 16" Screen	16" CASING — 95'

Description of Formations Encountered	From	To
70,250,1	0	Ö
MIRGAY	10	40
Fine Sq12	40	93
med. COARSE SAIL	95	143
		-
	_	
	<del> </del>	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1)	the well location: 2) any r	Dermanent structures on the gron	arty that many
aid in locating the well; 3) any roads, powe	r lines or other items the	t may aid in locating the area and	erry mar may
4) indicate direction.	TO ROLLING FORK	at the property	y and the well;
	•	<b>A</b>	
$\sim$	HWY 61	<b>A</b>	
		N	
	į	• •	
/ my	į		
	- 1		
	J		
	1		
	- 1		•
	MONMARIO		
	7		
	/		
الار ( ا	/		
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	<i>(</i>		
July Con WATER			
Bance and			
1 /2			
1 Jack			*
Cost pour		•	
TO VICK	Sizuec		
	1 -		
Landowner Name: CATLIDGE	SROS,	_	
		_	

Signature of Water Well Contractor

## STATE WELL REPORT Part 2

County: ISSAQUENA
Permit #: 60 41408
Driller: J. NEWCOME 0-773
Date completed: 12-07-04

Pump Installer's Completion Report
Mississippi Department of Environmental Quality

Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210

(601)354-6938 (fax)

For Office Use Only:		
Aquifer:		
Well #: <u>£-32</u> Elevation:		

This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump.		
Well Owner Information	Well Location	
Owner Name MARTIN Farms	Latitude 2-39-37 Longitude 090-58-27	
Mailing Address: Po Box 456	Method of Lat/Long (circle one): Conventional Survey,	
ANGUILLA, MS.38721  City State Zip Code  Telephone No.462-873-7096	USGS quad, Hand-held GPS, Survey-grade GPS  NE 1/2 W 1/4 Sec 2 Twn 9N Rng 8 W  Distance Direction Nearest Town  H Miles S W of ONWARD	
Pump Type Circle one	Power Type Circle one	
Air Lift Jet Submersible (	Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston Turbine	Electric Motor Hand Tractor PTO	
Centrifugal Rotary Flowing Well	Windmill Other (specify):	
Other (specify):	Horse Power Rating of Motor:	
Date Pump Installed: 2-10-06	Setting Depth:feet	
Rated Pump Capacity: 2000 Gallons Per Minute	Number of Stages: Stoye 14"	
Pump Test Data Method of Measuring Water Lavel		
Date Well Tested:	Method of Measuring Water Level Circle one	
Static Water Level (A): Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape	
Pumping Water Dever (18): Libert Below Land Surface	Other (specify):	
Drawdown [(B) - (A)]. Feet Below Land Surface	For flowing well, measured shut in head:feet	
Test Pumping Rate:Gallons Per Minute ~	Well yieldedGPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping	
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.    Compared to the less of my knowledge.   Co		

**RECEIVED** 

JAN 0 8 2007

RY: OLWR