County:	Issaquena	
Permit #:	GW-51719	
Driller:	Chicot Irriga	ation, Inc.
Date drill	ing completed:	9-7-21

STATE WELL REPORT Part 1

Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601) 961-5210 (601) 360-0535 (fax)

For	Office Use Only:
Well #:	E 40
Aquifer:	
E-Log #:	

State Law requires that this report be prepared by the license holder responsible for the work and filed with the

Department at the above address within 30 days of com	
Well Owner Information (Landowner if borehole is not for a water well)	Well or Borehole Location
Owner Name: Magna Vista	Latitude: 32° 38' 54.4"N Longitude: 91° 06' 02.9"W
Mailing Address: P.O. Box 296	Method of Lat/Long (check one): ☐ Conventional Survey,
	☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS
Rolling Fork MS 39159	<u>₩</u> 1/4, Sec <u>11</u> T <u>9N</u> R <u>9W</u>
City State Zip code	
Telephone No	Miles SW of Fitler (Nearest Town)
Well / Bo	rehole Data
Date drilling started: 9-7-21 Date drilling completed:	
Method of dosing and volume of Chlorine used in drilling and dev	elopment: 50 PPM
Logs run (check all applicable): ☑ No log run ☐ Electric ☐ Gam	nma Ray 🔲 Density 🗎 Sonic 🗋 Neutron 🗍 Other:
Name of organization running log(s):	
Purpose of borehole (check one): Water Well Geotecl	nnical/Geological Investigation
	Other (decembe)
	Other (describe)
If ariting is not retated to water well con	struction, skip the remainder of this block
Purpose of Well (check all applicable): Home Industrial F	Public Supply ☐ Irrigation ☐ Fish Culture
☑ Other (describe): Wildlife Management	
If a flowing well, method of flow regulation: Valve	Other (describe)
Static Water Level: feet [☐ above or ☒ belo (check one)	ow] land surface Date measured:
Method of Measurement (check one) ⊠ Steel tape ☐ Electric ta	pe Air line Other: (describe)
Well depth: 123' Well grouted to a depth of: 10 fee	t Type of grout (check one): ☐ Neat Cement ☒ Bentonite ☐ Mix
Casing length: 93 feet Casing diameter: 16	inches Type of casing: PVC
Screen length: 30 feet Screen diameter: 16	inches Type of screen: PVC
Screen slot size:050 inches Setting depth:	From <u>94</u> feet to <u>123</u> feet
Type of completion (check all applicable): ☒ Gravel packed ☐ L	Inderreamed ☐ Open hole ☐ Natural Development
Other (describe):	RECEIVED
Top of lap pipe or reduction in casing: Feet	DEC 2 0 2021
If telescoped or more than on	ne screen, describe on next page

County: Issaquena	We	For Office Use (Only:
Permit #: GW-51719			
the sketch below only required for water wells	<u>Description of formations encounte</u> and boreholes, unless specifically e		ll wells
f well telescopes, show depths on sketch.			
Ground level	Description of Formations Encour	ntered From (depth) Ground level	To (depti
*	Clay Fine Sand	20	19 25
	Fine Sand & Gravel	26	58
	Fine Sand & Graver	59	92
	Med. Sand & Gravel	93	119
	Clay	120	123
	Olay	120	125
f more than one screen, show location of each	on sketch		
Sketch the property layout and include the 1) the well location 2) any permanent structures on the 3) any roads, power lines, or other it 4) a north arrow	following: operty that may aid in locating the well ms that may aid in locating the property and the wel		
		REC DEC 2 BY O	EIVE
		DEC 2	0 2021
		BYO	LWR
andowner Name:			
	was drilled, constructed, and completed in accorda	Form: OLWR-S	WR-1A (04/
THE TENED I OF IT I I HAT THE WEILDOLEHO	t of Environmental Quality and the Mississippi Dep	artment of Health regulation	
equirements of the Mississippi Departme		9	ons,
equirements of the Mississippi Departme f applicable, and state laws. John Newcome - 0773	12-3-21 dd N	00	ons,

Signature of Licensee
Form: OLWR-SWR-1A (4/13)

County: Issaquena Permit #: GW-51719 Driller: Chicot Irrigation, Inc. Date drilling completed: 9-7-21 Copy information from block on Part 1

STATE WELL REPORT Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601) 961-5210 (601) 360-0535 (fax)

For	Office Use Only:	
Well #:	E 40	_
Aquifer:		_
		-

	Owner Information		partment at the above add	Well Loc		
Owner Name: Magna V	/ista		Latitude: 32° 38' 5	1.4"N Lo	ngitude: _9	1° 06' 02.9"W
Mailing Address: P.O. I	Box 296		Method of Lat/Long (check one):	☐ Conve	ntional Survey,
			☐ USGS quad, ☒ H	and-held GP	S. Surve	ev-grade GPS
Rolling Fork	MS	39159		1/4, S		
City	State	Zip code	(300)	/4, 0	700 <u>11</u> 1 <u>91</u>	I I V DIT
Telephone No. () -		(Distance) Miles	SW (Direction)	of	Fitler Nearest Town)
		Pump Ty	rpe (check one)			
☐ Submersible ☑ Turbin	e 🗆 Air Lift 🗆 Centrif	fugal Flowing	Well ☐ Jet ☐ Piston ☐ F	Rotary Oth	er (describe	e):
Date Pump Installed 9-			Rated Pump Capacity:			
ls This Pump (check one)		d Replaceme	nt			
			pe (check one)			
☐ Electric ☐ Diesel ☐ G	asoline 🗆 Natural Ga	as 🗆 Tractor PT0	O Windmill Other (de	escribe):		
Horse Power Rating of Me	otor: 60	Setting Depth	: 70	feet Numbe	er of Stages	: 1
		Pump Test Data	for Non Flowing Well			
Date Well Tested:			Duration of Pump Tes	st (minimum 4	4 hours):	Hour
	Feet Be		Duration of Pump Tes		100 000	The state of the s
Static Water Level (A): _	Feet Be	low Land Surface	e Pumping Water Leve	I (B):	Feet	Below Land Surfac
Static Water Level (A): Drawdown [(B) - (A)]:	Feet Be	low Land Surface Below Land Sur	e Pumping Water Leve face Test Pumping Rat	I (B):	Feet	Below Land Surfac
Static Water Level (A): _ Drawdown [(B) - (A)]:	Feet Be	low Land Surface Below Land Sur tape ☐ Electric	e Pumping Water Leve face Test Pumping Rat tape ☐ Air line ☐ Other (I (B):	Feet	Below Land Surfac
Static Water Level (A): _ Drawdown [(B) - (A)]: Method of measurement (Feet Be Feet (check one): Steel	low Land Surface Below Land Sur tape ☐ Electric Pump Test Da	e Pumping Water Leve face Test Pumping Rat	I (B):	Feet	Below Land Surfac
Static Water Level (A): _ Drawdown [(B) - (A)]: Method of measurement (Feet Be Feet Check one):	low Land Surface Below Land Sur tape ☐ Electric Pump Test Da	e Pumping Water Leve face Test Pumping Rat tape ☐ Air line ☐ Other (I (B):	Feet	Below Land Surfac
Static Water Level (A): _ Drawdown [(B) - (A)]: Method of measurement (Measured shut in head:	Feet Be Feet (check one): Steel Fee	elow Land Surface Below Land Sur- tape Electric Pump Test Da	e Pumping Water Leve face Test Pumping Rat tape Air line Other (I (B): te: (describe): _	Feet	Below Land Surfac
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (Measured shut in head:	Feet Be Feet (check one): Steel Fee	elow Land Surface Below Land Sur tape Electric Pump Test Daget wdown of	e Pumping Water Leve face Test Pumping Rat tape Air line Other (I (B): te: (describe): _	Feet	Below Land Surfac
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (Measured shut in head: Well yielded	Feet Be Feet (check one): □ Steel Fee GPM with a drav	elow Land Surface Below Land Sur tape Electric Pump Test Da et wdown of Meter	e Pumping Water Leve face Test Pumping Rat tape Air line Other (ata for Flowing Well feet after	I (B):te:	Feet	Below Land Surfac
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (Measured shut in head: Well yielded Meter Manufacturer:	Feet Be Feet (check one): ☐ Steel Fee Fee	elow Land Surface Below Land Sur tape Electric Pump Test Daget wdown of Meter	e Pumping Water Leve face Test Pumping Rat tape Air line Other (ata for Flowing Well feet after Installation Meter Serial Numl	I (B): te: describe): _	Feet	Below Land Surfac Gallons Per Minut
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (Measured shut in head: Well yielded Meter Manufacturer: Meter Model Number/Nar	Feet Be Feet (check one): Steel Fee GPM with a draw me:	elow Land Surface Below Land Sur tape Electric Pump Test Daget wdown of Meter	e Pumping Water Leve face Test Pumping Rat tape Air line Other (ata for Flowing Well feet after Installation Meter Serial Numl Type of Meter:	I (B): te: describe): _	Feet	Below Land Surfac
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (Measured shut in head: Well yielded Meter Manufacturer: Meter Model Number/Nar Totalizer Register Unit an	Feet Be Feet (check one): Steel Fee GPM with a draw me: ad Multiplier Factor (Al	elow Land Surface Below Land Sur tape ☐ Electric Pump Test Dage which was presented and the second	e Pumping Water Leve face Test Pumping Rat tape Air line Other (ata for Flowing Well feet after Installation Meter Serial Numl Type of Meter:	I (B): te: describe): _	Feet	Below Land Surfac
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (Measured shut in head: Well yielded Meter Manufacturer: Meter Model Number/Nar Totalizer Register Unit an Installation Date:	Feet Be Feet (check one): Steel Fee GPM with a draw me: Mete	elow Land Surface Below Land Sur tape ☐ Electric Pump Test Da et wdown of Meter F x .001, gal x 10 er installed by:	e Pumping Water Leve face Test Pumping Rat tape Air line Other (ata for Flowing Well feet after Installation Meter Serial Numl Type of Meter: 2000, etc):	I (B): te: describe): _	Feet	Below Land Surface Gallons Per Minute s of pumping
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (Measured shut in head: Well yielded Meter Manufacturer: Meter Model Number/Nar Totalizer Register Unit an Installation Date: Is This Meter (check one)	Feet Be Feet (check one): Steel Fee GPM with a drav me: Mete New Repaired	elow Land Surface Below Land Surface Below Land Surface Below Land Surface Below Land Surface Pump Test Date Modown of Meter F x .001, gal x 10 or installed by: d Replacement mation you are commented.	e Pumping Water Leve face Test Pumping Rat tape Air line Other (ata for Flowing Well feet after Installation Meter Serial Numl Type of Meter: 2000, etc):	l (B): te: idescribe): ber:	hour R	Below Land Surface Gallons Per Minut s of pumping ECEIVE DEC 2 0 2021
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (Measured shut in head: Well yielded Meter Manufacturer: Meter Model Number/Nar Totalizer Register Unit an Installation Date: Is This Meter (check one)	Feet Be Feet (check one): Steel GPM with a draw GPM with a draw Mete Mete New Repaired Ror agricultural	Below Land Surface Below Land Sur tape Electric Pump Test Da et wdown of Meter F x .001, gal x 10 er installed by: d Replaceme mation you are co	e Pumping Water Leve face Test Pumping Rat tape Air line Other (ata for Flowing Well feet after Installation Meter Serial Num Type of Meter: 000, etc): Int Exertifying that this meter water is on the Meter Mater Serial Number of Meter water water water is on the Meter Serial Number of Meter water	l (B): te: idescribe): ber:	hour R	Below Land Surface Gallons Per Minute s of pumping ECEIVE DEC 2 0 2020
Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (Measured shut in head: Well yielded Meter Manufacturer: Meter Model Number/Nar Totalizer Register Unit an Installation Date: Is This Meter (check one) Important: By subm	Feet Be Feet [check one]: Steel Steel Fee GPM with a draw Mete Mete New Repaired Repaired Ritting the above inform For agricultural	Below Land Surface Below Land Sur tape Electric Pump Test Da et wdown of Meter F x .001, gal x 10 er installed by: d Replaceme mation you are co	e Pumping Water Leve face Test Pumping Rat tape Air line Other (ata for Flowing Well feet after Installation Meter Serial Num Type of Meter: 000, etc): Int Exertifying that this meter water is on the Meter Mater Serial Number of Meter water water water is on the Meter Serial Number of Meter water	l (B): te: idescribe): ber:	hour R	Below Land Surface Gallons Per Minute s of pumping ECEIVE DEC 2 0 202

STATE OF MISSISSIPPI

Department of Environmental Quality Office of Land and Water Resources P.O.Box 2309 Jackson, Mississippi 39225

PERMIT TO DIVERT OR WITHDRAW FOR BENEFICIAL USE THE PUBLIC WATERS

This permit is issued to the landowner named below in accordance with the provisions of the Mississippi Water Laws, Mississippi Code Sections 51-3-1, et seq.(1972, as amended), and the regulations and standards as promulgated thereunder. Whether or not specifically named in this permit or in the applications for this permit, anyone using water from the diversion/withdrawal point described below shall do so in compliance with the provisions of this permit. Neither this permit, nor any authority conferred hereby, may be sold, conveyed, encumbered, assigned or otherwise aliened, for any period of time or under any conditions whatsoever. This permit may not be modified, transferred, or revoked without prior action by the Permit Board. Any attempts to modify, transfer or revoke this permit, or to take any other action on this permit, shall be invalid and unenforceable and may result in immediate revocation or suspension of this permit. The holder of this permit shall at all times be responsible for adherence to the terms and conditions of this permit. No agreement between the permit holder and any other party shall affect the obligations and liabilities of the permit holder. Water use under this permit is allowed only when the streamflow or lake level elevation (whichever, if any, is applicable) is above the established minimum, pursuant to Mississippi Code Section 51-3-7. Authorization is hereby granted to divert/withdraw water for the beneficial use designated herein, and for no other purpose, subject to the following terms, conditions, and limitations:

Permit Number:

MS-GW-51719

Total Permitted Acreage: 60

Landowner Name:

MAGNA VISTA

Landowner Address: PO BOX 296

ROLLING FORK, MS 39159

Source of Water:

MISSISSIPPI RIVER VALLEY ALLUVIAL AQUIFER

Beneficial Use(s):

WILDLIFE MANAGEMENT

Diversion/Withdrawal Location: SW 1/4 of the SW 1/4

Township: 09N

Range: 09W

County:

ISSAQUENA

Quad:

Section: 11

FITLER

Permitted Acreage:

Irrigation: 0

Fish Culture: 0

Wildlife Management: 60

Maximum Volume:

See Special Terms And Conditions (attachment I)

Applicant Name:

MAGNA VISTA

Applicant Address:

PO BOX 296

ROLLING FORK, MS 39159

Date Permit Issued:

09/07/2021

Date Permit Expires:

09/07/2026

Date Permit Modified:

Date Permit Reissued:

This permit shall be deemed null and void if construction has not begun within one (1) year of the permit issue date.

SPECIAL TERMS AND CONDITIONS 1:

See Attachment I which is hereby declared part of this permit.

BY OLWR

Cay Who



Google Earth

feet ______1000 meters 500