County: Monroe Itawamba		WELL REPORT Part 1	For Office Use Onl
Permit #:		Driller's Log	Well #:
	Mississippi Depart	tment of Environmental Quality and and Water Resources	Aquifer: J.24
Driller: Thomas Rossi #0509		P.O. Box 2309	E-Log #:
Date drilling completed: 2-11-2013		son, MS 39225-2309 (601)961-5210	······································
	(60)1)360-0535 (fax)	
State Law requires that this repo	ort be prepared by the	e license holder responsible for the	he work and filed with the
Department at the above address Well Owner Inform			hole Location
(Landowner if borehole is not f		Latitude: <u>34⁰16'43.4604"</u> Long	itude: -88 ⁰ 15'4.918"
Owner Name: Jonathan Black		-43	0'2
Mailing Address: 448 Wilson Yielding	g Rd.	Method of Lat/Long (check one): Conventional Survey
······································		USGS quad, Hand-held G	<i>.</i>
Fulton MS	38842	<u>NIV ¼ NE ¼, Sec 28</u>	<u>3 V T 9 S R 10 E</u>
City State	e Zip Code		of Tremont_
Telephone No. (662) 610-9134		(Distance) (Direction)	(Nearest Town)
		Borehole Data	
Logs run (circle all applicable): (No lo	og run) Electric Ga	mma Ray Density Sonic Neut	ron Other:
	: Geotec ismic Survey Other		Ground Source Heat Pump
Name of organization running log(s) Purpose of borehole (<i>circle one</i>): <u>(W</u> Se	: Geotec ismic Survey Other <i>related to water well</i> o	chnical/Geological Investigation (describe) construction, skip the remainder	Ground Source Heat Pump
Name of organization running log(s) Purpose of borehole (circle one): (W Se <i>If drilling is not</i> Purpose of Well (circle all applicable	: Geotec ismic Survey Other <i>related to water well</i> e): (<u>Home)</u> Industri	chnical/Geological Investigation (<i>describe</i>) <i>construction, skip the remainder</i> al Public Supply Irrigation	Ground Source Heat Pump • <i>of this block</i> Fish Culture
Name of organization running log(s) Purpose of borehole (<i>circle one</i>): (W Se <i>If drilling is not</i> Purpose of Well (<i>circle all applicable</i> Other (<i>describe</i>):	: Geotec ismic Survey Other <i>related to water well o</i> e): (<u>Home)</u> Industri	hnical/Geological Investigation (<i>describe</i>) <i>construction, skip the remainder</i> al Public Supply Irrigation	Ground Source Heat Pump • <i>of this block</i> Fish Culture
Name of organization running log(s) Purpose of borehole (circle one): (W Sec If drilling is not Purpose of Well (circle all applicable Other (describe): If a flowing well, method of flow rea	: Geotec ismic Survey Other <i>related to water well</i> e): (<u>Home)</u> Industri gulation: Valve	chnical/Geological Investigation (<i>describe</i>) <i>construction, skip the remainder</i> al Public Supply Irrigation Other (<i>describe</i>)	Ground Source Heat Pump • <i>of this block</i> Fish Culture
Name of organization running log(s) Purpose of borehole (<i>circle one</i>): (W Se <i>If drilling is not</i> Purpose of Well (<i>circle all applicable</i> Other (<i>describe</i>):	: Geotec ismic Survey Other <i>related to water well</i> e): (<u>Home)</u> Industri gulation: Valve	chnical/Geological Investigation (<i>describe</i>) <i>construction, skip the remainder</i> al Public Supply Irrigation Other (<i>describe</i>)	Ground Source Heat Pump • <i>of this block</i> Fish Culture
Name of organization running log(s) Purpose of borehole (circle one): (W Sec If drilling is not Purpose of Well (circle all applicable Other (describe): If a flowing well, method of flow resonant Static Water Level:feet [ab Method of measurement (circle one	: Geotect ismic Survey Other <i>related to water well of</i> e): (<u>Home</u>) Industri gulation: Valve pove or (<u>below)</u>] la (<i>circle one</i>) Electri	chnical/Geological Investigation (<i>describe</i>) construction, skip the remainder al Public Supply Irrigation Other (<i>describe</i>) and surface Date measured: _ ric tape Air line Other (<i>describ</i>	Ground Source Heat Pump • <i>of this block</i> Fish Culture e):
Name of organization running log(s) Purpose of borehole (circle one): (W Sec If drilling is not Purpose of Well (circle all applicable Other (describe): If a flowing well, method of flow res Static Water Level: 135 feet [ab Method of measurement (circle one	: Geotect ismic Survey Other <i>related to water well of</i> e): (<u>Home</u>) Industri gulation: Valve pove or (<u>below)</u>] la (<i>circle one</i>) Electri	chnical/Geological Investigation (<i>describe</i>) construction, skip the remainder al Public Supply Irrigation Other (<i>describe</i>) and surface Date measured: _ ric tape Air line Other (<i>describ</i>	Ground Source Heat Pump • <i>of this block</i> Fish Culture e):
Name of organization running log(s) Purpose of borehole (circle one): (W Sec If drilling is not Purpose of Well (circle all applicable Other (describe): If a flowing well, method of flow real Static Water Level:feet [ab	: Geotec ismic Survey Other related to water well pove or (below)] to (circle one) [to (circle one)] to (steel tape) Electronic a depth of: 10 feet	Chnical/Geological Investigation (describe) construction, skip the remainder al Public Supply Irrigation Other (describe) and surface Date measured: ric tape Air line Other (describ Type of grout (circle one): (Ne	Ground Source Heat Pump of this block Fish Culture e): at Cement: Beptonite, Ai
Name of organization running log(s): Purpose of borehole (circle one): (W Set If drilling is not Purpose of Well (circle all applicable Other (describe): If a flowing well, method of flow ref Static Water Level: _135feet [ab Method of measurement (circle one Well depth: _175Well grouted to a Casing length: _165feetCas	: Geotect ismic Survey Other related to water well of e): (Home) Industri gulation: Valve pove or (below)] to (circle one) Electro a depth of: 10 feet sing diameter: _4	chnical/Geological Investigation (describe) construction, skip the remainder al Public Supply Irrigation Other (describe) and surface Date measured: ric tape Air line Other (describ Type of grout (circle one): (<u>Ne</u> inches Type of casing: <u>PVC</u>	Ground Source Heat Pump of this block Fish Culture e): at Cement: Beptonite. Ai
Name of organization running log(s) Purpose of borehole (circle one): (W Set If drilling is not Purpose of Well (circle all applicable Other (describe): If a flowing well, method of flow res Static Water Level:135feet [ab Method of measurement (circle one Well depth: _175 Well grouted to a	: Geotect ismic Survey Other related to water well of related to water well of related to water well of (Home) Industric gulation: Valve gulation: Valve (circle one) I to (<u>Steel tape</u>) Electron a depth of: 10 feet sing diameter: _4 Screen diameter: _4	chnical/Geological Investigation (describe) construction, skip the remainder al Public Supply Irrigation Other (describe) and surface Date measured: ric tape Air line Other (describ Type of grout (circle one): (<u>Ne</u> inches Type of casing: <u>PVC</u>	Ground Source Heat Pump of this block Fish Culture e): at Cement: Beptonite Ai PVC MAY 2 0 201
Name of organization running log(s): Purpose of borehole (circle one): (W Set If drilling is not Purpose of Well (circle all applicable Other (describe): If a flowing well, method of flow res Static Water Level:135feet [ab Method of measurement (circle one Well depth: _175 Well grouted to a Casing length: _165feet Cas Screen length: _10feet	:	construction, skip the remainder construction, skip the remainder al Public Supply Irrigation Other (describe) and surface Date measured: ric tape Air line Other (describ Type of grout (circle one): (<u>Ne</u> inches Type of casing: <u>PVC</u> inches Type of screen:	Ground Source Heat Pump of this block Fish Culture e): at Cement Beptonite Mi PVC MAY 2 0 201 feet BY: OLW
Name of organization running log(s): Purpose of borehole (circle one): (W. Sei If drilling is not Purpose of Well (circle all applicable Other (describe): If a flowing well, method of flow res Static Water Level: _135feet [ab Method of measurement (circle one Well depth: _175Well grouted to a Casing length: _165feetCas Screen length: _10feetS Screen slot size: _010inches Type of completion (circle all applicable)	: Geotect ismic Survey Other related to water well of related to water well of Industric gulation: Valve gulation: Valve industric gulation: Valve industric gulation: Valve industric gulation: Valve Industric ove or (below)] to (circle one)] to to the comparison of the comparison of the comparison ove or (below)] to to the comparison of th	construction, skip the remainder construction, skip the remainder al Public Supply Irrigation Other (describe) and surface Date measured: ric tape Air line Other (describ Type of grout (circle one): (Ne inches Type of casing: <u>PVC</u> inches Type of screen: ominches Type of screen: ominches Type of screen: ominches Type of screen:	Ground Source Heat Pump of this block Fish Culture e): at Cement: Bestopite Mi PVC MAY 2 0 201 feet BY: OILM e Natural Development
Name of organization running log(s): Purpose of borehole (circle one): (W Set If drilling is not Purpose of Well (circle all applicable Other (describe): If a flowing well, method of flow res Static Water Level: _135feet [ab Method of measurement (circle one Well depth: _175 _ Well grouted to a Casing length: _165feet Cas Screen length: _10feet Screen slot size: _010inches	:	Construction, skip the remainder construction, skip the remainder al Public Supply Irrigation Other (describe) and surface Date measured: ric tape Air line Other (describ Type of grout (circle one): (Ne inches Type of casing: <u>PVC</u> inches Type of screen: ominches Type of screen: omoninches Type of screen: ominches Type of screen: om	Ground Source Heat Pump of this block Fish Culture e): at Cement: Beptonite Mi PVC MAY 2 0 201 feet BY: OLM e Natural Development

County:	Monroe
---------	--------

.


Permit #: _

F	or	Office	Use	Only:
	01	onnee	0.50	unj.

Well #: <u>J24</u>

The sketch below only required for water wells

If well telescopes, show depths on sketch.



Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (<i>depth</i>)	To (depth)
	Ground level	
Clay	0	20
Rock	20	22
Clay	22	40
Clay	40	60
Clay	60	80
Clay	80	85
Rock	85	88
Clay	88	100
Clay	100	115
Rock	115	117
Clay	117	120
Clay	120	123
Sand Strip	123	127
Clay	127	130
Rock	130	135
Clay	135	140
Clay	140	155
Sand	155	160
Sand & Gravel	160	175

If more than one screen, show location of each on sketch

Sketch the property layout and include the following:

1) the well location

2) any permanent structures on the property that may aid in locating the well

- 3) any roads, power lines, or other items that may aid in locating the property and the well
- 4) north arrow

RECEIVED)
----------	---


MAY 2 0 2013

BY:	OL	M	
-----	----	---	--

Jonathan Black Landowner Name:

I HEREBY CERTIFY that requirements of the Mi if applicable, and state	ssissippi Department of E	rilled, constructed, and c nvironmental Quality and	ompleted in accordance with all applicable the Mississippi Department of Health regulations,
Thomas Rossi	#0509	05-13-2013	Down Generic
Print Name of Responsi	ble Licensee and License	No. Date	Signature of Licensee

	STATE W	ELL REPORT	
County: Monroe Trauman		Part 2	For Office Use O
Permit #:		er's Completion Report ment of Environmental Quality	Well #:
Driller: <u>Thomas Rossi</u> #0509	Office of La	nd and Water Resources	wea
Date completed: <u>02-11-2013</u>		P.O. Box 2309 on, MS 39225-2309	Aquifer:
Copy information from block on Part 1	(601)961-5210	
	•	l) 360-0535 (fax)	Weet with the second s
This part of the report must be complete of the report must be attached and both	ed by a licensed wate parts filed with the l	r well contractor or a licensed pur Department at the above address w	np installer. A copy of Par within 30 days of well comp
Well Owner Informati			ocation
Owner Name: Jonathan Black		Latitude: <u>34º16'43.4604"</u> Long	gitude: <u>-88º 15'4.918"</u>
Mailing Address:448 Wilson Yielding R	۶d	Method of Lat/Long (check one	
	<u> </u>	USGS quad, Hand-held G	
Fulton MS	38843	<u>N ¼ E ¼, Sec 28</u>	
City State	Zip Code		
Telephone No. (<u>662) 610-9134</u>		7 Miles <u>North</u> of (Distance) (Direction)	(Nearest Town)
	Pump Tv	pe (circle one)	
(<u>Electric</u>) Diesel Gasoline Natural C Horse Power Rating of Motor: <u>one</u>		Vindmill Other (<i>describe</i>): 160feet Number of Stages:	
(<u> </u>	Setting Depth: Pump Test Data Below Land Surface _Feet Below Land Sur (Steel tape) Electric	160 feet Number of Stages: for Non Flowing Well Duration of Pump Test (<i>minim</i> Pumping Water Level (B) <u>160</u> rface Test Pumping Rate: <u>10</u>	num 4 hours): <u>5</u> hour)Feet Below Land Surfac Gallons Per Minute
Horse Power Rating of Motor: <u>one</u> Date Well Tested: Static Water Level (A): <u>135</u> Feet Drawdown [(B) - (A)]: Method of measurement (<i>circle one</i>): (Setting Depth: Pump Test Data Below Land Surface _Feet Below Land Sur (Steel tape) Electric Pump Test Da	<u>160</u> feet Number of Stages: for Non Flowing Well Duration of Pump Test (<i>minim</i> Pumping Water Level (B) <u>160</u> rface Test Pumping Rate: <u>10</u> c tape Air line Other (<i>describe</i>	num 4 hours): <u>5</u> hou)Feet Below Land Surfa Gallons Per Minute
Horse Power Rating of Motor: <u>one</u> Date Well Tested: Static Water Level (A): <u>135</u> Feet Drawdown [(B) - (A)]: Method of measurement (<i>circle one</i>): (Measured shut in head:fee	Setting Depth: Pump Test Data Below Land Surface _Feet Below Land Sur (<u>Steel tape)</u> Electric Pump Test Data et.	160 feet Number of Stages: a for Non Flowing Well Duration of Pump Test (minim Pumping Water Level (B) <u>160</u> rface Test Pumping Rate: <u>10</u> c tape Air line Other (<i>describe</i> ata for Flowing Well	num 4 hours): 5hou)Feet Below Land Surfac Gallons Per Minute):
Horse Power Rating of Motor: <u>one</u> Date Well Tested: Static Water Level (A): <u>135</u> Feet Drawdown [(B) - (A)]: Method of measurement (<i>circle one</i>): (Setting Depth: Pump Test Data Below Land Surface _Feet Below Land Sur (<u>Steel tape)</u> Electric Pump Test Data t. drawdown of	160 feet Number of Stages: a for Non Flowing Well Duration of Pump Test (minim Pumping Water Level (B) <u>160</u> rface Test Pumping Rate: <u>10</u> c tape Air line Other (<i>describe</i> ata for Flowing Well	num 4 hours): 5hou)Feet Below Land Surfac Gallons Per Minute):
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A):135 Feet Drawdown [(B) - (A)]: Method of measurement (circle one): (Measured shut in head:fee Well yieldedGPM with a	Setting Depth: Pump Test Data Below Land Surface _Feet Below Land Sur (Steel tape) Electric Pump Test Data et. drawdown of Meter	160feetNumber of Stages: 1 for Non Flowing Well Duration of Pump Test (minim Pumping Water Level (B)160 rface Test Pumping Rate: 10 c tape Air line Other (describe) ata for Flowing Well	num 4 hours): 5hou DFeet Below Land Surfac Gallons Per Minute): _hours of pumping
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (circle one): (Measured shut in head:fee Well yieldedGPM with a Meter Manufacturer:	Setting Depth: Pump Test Data Below Land Surface _Feet Below Land Sur (Steel tape) Electric Pump Test Data et. drawdown of Meter	160feetNumber of Stages: 1 for Non Flowing Well Duration of Pump Test (minim Pumping Water Level (B)6 rface Test Pumping Rate: 10 c tape Air line Other (describe) ata for Flowing Well	num 4 hours): 5 hou) Feet Below Land Surfac Gallons Per Minute):
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (circle one): (Measured shut in head:fee Well yieldedGPM with a Meter Manufacturer: Meter Model Number/Name:	Setting Depth: Pump Test Data Below Land Surface _Feet Below Land Sur (Steel tape) Electric Pump Test Da et. drawdown of Meter	160feetNumber of Stages: 1 for Non Flowing Well Duration of Pump Test (minim Pumping Water Level (B)6 rface Test Pumping Rate: 10 c tape Air line Other (describe) ata for Flowing Well feet_after	num 4 hours): <u>5</u> hou DFeet Below Land Surfac Gallons Per Minute): _hours of pumping
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A):135 Feet Drawdown [(B) - (A)]: Method of measurement (circle one): (Measured shut in head:fee Well yieldedGPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier F	Setting Depth: Pump Test Data Below Land Surface _Feet Below Land Surface (Steel tape) Electric Pump Test Data t. drawdown of Meter Factor (AF x .001, gata)	160feetNumber of Stages: 1 for Non Flowing Well Duration of Pump Test (minim Pumping Water Level (B)160 rface Test Pumping Rate: 10 c tape Air line Other (describe ata for Flowing Well	num 4 hours): <u>5</u> hou DFeet Below Land Surfac Gallons Per Minute): hours of pumping RECE MAY 2.0
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (circle one): (Measured shut in head:fee Well yieldedGPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier F Installation Date:	Setting Depth: Pump Test Data Below Land Surface _Feet Below Land Sur (Steel tape) Electric Pump Test Data At. drawdown of Meter Factor (AF x .001, gata Meter installed by:	160feetNumber of Stages: 1 for Non Flowing Well Duration of Pump Test (minim Pumping Water Level (B)160 rface Test Pumping Rate: 10 c tape Air line Other (describe) ata for Flowing Well	num 4 hours): 5 hou D_Feet Below Land Surface Gallons Per Minute hours of pumping RECE
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (circle one): (Measured shut in head:fee Well yielded Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier F Installation Date: Is This Meter (circle one): New Ref	Setting Depth: Pump Test Data Below Land Surface _Feet Below Land Sur (Steel tape) Electric Pump Test Data Meter Factor (AF x .001, gat Meter installed by: epaired Replacem	160feetNumber of Stages: 1 for Non Flowing Well Duration of Pump Test (minim Pumping Water Level (B)160 rface Test Pumping Rate: 10 c tape Air line Other (describe ata for Flowing Well	num 4 hours): 5 hou DFeet Below Land Surfa Gallons Per Minute : hours of pumping RECE MAY 2.0 BY: 01
Horse Power Rating of Motor: Date Well Tested:	Setting Depth: Pump Test Data Below Land Surface _Feet Below Land Surface _Feet Below Land Surface (Steel tape) Electric Pump Test Data t. drawdown of Meter Factor (AF x .001, gather Meter installed by: epaired Replacem	160feetNumber of Stages: 1 for Non Flowing Well Duration of Pump Test (minim Pumping Water Level (B)160 rface Test Pumping Rate: 10 c tape Air line Other (describe ata for Flowing Well	Aum 4 hours): <u>5</u> hou DFeet Below Land Surfac Gallons Per Minute): hours of pumping RECE MAY 20 BY: Cil alled to manufacturer stand
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A):135 Feet Drawdown [(B) - (A)]: Method of measurement (circle one): (Meter Manufacturer: Meter Manufacturer: Meter Model Number/Name:	Setting Depth: Pump Test Data Below Land Surface _Feet Below Land Sur (Steel tape) Electric Pump Test Data (Steel tape) Electric Pump Test Data Meter installed by: Exactor (AF x .001, gat Meter installed by: Exactor Replacem information you are of tural wells, a list of application of the second State of the second s	160feetNumber of Stages: 1 for Non Flowing Well Duration of Pump Test (minim Pumping Water Level (B)160 rface Test Pumping Rate: 10 c tape Air line Other (describe ata for Flowing Well	Aum 4 hours): <u>5</u> hou DFeet Below Land Surfac Gallons Per Minute): hours of pumping RECE MAY 20 BY: Cil alled to manufacturer stand
Horse Power Rating of Motor: Date Well Tested: Static Water Level (A): Static Water Level (A): Drawdown [(B) - (A)]: Method of measurement (circle one): (Measured shut in head:fee Well yielded Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier F Installation Date: Is This Meter (circle one): New Reference Important: By submitting the above i For agricult	Setting Depth: Pump Test Data Below Land Surface _Feet Below Land Surface _Feet Below Land Surface (Steel tape) Electric Pump Test Data t. drawdown of Meter Factor (AF x .001, gas Meter installed by: epaired Replacem information you are of ural wells, a list of applicements are true to the pump Test Data Meter installed by: Pactor (AF x .001, gas Meter installed by: Pactor (AF x .001, gas Pactor (AF x .001, gas Pactor (AF x .001, gas) Pactor (AF x .001, gas)	160feetNumber of Stages: 1 for Non Flowing Well Duration of Pump Test (minim Pumping Water Level (B)6 rface Test Pumping Rate: 10 c tape Air line Other (describe ata for Flowing Well	num 4 hours): _5hou DFeet Below Land Surfa Gallons Per Minute): hours of pumping RECE MAY 2.0 BY: OI alled to manufacturer standors



RECEIVED

MAY **20** 2013

BY: OLWP