County: Tackson
Permit #: Driller: Coast Water Wells RV Date drilling completed: 8-12-09
State Law requires that this rep

* d

State Well Report

Part 1

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601) 961-5210

(601) 354-6938 (fax)

For Office Use Only:		
Aquifer:		
Well #:	A129	
L. S. Elevation	1:	
E-log #:		

State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well.

30 days of completion of drilling of the well.	
Well Owner Information	Well Location
Owner Name Johnny Eunice	Latitude: 30° 40', 301" Longitude 088° 47', 936
Mailing Address: Wire Rd	Method of Lat/Long (circle one): Conventional Survey,
	USGS quad, Hand-held GPS, Survey-grade GPS
Vancleave Ms 39565	NWW Sec 28 Twn T45 Rng R8W
City State Zip Code Telephone No. 298 348 - 0337	Distance Direction Nearest Town Miles NW of VANCLEAVE
Well I	
Well I	J'ALA
Purpose of Well (circle one Home Industrial Public Supply	
Date well drilling started: 8-10-09 Date w	well drilling completed: 8-12-07
If flowing, method of flow regulation: Valve Other (d	escribe)
Static Water Level: 120 feet above or below circle one) l	and surface Date measured: 8-12-09
Method of Measurement (circle one) steel tape electric tape	air line other:
Hole depth: 478 FT Well depth: 478 FT	Well grouted to a depth of 10 feet
Type of grout (circle one): Cement Bentonite Mix AOC'X4" Casing length/98'X2" feet Casing diameter: 4X2	inches Type of casing:
Screen length: 20 feet Screen diameter: 2	inches Type of screen: PVC
Screen slot size:inches	458 feet to 478 feet
Type of completion (circle all applicable): Gravel packed Under	reamed Telescoped Open hole Natural Development
Other (describe):	
Top of lap pipe or reduction in casing: feet. If tel	escoped or more than one screen, describe on back of page
Logs run (circle all applicables: No log run Electric Gamma Ray	Density Sonic Neutron Other:
Name of organization running log(s):	
I certify that the well was drilled, constructed, and completed in a	accordance with all applicable requirements of the Mississippi
Department of Environmental Quality and/or the Mississippi Dep	partment of Health regulations and state laws.
Jack Ridgdell 0-472	Jang Ridgher
Print Name of Water Well Contractor and License No.	Signature of Water Well Contractor
	RECEIVED

SEP 0 9 2009

BY: OLWR

If well telescopes please sketch below and show depths.

2.5

Ground Level			
		210	yiprived casing
		198'	2" policasing
A STANCE OF THE	The state of the s	~ 2°	z" py u s creen

Description of Formations Encountered	From	То
TOP Soil	0	2
orange clay	3	<u> </u>
Blueclay wistreals of Sand Gray Courses and Westreaks of Clay	31	411
	200	#
Gray coarse sand	777	7.70
	<u> </u>	
	ļ	
	ļ	
	-	
		
		-

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well located in locating the well; 3) any roads, power lines, or of 4) indicate direction.	cation; 2) any permanent structures on the property that may other items that may aid in locating the property and the well;
James of the state	Jan
Landowner Name: Johnny Eunice	

Signature of Water Well Contractor

RECEIVED

SEP 0 9 2009

BY: OLWR

STATE WELL REPORT

STATE WI	LLL REPURI			
	art 2 For Office Use Only:			
County: Jackson Pump Installer's	S Completion Report			
Mississippi Departmer	at of Environmental Quality Aquifer:			
Permit #: Office of Land	and Water Resources Box 10631			
	1S 39289-0631 Well #:			
	\ 061 E210			
Date completed: 601) 3	54-6938 (fax) Elevation:			
This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the				
installation of pump. Well Owner Information	Well Location			
	Latitude: 30'40'301" Longitude: 0880'47' 936"			
Owner Name: Johny Eunice	Latitude: 10 301 Longitude: 030 77 130			
Mailing Address: Wire Rd.	Method of Lat/Long (circle one): Conventional Survey,			
	USGS quad, Hand-held GPS, Survey-grade GPS			
Vancleave Ms 39565	NW 1/2 NW 1/4 Sec 28 Twn 745 Rng R8W			
City State Zip Code	Distance Direction Nearest Town			
Telephone No. 308)348 - 0337	11.5 Miles NW of Vancleave			
Danier Trees	Power Type			
Pump Type Circle one	Circle one			
0.000				
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas			
Bucket Piston Turbine	Electric Motor Hand Tractor PTO			
Centrifugal Rotary Flowing Well	Windmill Other (specify):			
Other (specify):	Horse Power Rating of Motor: HP			
Date Pump Installed: 6-10.	Setting Depth: 180FT. Droppipe feet			
Rated Pump Capacity: Gallons Per Minute	Number of Stages: /2			
Pump Test Data	Method of Measuring Water Level Circle one			
Date Well Tested:				
Static Water Level (A): 120 Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape			
Pumping Water Level (B): Feet Below Land Surface	Other (specify):			
Drawdown [(B) – (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet			
Test Pumping Rate: 12.5 Gallons Per Minute	Well yielded GPM with a drawdown of			
Duration of Pump Test (minimum 4 hours): hours	MA feet after NA hours of pumping			
! HERERY CERTIFY that the above statements are true to the best of	f my knowledge			

HEREBY CERTIFY that the above statements are true to the best of my knowledge.

Tack Ridgell 0-412

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer