STATE WELL REPORT	
County: Jackson Part 1	For Office Use Only:
Driller's Log	well #: <u>B99</u>
Permit #:	Aquifer:
P.O. Box 2309	E-Log #:
Date drilling completed:	
(601)360-0535 (fax)	
State Law requires that this report be prepared by the license holder responsible for to Department at the above address within 30 days of completion of drilling of the well	or Dorenole.
Well Owner Information Well or Bore (Landowner if borehole is not for a water well) \mathcal{W}^{μ}	ehole Location
A ARE MARKATHET CIUL(K)	ngitude: 088 38' 34.80"
nethod of Lat/Long (check one	e): Conventional Survey,
USGS quad, Hand-held G	SPS_V_, Survey-grade GPS
man Drint Mrs 30517 Mtr 4 SE 4, Sec.	12 T T45 R ROZU
Mossfort Ms 39562 Byz_Miles NE	71./
Telephone No. 008 324-4648 (Distance) (Direction)	(Nearest Town)
Well / Borehole Data Date drilling started: <u>7-2,443</u> Date drilling completed: <u>7-24-13</u> Hole depth: <u>170</u>	Hole diameter: 2
Date drilling started: 1-0117 Date drilling completed. 107 Note deput.	used
Location of the source of any surface water used for drilling: <u>NO Surface water</u>	condition - Jan in well
Method of dosing and volume of Chlorine used in drilling and development: [gal. flr]	warning - agu way
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutr	ron Other:
Name of organization running log(s):	
Purpose of borehole (circle one) Water Well Geotechnical/Geological Investigation	Ground Source Heat Pump
Seismic Survey Other (describe)	
If drilling is not related to water well construction, skip the remainde	er of this block
Purpose of Well (circle all applicable): Home Industrial Public Supply Irrigation	Fish Culture
Other (describe):	
If a flowing well, method of flow regulation: Valve Other (describe)	
Static Water Level:feet [above or below] land surface Date measure (circle one)	ed: <u>7-24-13</u>
Method of measurement (circle one): Steel tape Electric tape Air line Other (describe	
Well depth: 170FT Well grouted to a depth of: 10 feet Type of grout (circle one	
	f casing: <u>PVC</u>
Screen rengun	of screen: \underline{PUC}
Screen slot size:inches Setting depth: Fromfeet	
Type of completion (circle all applicable): Gravel packed Underreamed Open hole	e Natural Developmene CEVE
Other (describe):	Tatle 2 2 201
Top of lap pipe or reduction in casing: NA feet	
If telescoped or more than one screen, describe on next	Form: OLWRSWR-1A (143)

County:	Jackson
Permit #	

.

Fo	r	Office	Use	Only:
		00	α	

The sketch below only required for water wells

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

f well telescopes, show depths on sketch.	Description of Formations Encountered	From (depth)	To (depth)
Fround Level	Topsoil	Ground level	2
	- Managalay	12	15
	White coarse san	A TE	50
	BUE CLOU	1 50	155
	Gray Low medium Sane		170
	progeow interstation. mile		
			·
	· · · · · · · · · · · · · · · · · · ·		
more than one screen, show location of each on si	ætch		
 the well location any permanent structures on the property tha any roads, power lines, or other items that ma north arrow 	it may aid in locating the well		
 2) any permanent structures on the property that 3) any roads, power lives, or other items that makes 	It may aid in locating the well ay aid in locating the property and the well y	6 33 10 10 10 10 10 10 10 10 10 10 10 10 10	BY: OLW
1) the well location 2) any permanent structures on the property that 3) any roads, power lines, or other items that me 4) north arrow Prove Prove Company Prove Compa	it may aid in locating the well ay aid in locating the property and the well y	N. Y. S. A. V. N.	RECEIVE BY: OLW
1) the well location 2) any permanent structures on the property that 3) any roads, power lines, or other items that me 4) north arrow	It may aid in locating the well ay aid in locating the property and the well y	N. Y. S. A. V. N.	RECEIVE BY: OLW

STATE WELL REPORT	
County: Jackson Part 2	For Office Use Only:
Permit #: Pump Installer's Completion Report Driller: DOSTUDESR. Mississippi Department of Environmental Quality Office of Land and Water Resources	Well #:
Date completed: 7-24-13 P.O. Box 2309	Anullan
Jackson, MS 39225-2309 Copy information from block on Part 1 (601)961-5210	Aquifer:
(601) 360-0535 (fax)	
This part of the report must be completed by a licensed water well contractor or a licensed pun of the report must be attached and both parts filed with the Department at the above address w	ithin 30 days of well completion.
Well Owner Information Owner Name: Wade Baptist Church Latitude: 30°43'33.70"Long	
Mailing Address: 201023 HUHY (03 Method of Lat/Long (check one)	
USGS guad, Hand-held GP	/
Moss Point, Ms 395102 NW 4 SE 4 Sm	12 T 45 R 7W
City State Zip Code (1/2 up 1/4)	
Telephone No. (208) 3-24-4648 [Distance] (Direction) of	(Nearest Town)
Pump Type (circle one)	. <u>.</u>
Submersible Turbine Air Lift Centrifugal Flowing Well Jet Piston Rotary Other (des	cribe):
Date Pump Installed: Rated Pump Capacity: 6-	-7Gallons Per Minute
Is This Pump (circle one): New Repaired Replacement EXISTING Pump	
Power Type (circle one)	;
Electric Diesel Gasoline Natural Gas Tractor PTO Windmill Other (describe):	
I Harre Daving Dating of Maton 1/2 LLL Catting Danth (1)LT ILL fact Number	
Horse Power Rating of Motor: 1/2 HP Setting Depth: 30FT DP feet Number	of Stages:
Pump Test Data for Non Flowing Well	-
Pump Test Data for Non Flowing Well Date Well Tested: <u>7-26-13</u> Duration of Pump Test (<i>minime</i>	um 4 hours): <u>5</u> hours
Pump Test Data for Non Flowing Well Date Well Tested: Duration of Pump Test (minime Static Water Level (A): Feet Below Land Surface Pumping Water Level (B):	um 4 hours): <u>5</u> hours <u>NA</u> Feet Below Land Surface
Pump Test Data for Non Flowing Well Date Well Tested: 7-2(c-13) Duration of Pump Test (minime Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate:	um 4 hours): <u>5</u> hours
Pump Test Data for Non Flowing Well Date Well Tested: 7-2(0-13) Duration of Pump Test (minime Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Drawdown [(B) - (A)]: N/A Feet Below Land Surface Test Pumping Rate: Method of measurement (circle one): Steel tape Electric tape Air Line Other (describe):	um 4 hours): <u>5</u> hours <u>NA</u> Feet Below Land Surface
Pump Test Data for Non Flowing Well Date Well Tested: 7-2(c-13) Duration of Pump Test (minime Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: Method of measurement (circle one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well	um 4 hours): <u>5</u> hours <u>NA</u> Feet Below Land Surface
Pump Test Data for Non Flowing Well Date Well Tested: 7-2(2-13) Duration of Pump Test (minime Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Drawdown [(B) - (A)]: N/A Feet Below Land Surface Test Pumping Rate: Method of measurement (circle one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head: feet. N/A	um 4 hours): hours NA Feet Below Land Surface Gallons Per Minute
Pump Test Data for Non Flowing Well Date Well Tested: 7-2(c-13) Duration of Pump Test (minime Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Drawdown [(B) - (A)]: NA Feet Below Land Surface Test Pumping Rate: Method of measurement (circle one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head: feet. M A Well yielded GPM with a drawdown of feet after	um 4 hours): <u>5</u> hours <u>NA</u> Feet Below Land Surface
Pump Test Data for Non Flowing Well Date Well Tested: 7-2(c-13) Duration of Pump Test (minime Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Drawdown [(B) - (A)]: N/A Feet Below Land Surface Test Pumping Rate: Method of measurement (circle one): Steel tape Electric tape (Air line) Other (describe): Pump Test Data for Flowing Well	um 4 hours): hours NA Feet Below Land Surface Gallons Per Minute
Pump Test Data for Non Flowing Well Date Well Tested: 7-2(2-13) Duration of Pump Test (minime Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Drawdown [(B) - (A)]: NA Feet Below Land Surface Test Pumping Rate: Method of measurement (circle one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head: feet. M A Well yielded GPM with a drawdown of / Meter Serial Number: /	um 4 hours): hours NA Feet Below Land Surface Gallons Per Minute
Pump Test Data for Non Flowing Well Date Well Tested: 7-2(c-13) Duration of Pump Test (minime Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Drawdown [(B) - (A)]: N A Feet Below Land Surface Test Pumping Rate: Method of measurement (circle one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head: Meter Installation Meter Manufacturer:	um 4 hours): hours NA Feet Below Land Surface Gallons Per Minute
Pump Test Data for Non Flowing Well Date Well Tested:	um 4 hours): hours NA Feet Below Land Surface Gallons Per Minute
Pump Test Data for Non Flowing Well Date Well Tested: 7-2(c-13) Duration of Pump Test (minime Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Drawdown [(B) - (A)]: NA Feet Below Land Surface Test Pumping Rate: Method of measurement (circle one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head: feet. MA	um 4 hours): <u>5</u> hours NA Feet Below Land Surface 7 Gallons Per Minute hours of pumping
Pump Test Data for Non Flowing Well Date Well Tested: 7-2(c-13) Duration of Pump Test (minimulation of Pump Test Pumping Water Level (B): Drawdown [(B) - (A)]: N A Feet Below Land Surface Pumping Water Level (B):	um 4 hours): <u>5</u> hours NA Feet Below Land Surface 7 Gallons Per Minute hours of pumping RECEIVED AUG 2 2 2013 BY: OLWR Ned to manufacturer standards.
Pump Test Data for Non Flowing Well Date Well Tested: 7-2(0-13) Duration of Pump Test (minimus) Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Drawdown [(B) - (A)]: N A Feet Below Land Surface Test Pumping Rate: Method of measurement (circle one): Steel tape Electric tape Air line Other (describe): Method of measurement (circle one): Steel tape Electric tape Air line Other (describe): Method of measurement (circle one): Steel tape Electric tape Air line Other (describe):	um 4 hours): <u>5</u> hours NA Feet Below Land Surface 7 Gallons Per Minute hours of pumping RECEIVED AUG 2 2 2013 BY: OLWR Ned to manufacturer standards.
Pump Test Data for Non Flowing Well Date Well Tested:	um 4 hours): <u>5</u> hours NA Feet Below Land Surface 7 Gallons Per Minute hours of pumping <u>RECEIVED</u> <u>AUE 2 2 2013</u> BY: OLWR Med to manufacturer standards.

• *

Form: OLWR-SWR-1B (4/13)