county: Jackson	STATE WELL REPORT Part 1	For Office Use Only:	
Permit #:	Driller's Log	Well #: 109	
Driller: Const Water Well SVC	Mississippi Department of Environmental Quality Office of Land and Water Resources	Aquifer:	
	P.O. Box 2309	E-Log #:	
Date drilling completed: 6-15-15	Jackson, MS 39225-2309 (601)961-5210		
	(601)360-0535 (fax)		
Department at the above address w	be prepared by the license holder responsible for lithin 30 days of completion of drilling of the well	the work and filed with the or borehole.  Phole Location	
Well Owner Informati (Landowner if borehole is not for		12' 4 10"	
Owner Name: Doug Hollings	Latitudes 411.67 Lo	ngitude: <b>1760 40 1.10</b>	
Owner Name: 1000 Flotting Co	Method of Lat/Long (check one	e): Conventional Survey,	
Mailing Address: 23780 012 Ri		GPS, Survey-grade GPS	
	USGS quad, Hand-held C	ara_v, survey-grade drs	
Vancleave M5 3956 City State	5 ANN 1/4 NE 1/4, Sec	19 T45 R7 W	
City State	Zip Code // Miles	of Vancleave	
Telephone No. (28) 369-063		(Nearest Town)	
	Well / Borehole Data		
	drilling completed: $(0-15-15)$ Hole depth: $\frac{249}{240}$		
Method of dosing and volume of Chlorida	ne used in drilling and development: gol pur un Electric Gamma Ray Density Sonic Neutr	on Other:	
Logs full (circle all applicable) (No log I	Liectife Gamma Ray Density Some Neur	on other.	
Name of organization running log(s):			
Purpose of borehole (circle one): Water		Ground Source Heat Pump	
	nic Survey Other (describe)		
	ated to water well construction, skip the remainde		
Purpose of Well (circle all applicable):	Home Industrial Public Supply Irrigation	Fish Culture	
Other (describe):			
If a flowing well, method of flow regul	lation: Valve Other (describe)		
	$\sim$	ed: <u>6-15-15</u>	
Static water Level:	(circle one)		
Method of measurement (circle one):	Steel tape Electric tape Air line Other (describe	·):	
Well depth: 249 FT Well grouted to a	a depth of: 10 feet Type of grout (circle one	): Neat Cement Bentonite Mix	
Casing length: <u>240</u> feet C	asing diameter:inches Type of	casing: PVC	
Screen length:feet	<u> </u>	f screen: PVC	
Screen slot size: OOLinches	Setting depth: From <u>240</u> feet	to <u>249</u> feet	
Type of completion (circle all applicab	le): Gravel packed Underreamed Open hole	Natural Development	
Other (describe):		The state of the s	

\_feet

If telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A (4/13)

Top of lap pipe or reduction in casing: NA

County:	590		For	Office Use	Only:
The sketch below only req	uired for water wells	Description of forma	tions encountered n	nust be provided	i for all wells
If well telescopes, show de	on sketch.	and boreholes, unles	s specifically exemp	ted by regulatio	<u>ns</u>
Ground Level	<u></u>	Description of Formati	ons Encountered	From (depth) Ground level	To (depth)
		70PS011	2	2)	98
		Marge Cars	Sand Brand	98	30
		Granal Cla	ur.	30	85
		Brown Coars	e sand	85	103
		Blue clay		103	240
;		Gray Medi	un Sana	240	240
					·
			<u></u>		
				*	
	•				
If more than one screen, show	v location of each on sketch				
Sketch the property layout and 1) the well location 2) buy permanent structu 3) any roads, power lines 4) north arrow	d include the following:  res on the property that may aid in  or other items that may aid in	id in locating the well in locating the property and	anobile horner	MECH	
			-DAU		
1				· ·	en l
Landowner Name: DOL	19 Hollingswor	-th		BA. O	MAN Service Control of the Control o
			lated in seconds—	a with all anali	cable
I HEREBY CERTIFY that the requirements of the Mississ if applicable, and state law	well/borehole was drilled, sippi Department of Environ vs.	constructed, and comp mental Quality and the	Mississippi Departi	ment of Health	regulations,
Jack Ridad	ell 0-472	6/18/15	Jack 1	Redolus	
Print Name of Responsible	Licensee and License No.	Date		Form: OLWR	

## STATE WELL REPORT

## County: Jackson Permit Date completed: \_\_\_\_\_\_

## Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309

Jackson, MS 39225-2309 (601)961-5210

For C	Office Use Only: B 109
Aquifer:	

(601) 360-0535 (fax)						
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.						
Well Owner Information  Owner Name: Day Hollingsworth  Mailing Address: 23780 DIARIVET Road  Method of Lat/Long (check one): Conventional Survey						
USGS quad, Hand-held GPSV, Survey-grade GPS  Varcleave						
Pump Type (circle one)  Submersible Turbine Air Lift Centrifugal Flowing Well (Jet Piston Rotary Other (describe):						
Date Pump Installed: 6-16-15 Rated Pump Capacity: 9 Gallons Per Minute						
Is This Pump (circle one): New Repaired Replacement						
Power Type (circle one)						
Electric Diesel Gasoline Natural Gas Tractor PTO Windmill Other (describe):						
Horse Power Rating of Motor: 2 Hf Setting Depth: 120 FTD feet Number of Stages: 3						
Pump Test Data for Non Flowing Well  Date Well Tested: 6-16-15  Duration of Pump Test (minimum 4 hours): 4 hours  Static Water Level (A): 105  Feet Below Land Surface  Pumping Water Level (B): N A Feet Below Land Surface  Press Pumping Rate: 9 Gallons Per Minute						
Pump Test Data for Non Flowing Well  Date Well Tested: 6-16-15 Duration of Pump Test (minimum 4 hours): 4 hours  Static Water Level (A): 105 Feet Below Land Surface Pumping Water Level (B): N/A Feet Below Land Surface  Drawdown [(B) - (A)]: N/A Feet Below Land Surface Test Pumping Rate: 9 Gallons Per Minute  Method of measurement (circle one): Steel tape Electric tape Air line Other (describe):						
Pump Test Data for Non Flowing Well  Date Well Tested: 6-16-15  Duration of Pump Test (minimum 4 hours): 4 hours  Static Water Level (A): 105  Feet Below Land Surface  Pumping Water Level (B): N A Feet Below Land Surface  Press Pumping Rate: 9 Gallons Per Minute						
Pump Test Data for Non Flowing Well  Date Well Tested: 6-16-15 Duration of Pump Test (minimum 4 hours): 4 hours  Static Water Level (A): 105 Feet Below Land Surface Pumping Water Level (B): N/A Feet Below Land Surface  Drawdown [(B) - (A)]: N/A Feet Below Land Surface Test Pumping Rate: 9 Gallons Per Minute  Method of measurement (circle one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well  Measured shut in head:feet.						
Pump Test Data for Non Flowing Well  Date Well Tested: 6-16-15 Duration of Pump Test (minimum 4 hours): 4 hours  Static Water Level (A): 105 Feet Below Land Surface Pumping Water Level (B): N/A Feet Below Land Surface  Drawdown [(B) - (A)]: N/A Feet Below Land Surface Test Pumping Rate: 9 Gallons Per Minute  Method of measurement (circle one): Steel tape Electric tape Air line Other (describe):  Pump Test Data for Flowing Well  Measured shut in head: feet.  Well yielded GPM with a drawdown of feet after hours of pumping						
Pump Test Data for Non Flowing Well  Date Well Tested: 6-16-15 Duration of Pump Test (minimum 4 hours): 4 hours  Static Water Level (A): 105 Feet Below Land Surface Pumping Water Level (B): N A Feet Below Land Surface  Drawdown [(B) - (A)]: N A Feet Below Land Surface Test Pumping Rate: 9 Gallons Per Minute  Method of measurement (circle one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well  Measured shut in head: 6 GPM with a drawdown of 6 feet after hours of pumping  Meter Installation						
Pump Test Data for Non Flowing Well  Date Well Tested:						
Pump Test Data for Non Flowing Well  Date Well Tested: 6-6-5 Duration of Pump Test (minimum 4 hours): 4 hours  Static Water Level (A): 105 Feet Below Land Surface Pumping Water Level (B): N A Feet Below Land Surface  Drawdown [(B) - (A)]: N A Feet Below Land Surface Test Pumping Rate: 9 Gallons Per Minute  Method of measurement (circle one): Steel tape Electric tape Air line Other (describe):  Pump Test Data for Flowing Well  Measured shut in head: feet.  Well yielded GPM with a drawdown of feet after hours of pumping  Meter Installation  Meter Manufacturer: Meter Serial Number: Type of Meter:						
Pump Test Data for Non Flowing Well  Date Well Tested: 6-16-15 Duration of Pump Test (minimum 4 hours): 4 hours  Static Water Level (A): 105 Feet Below Land Surface Pumping Water Level (B): NA Feet Below Land Surface  Drawdown [(B) - (A)]: NA Feet Below Land Surface Test Pumping Rate: 9 Gallons Per Minute  Method of measurement (cIrcle one): Steel tape Electric tape Air line Other (describe):  Pump Test Data for Flowing Well  Measured shut in head: 6PM with a drawdown of feet after hours of pumping  Meter Installation  Meter Manufacturer: 7 Meter Serial Number: 7 Type of Meter: 7 Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc): 7 Type of Meter: 7 Type						

I HEREBY CERTIFY that the above statements are true to the best of my knowledg	e
Tick Ridgdell 0-472 6-18-15 Print Name of Pump Installer and License No. (if applicable)  Date	Signature of Purishinstaller
Print Name of Pump Installer and License No. (if applicable)  Date	Signature of Purionistaller

Form: OLWR-SWR-1B (4/13)