State W	Vell Report		
	Driller's Log	For Office Use Only:	
	nt of Environmental Quality	Aquifer:	
Office of Land a	and Water Resources	2 1/0	
	Box 10631	Well #: <u>C - J&Z</u>	
1 Doto drilling as	AS 39289-0631	L. S. Elevation: C147	
(001)	961-5210 4-6938 (fax)		
	, ,	E-log #:	
State Law requires that this report be prepared by the lic Department at the above address within 30 days of comp	ense holder responsible for t	he work and filed with the	
into mation on well Owner	Well or Bo	rehole Location	
(Landowner if borehole is not for a water well)	I		
Owner Name Lusa Stewart	Latitude: 88 ° 35 '589	" Longitude: 30 ° 43 '362 "	
Mailing Address: Hay 63 South	Method of Lat/Long (circle on	e): Conventional Survey,	
9	USGS quad, Hand-held	GPS, Survey-grade GPS	
11. 1		4 Twn 45 Kng 6W	
Hunty ND 39562	SE SW		
City State Zip Code	Distance Direction Miles South	Nearest Town	
Telephone No. (228) 990-4384	Miles Study	of Parison, mo	
Well / Bore	hata Data		
		_	
Date drilling started: 8-10-07 Date drilling completed: 8-10-0	67 Hole depth: 75	Hole diameter: 2	
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development: 2000 Water			
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:			
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump			
Seismic SurveyOther (describe)			
If drilling is not related to water well construction, skip the remainder of this block			
Purpose of Well (check one): HomeIndustrial Public Supply.	IrrigationFish Culture _	Other: \(\lambda \l	
If a flowing well, method of flow regulation: Valve Other (describe) Other (describe)			
Static Water Level:			
Method of Measurement (circle one) steel tape electric tape air line other:			
Well depth: 75 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix			
Casing length: 65 feet Casing diameter: 2 inches Type of casing: Sch 40 Plastic			
Screen length: 10 feet Screen diameter: 2 inches Type of screen: 5480			
Screen slot size: 6 inches Setting depth: From 0 feet to 75 feet 10 FT Screen			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development			
Other (describe):			
Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page			

The sketch	below only	required for	water wells
	OCCUPATION OF SEL	reumileu inr	WILLER WOLLS

If well telescopes, show depths on sketch.

Ground Level_____

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	T
Α		
with Sand	0	10
Α,		
blue clay	10	20
Trung sand	20	75

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well loc	cation; 2) any permanent structures on the property that may
4) a north arrow. Count Line	other items that may aid in locating the property and the well;
	☐ glore
	Sampson Rd RECEIVEL
Well and the state of the state	BY: OLWA
Landowner Name: Lisce Stewart	Form: OLWR-SW

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Realth regulations, if applicable, and state laws.

| Signature of Licensee | Date | Da

	STATE WI	ELL REPORT	
Permit #: 0 - 780 Driller: W. JCE Pierce	Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality		For Office Use Only:
Date completed: 8-10-07 Copy information from block on Part 1	P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)		Well #: OC-189 Elevation:
This part of the report must be completed to report must be attached and both parts file	by a licensed water well (ad with the Department a	contractor or a licensed pump i t the above address within 30 d	nstaller. A copy of Part 1 of the
Well Owner Information Owner Name: Lisa Staus	ion	Wei	l Location
Mailing Address: Hey 63 Sout			•
0			GPS, Survey-grade GPS
City State			
Telephone No. (228) 990 - 4384	•	Distance Direction 3 Miles South o	4
Pump Type Circle one		Į.	wer Type ircle one
Air Lift Jet	Submersible	Diesel Engine Gasolin	ne Engine Natural Gas
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO
Centrifugal Rotary	Flowing Well	Windmill Other	specify):
Other (specify):		Horse Power Rating of Motor	
	Gallons Per Minute	Setting Depth: 40 Number of Stages: 2	ΔIIc
Pump Test Data			usuring Water Level LVD
Date Well Tested: 8-10-07			rcle one
Static Water Level (A):Feet F	Below Land Surface	Air Line Electric Mea	•
Pumping Water Level (B): 45 Feet B	elow Land Surface	Other (specify):	
Drawdown [(B) - (A)]: 2 Feet B	Below Land Surface	For flowing well, measured sh	ut in head:feet
Test Pumping Rate: 10	Gallons Per Minute	Well yielded	_GPM with a drawdown of
Duration of Pump Test (minimum 4 hours):	48 hours	feet after	hours of pumping
I HEREBY GERTIFY that the above stateme	ents are true to the best of	f my knowledge.	

Print Name of Pump Installer and License No. (if applicable)

Form: OLWR-SWR-1B

Signature of Pump Installer