nt of Environmental Quality   Aquifer:				
and Water Resources Box 10631  Well #: D-246				
AS 20290 0621				
)961-5210 L. S. Elevation:				
64-6938 (fax) E-log #:				
source helder warm and I. C. of				
ense holder responsible for the work and filed with the pletion of drilling of the well or borehole.				
Well or Borehole Location				
1				
Latitude: 88 ° 27 '684" Longitude: 30 ° 42 , 28 "				
Method of Lat/Long (circle one): Conventional Survey,				
USGS quad Hand-held GPS, Survey-grade GPS				
14 Sec 11 Twn 45 Rng 5 W				
Distance Direction Nearest Town				
Distance Direction Nearest Town  Miles for Management of M				
hole Data				
Hole depth: 100 Hole diameter: 2 inch				
priole us opment: 4cal Chlorin 2000 gal water				
Logs run (circle all applicable No log run Electric Gamma Ray Density Sonic Neutron Other:				
ogical Investigation Ground Source Heat Pump				
 n, skip the remainder of this block				
IrrigationFish Culture Other:				
ther (describe)				
Static Water Level: 28feet above of below circle one) land surface Date measured: 10-21-06				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 100 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 90 feet Casing diameter: 2 inches Type of casing: 5th 40				
Screen length: 10 feet Screen diameter: 2 inches Type of screen: 4h 80 Slot				
C feet to 100 feet				
Type of completion (circle all applicable) Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
escoped or more than one screen, describe on next page				

State Well Report Part 1 – Driller's Log

PECERVE DUR-1A

JAN 0 8 2007

BY: OLW PI

For Office Use Only:

The.	sketch	below	onlv	required	for	water	walle

If well telescopes,	show depths	on	sketch.
Ground Level			<u> </u>

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
0 = 1	Ground Level	
RED CLAY YELLOW CLAY GEAVEL SAINL	0	15 FT
YE HOW CITY	15 ET	40 FT
GEAVEL SAINL	YOFT	100 FT
	· ·	
		ļ
		<u> </u>

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.
Tamboold Yellow Bleff  EAST
Huz lo 13 Sarth
Landowner Name: Saruli Roman

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

Date

JAN 0 8 2007 BY: OLWR

STATE WELL REPORT				
County: _ackson	P	art 2	T 007 II 0 1	
		Completion Report	For Office Use Only:	
Permit #: <u>6 - 780</u>		t of Environmental Quality	Aquifer:	
Λ.		nd Water Resources		
Driller: JOEL VIERCE	P.O. I	Box 10631	Well #: D- 246	
20-06	Jackson, N	fS 39289-0631	Well#:	
Date completed: 10 - 20 - 06	(601)	961-5210	m	
Copy information from block on Part 1	(601)35	4-6938 (fax)	Elevation:	
This part of the report must be completed	by a licensed water well o	contractor or a licensed pump i	nstaller. A copy of Part 1 of the	
report must be attached and both parts file		t the above address within 30 d	ays of weil completion.	
Well Owner Informat		wei	l Location	
Owner Name: Saudi Cou	an	Latitude: <u>88 27 684</u>	Longitude: <u>30 42 28</u>	
Mailing Address: LOT 15 X	ella Buff	Method of Lat/Long (check or	ne): Conventional Survey,	
		I .	GPS, Survey-grade GPS	
Huly vis	39562	JE 1/4 Sec /1	1 45 R 5W	
City '9 State	zip code	Distance Direction		
Telephone No. ()		7 Miles South o	i Agusta	
Pump Type Circle one			wer Type ircle one	
Air Lift Jet	Submersible	Diesel Engine Gasolii	ne Engine Natural Gas	
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO	
Centrifugal Rotary	Flowing Well	ļ	(specify):	
Other (specify):			:	
Date Pump Installed: 10 -20-06		Setting Depth: <u>SOFT IN</u>	side PiPE teet	
Rated Pump Capacity: /0	Gallons Per Minute	Number of Stages: 2		
Pump Test Data			easuring Water Level	
	1.		Circle one	
Date Well Tested:	9		Otto I Torre	
Static Water Level (A): 20 Feet Below Land Surface			asuring Line Steel Tape	
Pumping Water Level (B): 30 Feet	Below Land Surface	Otner (specify):		
Drawdown [(B) - (A)]:   8 Feet	Below Land Surface	For flowing well, measured s	hut in head:feet	
Test Pumping Rate: 10	_Gallons Per Minute	Well yielded	GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours)	:6hours	feet after _	hours of pumping	

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

| JOEL | First CE | O-780 | Print Name of Pump Installer and License No. (if applicable) | Signature | S

BALOWR-SWR-1B JAN 0 8 2007 BY: OLW R

Signature of Pump Installer