10 N	State We	ll Report		
County: Jackson	Part 1 – Driller's Log		For Office Use Only:	
Permit #: 0 - 780	- 780 Mississippi Department of Environmental Quality		Aquifer:	
(1) 0 (00)	Office of Land and Water Resources		D - 2//	
Driller: W. Goel (Pierce	P.O. Box		Well #:	
Date drilling completed: 4-10-67	Jackson, MS		L. S. Elevation:	
	(601)96 (601)354-6			
		· '	E-log #:	
State Law requires that this report Department at the above address	t be prepared by the licens	se holder resnonsible for t	he work and filed with the	
	THE SUME OF THE COMPANY	ion of drilling of the well	or horehole	
THIOTHIAGION ON THE COLUMN	wner	Well or Bo	rehole Location	
(Landowner if borehole is not fo	r a water well)		·	
Owner Name Blian JEFF	COAT	atitude: 00 ° 50 ° 727	" Longitude: <u>30 • 42 • 787</u> "	
Mailing Address: East wood Estates		lethod of Lat/Long (circle on	e): Conventional Survey,	
	outh	USGS quad, Hand-held	GPS Survey-grade GPS	
moss Poit us 39562		5E 1/1W 1/4 Sec 8	Twn 45 Rng 5W	
City State	0,000			
		istance Direction <u>S</u> Miles North o	Nearest Town	
Telephone No. (228) 490 - 43	<i>8</i> 7	Times Treater (" Have y	
	Well / Borehole	- D-4s		
H-10				
Date drilling started: 4-10 Date drilling completed: 4-10 Hole depth: 50 Hole diameter: 2				
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development: 4 Cycl Chlorine 2 cox winter				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe)				
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation				
Static Water Level:feet abo				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 50 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 40 feet Casing diameter: 2 inches Type of casing: Sch 46 Plast				
Screen length: 10 feet Screen diameter: 2 inches Type of screen: Sch &				
Screen slot size: 6 inches Setting depth: From 6 feet to 50 FT feet				
Type of completion (circle all applicable). Gravel packed Underreamed Telescoped Open hole Natural Development				

Other (describe):

Top of lap pipe or reduction in casing: _

Form: OLWR-SWR-1A

Open hole Natural Development

RECEIVED

MAY 0 1 2007

BY: OLWR

D-261 Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; If well telescopes, show depths on sketch. The sketch below only required for water wells If more than one screen, show location of each on sketch Ground Level_ く N/Hungbis mides famil lo Description of Formations Encountered <u>Description of formations encountered must be provided for all</u> wells and boreholes, unless specifically exempted by regulations (met soc) fuel From (depth) To (depth)
Ground Level 9 50

. .

RECEIVED

MAY 0 1 2007

RY. OLWA

	ELL REPORT	
	art 2 For Office Use Only:	
	s Completion Report	
Driller (1) Nos 1 Press Office of Land	and Water Resources	
	Box.10631 MS 39289-0631 Well #: D-26	
(601)	961-5210 4-6938 (fax) Elevation:	
SAFT HIS SHARON FLORE GLOCK ON Y WILL I		
This part of the report must be completed by a licensed water well report must be attached and both parts filed with the Department a	contractor or a licensed pump installer. A copy of Part 1 of the it the above address within 30 days of well completion.	
Well Owner Information	Well Location	
Owner Name: Brian - efficient	Latitude: 88 - 30 - 724 Longitude: 30 42 787	
Mailing Address: East awa Estate	Method of Lat/Long (check one): Conventional Survey	
Ha 613 Foruth	USGS quad, Hand-held GPS, Survey-grade GPS	
moss fout ms 34562	SE 14 MW 14 Sec 8 T 45 R 5W	
City State Zip Code	2C 4 740 4 Sec 0 1 43 R J CC	
	Distance Direction Nearest Town	
Telephone No. (<u>228) - 990 - 4387</u>	5 Miles Noute of Nuly	
Pump Type		
Circle one	Power Type Circle one	
Air Lift Submersible	Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston Turbine	Blectric Motor Hand Tractor PTO	
Centrifugal Rotary Flowing Well	Windmill Other (specify):	
Other (specify):	Horse Power Rating of Motor:	
Date Pump Installed: 4-10	Setting Depth: 25 Ft Jet Line feet	
Rated Pump Capacity: /O Gallons Per Minute	Number of Stages: 2	
Pump Test Data	Malad CM . W.	
(1 10)	Method of Measuring Water Level Circle one	
	Air Line Electric Measuring Line Steel Tape	
Static Water Level (A):Feet Below Land Surface		
Static Water Level (A):Feet Below Land Surface Pumping Water Level (B):Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify):	
Static Water Level (A):Feet Below Land Surface Pumping Water Level (B):Feet Below Land Surface Drawdown [(B) - (A)]:Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify): For flowing well, measured shut in head: feet	
Static Water Level (A):	Air Line Electric Measuring Line Steel Tape Other (specify): For flowing well, measured shut in head: GPM with a drawdown of	
Static Water Level (A):Feet Below Land Surface Pumping Water Level (B):Feet Below Land Surface Drawdown [(B) - (A)]:Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify): For flowing well, measured shut in head: feet	
Static Water Level (A):	Air Line Electric Measuring Line Steel Tape Other (specify): For flowing well, measured shut in head: Well yielded B GPM with a drawdown of	
Static Water Level (A):	Air Line Electric Measuring Line Steel Tape Other (specify): For flowing well, measured shut in head: Well yielded GPM with a drawdown of feet after HB hours of pumping	

RECEIVED

MAY 0 1 2007

BY: OLWR