County: Jack Son		
Permit #: 0 - 780	1	
Driller: W. Goel Pierce		
Date drilling completed: 420-07		

State Well Report

Part 1 - Driller's Log

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601)961-5210

(601)354-6938 (fax)

For Office Use Only:		
Aquifer:		
Well #: D-262		
L. S. Elevation:		
E-log #:		

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

Information on Well Owner (Landowner if borehole is not for a water well)	Well or Borehole Location			
	Tatituda 88 028 781 , , , , 30 .46 .44			
Owner Name_ Thomy Narrange	Latitude: 88 ° 28 '781' Longitude 30 ° 40 '416"			
Mailing Address: 234 Dais Saull Rd	Method of Lat/Long (circle one): Conventional Survey,			
	USGS quad, Hand-held GPS, Survey-grade GPS			
	1 1 1/2 1/4 Sec 21 Twn 45 Rng 5W			
Moss Pout us 39562	74 Sec 7 Iwn 70 Rng 3W			
City State Zip Code	Distance Direction Nearest Town			
Telephone No. (228) 980 - 5211	Miles North of Hully			
	· ·			
Well / Borel				
Date drilling started: 4-20-07 Date drilling completed: 4-20-	Hole depth: 50 Hole diameter: 2			
Location of the source of any surface water used for drilling:	seil us			
Method of dosing and volume of Chlorine used in drilling and develo	Sprient: 4gal chlow 2000 Water			
Logs run (circle all applicable). No log run Electric Gamma Ray	Density Sonic Neutron Other:			
July 10g(s).				
Purpose of borehole (check one): Water WellGeotechnical/Geolo	ogical Investigation Ground Source Heat Pump			
Seismic Survey Other (describe) If drilling is not related to water well construction	skin the newsit June 642 11			
Purpose of Well (check one): HomeIndustrial Public Supply_	Irrigation Fish Culture Other:			
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level:feet above of below (oircle one) land surface Date measured:				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 50 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 45 feet Casing diameter: 2	inches Type of casing: Sch 40 Plasti			
Screen length: 5 feet Screen diameter: 2	_inches Type of screen:			
Screen slot size: 6 inches Setting depth: From	O feet to 50 feet			
Type of completion (circle all applicable): Gravel packed Underre	eamed Telescoped Open hole Natural Development			
Other (describe):				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page				

Form: OLWR-SWR-1A

MAY 0 1 2007

BY: OLWR

D-262 Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; If well telescopes, show depths on sketch. The sketch below only required for water wells If more than one screen, show location of each on sketch Ground Level_ Carre Description of Formations Encountered Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations White Some From (depth) To (depth) Ground Level 50

7- 3

RECEIVED

MAY 0 1 2007

BY: OLWR

CT A TE XX	ELL DEDODT
County: Cacasan Pump Installer Permit #: 0 - 780 Driller: W. 500 Pierce Office of Land P.O. Date completed: 4-20-07 (601) Copy information from block on Part 1 (601)3: This part of the report must be completed by a licensed water well report must be attached and both parts filed with the Department of Well Owner Information	at the above address within 30 days of well completion. Well Location
Mailing Address: 234 Dawn Saultd Was foot has 39567 City State Zip Code Telephone No. (228) 990 - 5211	Latitude: 88 - 28 - 781 Longitude: 30 40 416 Wethod of Lat/Long (check one): Conventional Survey USGS quad, Hand-held GPS, Survey-grade GPS NE 1/4 NW 1/4 Sec 2 (T 45 R 5 W) Distance Direction Nearest Town 4 Miles Nouth of Hearly
Pump Type Circle one	Power Type Circle one
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas
Bucket Piston Turbine	Electric Motor Hand Tractor PTO
Centrifugal Rotary Flowing Well Other (specify): Date Pump Installed:	Windmill Other (specify):
Rated Pump Capacity: C Gallons Per Minute	Setting Depth: 20 Jet line feet Number of Stages: 2
Pump Test Data	Method of Measuring Water Level
Date Well Tested: 4-20-07	Circle one
Static Water Level (A):Feet Below Land Surface Pumping Water Level (B):Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify):
Drawdown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet
Test Pumping Rate: Gallons Per Minute	Well yielded GPM with a drawdown of
Duration of Pump Test (minimum 4 hours): 48 hours	
I HEREBY CERTIFY that the above statements are true to the best of the Print Name of Pump Installer and License No. (if applicable)	f my knowledge. Signature of Pump Installer Form: OLWR-SWR-1B

RECEIVED

MAY 0 1 2007

BY: OLWR