	State W	ell Report	Ear Offer Iles Only	
County: Jackson		art 1	For Office Use Only:	
Permit #:	Mississippi Department of Environmental Quality Office of Land and Water Resources		$\frac{\text{Aquifer:}}{\text{Well #:}} D - 285$	
Driller (MSt Water WellsRV.	P.O. Box 10631			
Date drilling completed: 9-18-07	-	IS 39289-0631 961-5210	L. S. Elevation:	
Date drilling completed:	(601)961-5210 (601)354-6938 (fax)		E-log #:	
State Law requires that this repo 30 days of completion of drilling		driller in detail and filed w	vith the Department within	
Well Owner Informa			Location	
Wher Name Joseph Perek		Latitude: <u>30 ° 42 '744</u> 45	7' Longitude: 088.30,342," 20	
Mailing Address: 6212 Wesley	OWELL Rd.	Method of Lat/Long (circle or	ne): Conventional Survey,	
		USGS quad, (Hand-held	GPS Survey-grade GPS	
MCSSFOINT MS 37562		NE 1/2 5W 1/2 Sec_ 8	Twn <u>745</u> Rn <u>gR5W</u>	
Telephone No. 288)218-071-	1	Distance Direction <u>4</u> Miles <u>NorTH</u>	Nearest Town of <u>Hapley</u>	
	Weil	Data	······································	
Purpose of Well (circle one) Home Indu	strial Public Supply	Irrigation Fish Culture	Other:	
Date well drilling started: <u>9-17-07</u> Date well drilling completed: <u>9-18-07</u>				
If flowing, method of flow regulation: Val-	ve <u>NA</u> Other (d	escribe)		
Static Water Level: 70 feet abo	ove or oelow (circle one) l	and surface Date measured:	9-18-07	
Method of Measurement (circle one) steel tape electric tape air line other:				
Hole depth: <u>255 FT</u> Well dep	h: <u>ASS FT</u>	Well grouted to a depth of	10feet	
Type of grout (circle one): Cement	Bentonite Mix			
Casing length: <u>245</u> feet Casing diameter: <u>A</u> inches Type of casing: <u>PVC</u>				
Screen length: 10 feet Screen diameter: 2 inches Type of screen: PVC				
Screen slot size: <u>.004</u> inches Setting depth: From <u></u>				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
	Other (describe):			
Top of lap pipe or reduction in casing:	A feet. If tel	escoped or more than one scre	een, describe on back of page	
Logs run (circle all applicable). No log run	Electric Gamma Ray	Density Sonic Neutron	Other:	
Name of organization running log(s): N I certify that the well was drilled, constru	<u>A</u> cted, and completed in a	ccordance with all applicable	requirements of the Mississinni	
Department of Environmental Quality an				
Jack Ridadell 0-472 Jack Ridadell 0-472				
Print Name of Water Well Contractor and License No.				
			BY: OLWH	
		<i>u</i>		

٠.

.

د

D-285

If well telescopes please sketch below and show depths.


Groun

.

٠.

ind Level	Description of Formations Encountered	From To
	orange, Clay White, Coarse, Sand Blue Clay Gray Medium Sand	15 15 33 33 140 240 35

If more than one screen, show location of each on sketch



STATE W	VELL REPORT	
Permit #: Mississippi Departm Permit #: Office of Lan Driller(Part 2 For Office Use Only: Aquifer: Aquifer: Mell #: D-285 Elevation: Elevation:	
This report should be prepared by the pump installer in do installation of pump.	etail and filed with the Department within 30 days of the	
Well Owner Information	Well Location	
Owner Names Tosephiterek	Latitude: 30° 42' 745" Longitude: 085° 30' 342"	
Mailing Address: 6212 Wesley Howell Rd	Method of Lat/Long (circle one): Conventional Survey,	
	USGS quad, Hand-held GPS) Survey-grade GPS	
mar tant ms 39562	NE 1/4 SW 1/4 Sec_ 8 Twn T45 Rng RSW	
City State Zip Code	Distance Direction Nearest Town	
Telephone No. 008 218 - 0717	4 Miles NORTH of Hurley	
Pump Type Circle one	Power Type Circle one	
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston Turbine	Electric Motor Hand Tractor PTO	
Centrifugal Rotary Flowing Well	Windmill Other (specify):	
Other (specify):	Horse Power Rating of Motor:	
Date Pump Installed: <u>9-19-07</u>	Setting Depth 90FT, Drop PIPC, feet	
Rated Pump Capacity: Gallons Per Minute	Number of Stages:	
Pump Test Data	Method of Measuring Water Level	
Date Well Tested:	Circle one	
Static Water Level (A):Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape	
Pumping Water Level (B): <u>N/A</u> Feet Below Land Surface	Other (specify):	
Drawdown [(B) – (A)]:Feet Below Land Surface	For flowing well, measured shut in head:/Afeet	
Test Pumping Rate: Gallons Per Minute	Well yielded GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours): _5 /2 hours	<u>N/A</u> feet after <u>N/A</u> hours of pumping	
I HEREBY CERTIFY that the above statements are true to the best <u>JOC K Richoll C-472</u> Print Name of Pump Installer and License No. (if applicable)	of my knowledge. Signature of Pump Installe DV1.01104E	

• • • •