	Vell Report
	Driller's Log For Office Use Only:
	nt of Environmental Quality Aquirer:
Office of Land	and Water Resources $D - 197$
	D0X 10031
Jackson, N	MS 39289-0631 L. S. Elevation:
(001))961-5210 54-6938 (fax)
(001/00	64-6938 (fax) E-log #:
State Law requires that this report be prepared by the lic Department at the above address within 30 days of comp	ense holder responsible for the work and filed with the pletion of drilling of the well or borehole.
Information on Well Owner	Well or Borehole Location
(Landowner if borehole is not for a water well)	60 20 397 39 39 (12)
Owner Name Cutto Odan	Latitude: 88 ° 29 ' 397' Longitude: 30 ° 39 ' 430' Method of Lat/Long (circle one): Conventional Survey. 26
Mailing Address: Magnetice Spur Co	Method of Lat/Long (circle one): Conventional Survey,
0 , 4.	USGS quad, Hand-held GPS, Survey-grade GPS
1 1 20.110	NE 1/1W 1/4 Sec 33 Twn 45 Rng 5W
Ruly us 37488	
City State Zip Code	Distance Direction Neares Town Miles Cost of Hule (W)
Telephone No. (202) 282 - 5867	ivines de la
Well / Bore	ehole Data
_	
Date drilling started: 1-29-08 Date drilling completed: 1-29	Hole depth: Hole diameter: L
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and deve	Große, W) 10pment: 490 alone / 2000 Water
	•
Logs run (circle all applicable). No log run Electric Gamma Ray Name of organization running log(s):	Density Sonic Neutron Other:
Logs run (circle all applicable). No log run Electric Gamma Ray Name of organization running log(s): Purpose of borehole (check one): Water Well Geotechnical/Geol	Density Sonic Neutron Other:
Logs run (circle all applicable). No log run Electric Gamma Ray Name of organization running log(s): Purpose of borehole (check one): Water Well Geotechnical/Geol	Density Sonic Neutron Other:
Logs run (circle all applicables No log run Electric Gamma Ray Name of organization running log(s): Purpose of borehole (check one): Water Well Geotechnical/Geoi Seismic Survey Other (describe If drilling is not related to water well construction.	Density Sonic Neutron Other: logical Investigation Ground Sourt Heat Pump con, skip the remainder of this block
Name of organization running log(s): Purpose of borehole (check one): Water Well Geotechnical/Geol Seismic Survey Other (describe If drilling is not related to water well construction	Density Sonic Neutron Other: dogical Investigation Ground Sourt Heat Pump on, skip the remainder of this block y Irrigation Fish Culture Other:
Logs run (circle all applicables No log run Electric Gamma Ray Name of organization running log(s): Purpose of borehole (check one): Water Well Geotechnical/Geoi Seismic Survey Other (describe If drilling is not related to water well construction Purpose of Well (check one): Home Industrial Public Supply If a flowing well, method of flow regulation: Valve Other Gamma Ray Name And Purpose of Well (check one): Home Industrial Public Supply If a flowing well, method of flow regulation: Valve Other Gamma Ray Name Ra	yIrrigation Fish Culture Styler: 26 2008
Purpose of Well (check one): HomeIndustrial Public Supply	other (describe)
Purpose of Well (check one): HomeIndustrial Public Supply If a flowing well, method of flow regulation: Valve C	Other (describe) land surface Date measured: 1-29-08
Purpose of Well (check one): HomeIndustrial Public Supply If a flowing well, method of flow regulation: Valve Of Static Water Level: feet above of below (circle one) Method of Measurement (circle one) steel tape electric tape Well depth: Well grouted to a depth of feet Type	Other (describe) land surface Date measured: 1-29-08 air line other: e of grout (circle one): Neat Cement Bentonite Mix
Purpose of Well (check one): HomeIndustrial Public Supply If a flowing well, method of flow regulation: Valve Comparison Static Water Level: feet above of below circle one) Method of Measurement (circle one) steel tape electric tape Well depth: Well grouted to a depth of feet	Other (describe) land surface Date measured: 1-29-08 air line other: e of grout (circle one): Neat Cement Bentonite inches Type of casing: Salt 40 Lastic
Purpose of Well (check one): HomeIndustrial Public Supply If a flowing well, method of flow regulation: Valve Comparison Static Water Level: feet above of Selow circle one) Method of Measurement (circle one) steel tape electric tape Well depth: 55	Irrigation Fish Culture Spiher: 6 2008 Other (describe)
Purpose of Well (check one): HomeIndustrial Public Supply If a flowing well, method of flow regulation: Valve Comparison Static Water Level: feet above of Selow circle one) Method of Measurement (circle one) steel tape electric tape Well depth: 55	Other (describe) land surface Date measured: 1-29-08 e of grout (circle one): Neat Cement Bentonite Mix inches Type of casing: Sch 40 lastic inches Type of screen: Sch 80 Plastic Offeet to 55. feet 15 casing:
Purpose of Well (check one): HomeIndustrial Public Supply If a flowing well, method of flow regulation: Valve Comparison Static Water Level: feet above of below circle one) Method of Measurement (circle one) steel tape electric tape Well depth: Well grouted to a depth of feet	Other (describe) land surface Date measured: 1-29-08 e of grout (circle one): Neat Cement Bentonite Mix inches Type of casing: Sch 40 Plastic inches Type of screen: Sch 80 Plastic feet to 55, feet 10 Summ

Top of lap pipe or reduction in casing: ______feet. If telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A

well telescopes, show depths on sketch.	wells and boreholes, unless specifically exempted by	regulations
Ground Level.	Description of Fermations Encountered From (depth)	
	Ground Lev	e!
1 :	white sand o	55
· • • • • • • • • • • • • • • • • • • •		
:		
!		
		:
1		
:		
If more than one screen, show location of each on sk		
aid in locating the well; 3) any roads, powe 4) a north arrow.	the well location: 2) any permanent structures on the property that it ines, or other items that may aid in locating the property and the	ive.
aid in locating the well; 3) any reads, powe 4) a north arrow.	Hullers was and in sociating the property and the	IVEL 2000 VA
aid in locating the weil; 3) any roads, powe 4) a north arrow.	FEB 26	IVEL 2000 VA
aid in locating the weil; 3) any roads, powe 4) a north arrow.	Hulley who stolk the property and the pr	IVEL 2000 VA
aid in locating the weil; 3) any roads, powe 4) a north arrow.	Hulley who stolk the property and the pr	IVEL 2000 VA
aid in locating the well; 3) any roads, powe 4) a north arrow.	Hulley who stolk the property and the pr	IVEL 2000 VA
aid in locating the well; 3) any roads, powe 4) a north arrow.	Hulley who stolk the property and the pr	IVEL 2000 VA
aid in locating the weil; 3) any reads, powe 4) a north arrow.	Hulley who stolk the property and the pr	IVEL 2000 VA
aid in locating the well; 3) any roads, powe 4) a north arrow.	Hully with 15 tolk	IVEL 2000 VA
aid in locating the well; 3) any reads, powe 4) a north arrow. Husbi	Huller was and in sociating the property and the	IVEL 2000 VA
andowner Name: Cautes Wolanner Value and the well/borehole was drilled, constructed	Hulley I Stolk Form: O d. and completed in accordance with all applicable requiremen	VEL 2000 VA
and in locating the well; 3) any roads, powe 4) a north arrow. Hybridiand which is a second of the well with a second or the well with a second ore	Huller was and in sociating the property and the	VEL 2000 VA

STATE WELL REPORT Part 2 For Office Use Only: Pump Installer's Completion Report Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources P.O. Box 10631 Well# Jackson, MS 39289-0631 Date completed: (601)961-5210 Elevation: (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Location Well Owner Information Latitude: 80-39-39 Thongitude: 30 - 39-430 Method of Lat/Long (check one): Conventional Survey_ USOS quad ... Hand-held GPS ... Survey-grade GPS Nearest Town Distance Direction Telephone No. (208) 282 - 5867 Power Type Pump Type Circle one Circle one Natural Gas Gasoline Engine Diesel Engine Submersible Air Lift Jet Electric Moto Hand Tractor PTO Turbine Bucket Piston Other (specify): Windmill Centrifugal Rotary Flowing Well Horse Power Rating of Motor: Other (specify): 1-29-08 Setting Depth: Date Pump Installed: Number of Stages: Rated Pump Capacity: 10 Gallons Per Minute Method of Measur Pump Test Data Circle one 1-29-08 Date Well Tested: Electric Measuring Line Air Line Feet Below Land Surface Static Water Level (A): Other (specify): Pumping Water Level (B): _______ For flowing well, measured shut in head: _ Feet Below Land Surface Drawdown [(B) - (A)]: GPM with a drawdown of 10 Well vielded Gallons Per Minute Test Pumping Rate: ___ hours of pumping Duration of Pump Test (minimum 4 hours): CERTIFY that the above statements are true to the best of my knowledge.

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer

Form: OLWR-SWR-1B