St	ate Well Report		
	rt 1 – Driller's Log For Office Use Only:		
Mississippi De	partment of Environmental Quality Aquifer:		
1 1) ():	Land and Water Resources P.O. Box 2307 Well #:		
	Jackson, MS 39225 (601)061 5210 L. S. Elevation:		
Date drilling completed: 7-28-08	(601)961-5210 (601)961-5228 (fax)		
	E-log #:		
State Law requires that this report be prepared by the license holder responsible for the work and filed with the			
Department at the above address within 30 days of completion of drilling of the well or borehole. Information on Well Owner Well or Borehole Location			
(Landowner if borehole is not for a water well)	80.31 NJ3 30.43.277		
Owner Name Sharon Farris	Latitude: $\frac{88 \cdot 31}{03}$, Longitude: $\frac{30 \cdot 43}{17}$		
Mailing Address: Changin (Cd	Method of Lat/Long (circle one): Conventional Survey,		
11	USGS quad, fland-held GPS Survey-grade GPS		
Hub us 3950	62 SE 1/2 SW /4 Sec_ 6 Twn 4 5 Rng 5 W		
City O State Zip Cod	-in		
Telephone No. (228) 938-2100			
Well / Borehole Data			
Date drilling started: 7-28-06 Date drilling completed: 7-28-06 Hole depth: 65 Hole diameter: 2			
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development: 2000 Wethor Hyper Chlorine			
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:			
Purpose of borehole (check one): Water WellGeotechnical/Geological Investigation Ground Source Heat Pump			
Seismic Survey Other (describe)			
If drilling is not related to water well construction, skip the remainder of this block			
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:			
If a flowing well, method of flow regulation: Valve Other (describe)			
Static Water Level: 3 feet above of below (circle one) land surface Date measured: 7-28-08			
Method of Measurement (circle one) steel tape electric tape air line other:			
Well depth: 65 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix			
Casing length: 60 feet Casing diameter: 2 inches Type of casing: 5ch 40 Plasti			
Screen length: feet Screen diameter: inches Type of screen:			
Screen slot size: 16 inches Setting depth:			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development			
Other (describe):			
Top of lap pipe or reduction in casing:fe	ect. If telescoped or more than one screen, describe on next page		

RECEIVED

Form: OLWR-SWR-1A (04/08)

AUG 2 0 2008

BY: OLWR

Description of formations encountered must be provided for all

wells and boreholes, unless specifically exempted by regulations

Ground Level———————————————————————————————————	Description of Formations Encountered From (depth	
	Ground Lev	vel
	wife Sand o	65
	une gono	
		$\overline{}$
1		
If more than one screen, show location of	each on sketch	
tch the property layout and include the fol	owing: 1) the well location; 2) any permanent structures on the property that	mav
aid in locating the well; 3) any r	The state of the s	well;
4) a north arrow.		
	.001	
	- N/CC	
	ads, power lines, or other items that may aid in locating the property and the	
	\wedge \wedge \wedge \wedge	
	1)alu	

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.

Print Name of Responsible Licensee and License No.

Tharon Foris

The sketch below only required for water wells

Date

Signature of Licensee

RECEIVED

Form: OLWR-SWR-1A (04/08)

AUG 2 0 2008

BY: OLWR

STATE WELL REPORT Part 2 For Office Use Only: Pump Installer's Completion Report Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources P.O. Box 2309 Well #: Jackson, MS 39225 Date completed: (601)961-5210 Elevation: (601)961-5228 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part I of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Location Well Owner Information Latitude: 88 - 31 - 643 Longitude: 30 - 43 - 277 Method of Lat/Long (check one): Conventional Survey_ , Hand-held GPS Survey-grade GPS Nearest Town Distance Direction Pump Type **Power Type** Circle one Circle one Gasoline Engine Natural Gas Air Lift Submersible Diesel Engine Electric Motor Tractor PTO Bucket Piston Turbine Hand Centrifugal Rotary Flowing Well Windmill Other (specify): Horse Power Rating of Motor: Other (specify): Setting Depth: Date Pump Installed: 10 Rated Pump Capacity: Gallons Per Minute Number of Stages: Method of Measuring Water Level Pump Test Data Circle one Date Well Tested: Electric Measuring Line Steel Tape Air Line Feet Below Land Surface Static Water Level (A): Other (specify): 30 Feet Below Land Surface Pumping Water Level (B): _ Feet Below Land Surface For flowing well, measured shut in head: _ Drawdown [(B) - (A)]: 10 Well yielded GPM with a drawdown of Test Pumping Rate: ____ Gallons Per Minute feet after _hours of pumping Duration of Pump Test (minimum 4 hours):

Y that the above statements are true to the best of my knowledge.

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer
Form: OLWR-SWR118 (04/08)

AUG 2 0 2008

BY: OLWR