State Well Report For Office Use Only: Part 1 – Driller's Log Mississippi Department of Environmental Quality Office of Land and Water Resources Well #: P.O. Box 2307 Well #: Date drilling completed: 12 - 15 - 09			
Permit #: D=280 Driller: Joel Primerian Driller: Joel Primerian Driller: Joel Primerian Diffice of Land and Water Resources Well #: Diffice of Land and Water Resources Well #: Diffice of Land and Water Resources Use State of			
Permit #: 0-190 Office of Land and Water Resources Well #: Driller: Jockson, MS 39225 L. S. Elevation:			
Driller: Jockson, MS 39225 L. S. Elevation: Date drilling completed: 12-15-09 (601)961-5210			
Date drilling completed: 12-15-09 (601)961-5210			
Date drilling completed 12-12-01			
(001)901- 0220 (IAX) P-loc m			
State Law requires that this report be prepared by the license holder responsible for the work and filed with the			
Department at the above address within 30 days of completion of ariting of the well of borenine.			
Information on Well Owner Well or Borehole Location			
(Landowner if borehole is not for a water well) Latitude: 30 . 38 . 931 . Longitude 88 . 27 . 889			
Method of Lat Long (circle one). Conventional Survey.			
CSCS quad Hand-hald Gray Servey-grade Gray			
1 1 30 30612 50 1/4 Sec. 35 Twn 45 Rng 50			
H. M. 39562 SE 34			
Hunty NO 39562 SE 34 City State Zip Code Distance Direction Negrest Two			
2 Miles East of Harty, MP			
Telephone No. (228) 588 - 3011			
Well / Borehole Data			
Date drilling started: 12-15-09 Date drilling completed: 12-15-09 Hole deptit: 85 Hole diameter. 2			
Location of the source of any surface water used for drilling: <u>Acula</u> , <u>us</u> Method of dosing and volume of Chlorine used in drilling and development: <u>2000 Walth</u> <u>490 chlo</u>			
Method of dosing and volume of Chlorine used in drilling and development: 2000 With the second			
Logs run (circle all applicable No log run Electric Gamma Ray Density Servic Neutron Other			
Name of organization running log(s):			
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump			
Seismic SurveyOther (describe)			
If drilling is not related to water well construction, skip the remainder of this block			
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:			
If a flowing well, method of flow regulation: Valve Other (describe)			
Static Water Level:			
Method of Measurement (circle one) steel tape electric tape air line other:			
Well depth: 85 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cemen Bentonite Mix			
well geptin: well grouted to a deptin of reference of grout (where one), there are a set of the set			
$\leq 1.$ m , M , \neq			
Casing length: 75 feet Casing diameter: 2 inches Type of casing: Sch 40 Plast			
Casing length: 75 feet Casing diameter: 2 inches Type of casing: Sch 40 Plast			
Casing length: 75 feet Casing diameter: 2 inches Type of casing: Sch 40 Host Screen length: 10 feet Screen diameter: 2 inches Type of screen: Sch 40 ''			
Casing length: 75 feet Casing diameter: 2 inches Type of casing: Sch 40 Host Screen length: 10 feet Screen diameter: 2 inches Type of screen: Sch 40 ''			
Casing length: 75 feet Casing diameter: 2 inches Type of casing: Sch 40 Host Screen length: 10 feet Screen diameter: 2 inches Type of screen: Sch 40 '' Screen slot size: 10 inches Setting depth: From 0 feet feet			
Casing length: 75 feet Casing diameter: 2 inches Type of casing: Sch 40 Host Screen length: 10 feet Screen diameter: 2 inches Type of screen: Sch 40 '' Screen slot size: 10 inches Setting depth: From 0 feet feet			
Casing length: 75 feet Casing diameter: 2 inches Type of casing: Sch 40 Host Screen length: 10 feet Screen diameter: 2 inches Type of screen: Sch 40 '' Screen slot size: 10 inches Setting depth: From 0 feet feet Type of completion (circle all applicable): Screen packed Underreamed Telescoped Open hole Natural Development			
Casing length: 75 feet Casing diameter: 2 inches Type of casing: Sch 40 Host Screen length: 10 feet Screen diameter: 2 inches Type of screen: Sch 40 '' Screen slor size: 10 inches Setting depth: From 0 feet feet Type of completion (circle all applicable): Screen gacked Underreamed Telescoped Open hole Natural Development Other (describe):			
Casing length: 75 feet Casing diameter: 2 inches Type of casing: Sch 40 Host Screen length: 10 feet Screen diameter: 2 inches Type of screen: Sch 40 '' Screen slot size: 10 inches Setting depth: From 0 feet feet Type of completion (circle all applicable): Screen packed Underreamed Telescoped Open hole Natural Development			

DEC 17 2009 BY: OLWR



STATE WELL REPORT			
County: <u>Jackson</u> Permit #: <u>0 - 780</u> Driller: <u>Jal Pii</u> Date completed: <u>12-15-09</u> <u>Copy information from block on Part 1</u>	ATE WELL REPORT Part 2 ppi Department of Environmental Quality ffice of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601)961-5210 (601)961-5228 (fax) Well =: Elevation: Elevation: Latitude: 30-36-931 Longitude: 68-2	241 	
	$\frac{1}{2} Method of Lat Long (check one): Conventional Survey-gradUSGS quad, Hand-held GPS_L, Survey-gradSurvey-gradSurvey-gradDistance Direction Nearest Town2 Miles East of Hunk, un$	ie GPS	
Pump Type Circle one Air Lift Jet Submer Bucket Piston Turbine Centrifugal Rotary Flowin Other (specify):	g Well Windmill Other (specify): Horse Power Rating of Motor: Setting Depth:		
Pump Test Data Date Well Tested: 12-15-09 Static Water Level (A): 3 Feet Below I Pumping Water Level (B): 60 Feet Below I Drawdown [(B) - (A)]: 2 Feet Below I Test Pumping Rate: 10 Gallons Duration of Pump Test (minimum 4 hours): 4	Method of Measuring Water Leve Circle one Circle one Air Line Electric Measuring Linc Surface and Surface Air Line For flowing well, measured shut in head: Per Minute Well yielded IO GPM with a draw	reel Tape feet rdown of	
I HEREBY CERTIFY that the above statements are July un 0 - 72 Print Name of Pump Installer and License No. (if a	Deplicable) Signature of Pump Installer DEC Form: OLWR-S	EIVED <u>172009</u> 5WR-1B (04/08 (01.WR	

••