county tackson		WELL REPORT Part 1 riller's Log	For Office Use Only: Well #: E 210
Permit 1: Driller MSHUAHERWEIISVE Date drilling completed: 9-15-15	Mississippi Departu Office of La F Jackso (nent of Environmental Quality nd and Water Resources 2.0. Box 2309 on, MS 39225-2309 601)961-5210 1)360-0535 (fax)	Aquifer: E-Log #:
State Law requires that this report Department at the above address w	be prepared by the	license holder responsible for t	the work and filed with the or borehole.
Well Owner Informati (Landowner if borehole is not for Owner Name: Aaron Hitt	on a water well)	Well or Bore Latitude: <u>3034¹53.7</u> 6	phole Location ngitude: 088° 47' 31.98" e): Conventional Survey,
Mailing Address: Double S Varcleave, MS 345 City State Telephone No. (208) 860-40	To5 Zip Code	X SE X4, Sec_	SPS, Survey-grade GPS 28 T_55_R_8 (Wardenne (Nearest Town)
	Well / E	orehole Data	
Date drilling started: <u>9-15-15</u> ate Location of the source of any surface v Method of dosing and volume of Chlori	ater used for drilli	ng: N/A	
Logs run (circle all applicable): No log r			
Name of organization running log(s): Purpose of borehole (circle one): Water	Well Geotechn	ical/Geological Investigation	Ground Source Heat Pump
Seism	ic Survey Other	(describe)	
		construction, skip the remainde	er of this block
Purpose of Well (circle all applicable):	Home Industrial	Public Supply Irrigation	Fish Culture $\partial CT \partial S 201$
Other (<i>describe</i>): If a flowing well, method of flow regu	ation: Valvo	Other (describe)	
	t [above of below (circle one)		ed: <u>9-15-15</u>
Method of measurement (<i>circle one</i>): Well depth 260 FT Well grouted to a	. ^): Meat Cement Bentonite Mix
	asing diameter:	•	casing: PK
Screen length:feet	Screen diameter: _		f screen: <u>PVC</u>
Screen slot size: <u>, 004</u> inches		r: From <u>250</u> feet	
Type of completion (circle all applicab	e): Gravel packed	Underreamed Open hole	
Other (<i>describe</i>): Top of lap pipe or reduction in casing			
If teleso	coped or more than	one screen, describe on next p	page

.

Form: OLWR-SWR-1A (4/13)

county: Jackson
Permit #:

For Office Use Only:	
Nell #: <u>E210</u>	

The sketch below only required for water wells

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

If well telescopes, show depths on sketch.			
	Description of Formations Encountered	From (depth)	To (depth)
Ground Level	FTOD Soil	Ground level	
K	ordine Clay	2	
	Drangel parsa Sand		
	Cangeclar		
	Bluerlay	$ (T) \rangle$	1 XYX
	Fray Moduling Sand	DUR 1	$\partial (m)$
	(Infinkening) Source		
	1		
f more than one screen, show location of each on sketch			
4) north arrow	Saving Road Billow & Road Double	ti to	2 2 2 2 2 2 15
andowner Name: <u>Aaron Hitt</u> HEREBY CERTIFY that the well/borehole was drilled, equirements of the Mississippi Department of Environ f applicable, and state laws. Two & Ridddell Dutt	constructed, and completed in accorda	RAMENT A	icable
rint Name of Responsible Licensee and License No.	Date Signat	ure of Licensee	<u></u>

	STATE WE	ELL REPORT	
County: JACKSON		Part 2	For Office Use Only:
Permit,#:		's Completion Report ent of Environmental Quality	well #: £210
Driller UST WATER UKIISVC.	Office of Land	and Water Resources	weil #:
Date completed: <u>9-15-15</u>). Box 2309 , MS 39225-2309	Aquifer:
Copy information from block on Part 1		, MS 37223-2307 11)961-5210	
	(601)	360-0535 (fax)	
This part of the report must be complete	d by a licensed water w	vell contractor or a licensed put	mp installer. A copy of Part 1
of the report must be attached and both Well Owner Informati			vithin 30 days of well completion. .ocation
Owner Name: <u>Aaron Hitt</u>	-	20°24'53.76"	ngitude: 088 47'31.78''
Mailing Address:	ill Road		
Mailing Address:): Conventional Survey,
		•	PS_V, Survey-grade GPS
Vancleave, N.S. 399 City State			20 T 55 R 8 W
Telephone No. (238) 860-604		(Distance) Miles <u>Nat</u> o (Direction)	(Nearest Town)
Telephone No. (220) SIC- UD-		(Distance) (Direction)	(Nearest Town)
	Pump Type	e (circle one)	
Submersible Turbine Air Lift Centrif	ugal Flowing Well (Jet) Piston Rotary Other (de	scribe):
Date Pump Installed: <u>9-19-15</u>		ited Pump Capacity:	B.5 Gallons Per Minute
Is This Pump (circle one): (New) Re	paired Replacement		
	Power Typ	e (circle one)	· · · · · · · · · · · · · · · · · · ·
\sim			•
	Tractor PTO Wind	mill Other (<i>describe</i>):	:
		mill Other (<i>describe</i>): : <u>60FT DP_feet</u> Number	
Electric Diesel Gasoline Natural Gas Horse Power Rating of Motor:	Setting Depth	: <u>GOFT DP_feet_Number</u>	
Horse Power Rating of Motor:	Setting Depth	: <u>GOFT DP</u> feet Number or Non Flowing Well	of Stages:
Horse Power Rating of Motor: 149	Setting Depth Pump Test Data fe	: <u>GOFT DP</u> feet Number or Non Flowing Well Duration of Pump Test (<i>minin</i>	num 4 hours):hours
Horse Power Rating of Motor: <u>HP</u> Date Well Tested: <u>9-19-15</u> Static Water Level (A): <u>50</u> Fee	Setting Depth Pump Test Data fe t Below Land Surface	: <u>GOFT DP</u> feet Number or Non Flowing Well Duration of Pump Test (<i>minin</i> Pumping Water Level (B):	num 4 hours):hours
Horse Power Rating of Motor: <u>HP</u> Date Well Tested: <u>9-19-15</u> Static Water Level (A): <u>50</u> Fee Drawdown [(B) - (A)]: <u>NA</u>	Setting Depth Pump Test Data for t Below Land Surface Feet Below Land Surfa	: <u>GOFT DP</u> feet Number or Non Flowing Well Duration of Pump Test (<i>minin</i> Pumping Water Level (B): 	num 4 hours): hours NA Feet Below Land Surface 8.5 Gallons Per Minute
Horse Power Rating of Motor: <u>HP</u> Date Well Tested: <u>9-19-15</u> Static Water Level (A): <u>50</u> Fee	Setting Depth Pump Test Data for t Below Land Surface Feet Below Land Surfa teel tape Electric tap	: <u>COFT DP</u> feet Number or Non Flowing Well Duration of Pump Test (<i>minin</i> Pumping Water Level (B): the Test Pumping Rate: the Air line Other (<i>describe</i>):	num 4 hours): hours NA Feet Below Land Surface 8.5 Gallons Per Minute
Horse Power Rating of Motor: <u>HP</u> Date Well Tested: <u>9-19-15</u> Static Water Level (A): <u>50</u> Fee Drawdown [(B) - (A)]: <u>NA</u> Method of measurement (<i>circle one</i>): S	Setting Depth Pump Test Data for t Below Land Surface Feet Below Land Surfa teel tape Electric tap Pump Test Data	: <u>GOFT DP</u> feet Number or Non Flowing Well Duration of Pump Test (<i>minin</i> Pumping Water Level (B): 	num 4 hours): hours NA Feet Below Land Surface 8.5 Gallons Per Minute
Horse Power Rating of Motor: <u>HP</u> Date Well Tested: <u>9-19-15</u> Static Water Level (A): <u>50</u> Fee Drawdown [(B) - (A)]: <u>NA</u> Method of measurement (<i>circle one</i>): S	Setting Depth Pump Test Data for t Below Land Surface Feet Below Land Surfa teel tape Electric tap Pump Test Data	: <u>COFT DP</u> feet Number or Non Flowing Well Duration of Pump Test (<i>minin</i> Pumping Water Level (B): the Test Pumping Rate: the Air line Other (<i>describe</i>):	of Stages:
Horse Power Rating of Motor: LHP Date Well Tested: <u>9-19-15</u> Static Water Level (A): <u>50</u> Fee Drawdown [(B) - (A)]: <u>NA</u> Method of measurement (<i>circle one</i>): S Measured shut in head:feet	Setting Depth Pump Test Data for t Below Land Surface Feet Below Land Surfa teel tape Electric tap Pump Test Data	: <u>COFT DP</u> feet Number or Non Flowing Well Duration of Pump Test (<i>minin</i> Pumping Water Level (B): the Test Pumping Rate: the Air line Other (<i>describe</i>):	num 4 hours): hours NA Feet Below Land Surface 8.5 Gallons Per Minute
Horse Power Rating of Motor: <u>HP</u> Date Well Tested: <u>9-19-15</u> Static Water Level (A): <u>50</u> Fee Drawdown [(B) - (A)]: <u>NA</u> Method of measurement (<i>circle one</i>): S Measured shut in head:feet	Setting Depth Pump Test Data for t Below Land Surface Feet Below Land Surfa teel tape Electric tap Pump Test Data t.	: <u>COFT DP</u> feet Number or Non Flowing Well Duration of Pump Test (<i>minin</i> Pumping Water Level (B): 	of Stages:
Horse Power Rating of Motor: HP Date Well Tested: 9-19-15 Static Water Level (A): 50 Fee Drawdown [(B) - (A)]: A Method of measurement (<i>circle one</i>): S Measured shut in head:feet Well yieldedGPM with a (Setting Depth Pump Test Data for t Below Land Surface Feet Below Land Surface Teel tape Electric tap Pump Test Data t. drawdown of Meter In	: <u>COFT DP</u> feet Number or Non Flowing Well Duration of Pump Test (<i>minin</i> Pumping Water Level (B): we Test Pumping Rate: the Air Line Other (<i>describe</i>): a for Flowing Well <u>A</u> feet after installation	hours of pumping
Horse Power Rating of Motor: LHP Date Well Tested: 9-19-15 Static Water Level (A): 50 Fee Drawdown [(B) - (A)]: NA Method of measurement (<i>circle one</i>): S Measured shut in head:feet Well yielded GPM with a construction of the second	Setting Depth Pump Test Data for t Below Land Surface Feet Below Land Surfa teel tape Electric tap Pump Test Data t. drawdown of Meter In	: <u>GOFT DP</u> feet Number or Non Flowing Well Duration of Pump Test (<i>minin</i> Pumping Water Level (B): nee Test Pumping Rate: oe Air line Other (<i>describe</i>): a for Flowing Well feet after nstallation Meter Serial Number:	of Stages:
Horse Power Rating of Motor: HP Date Well Tested: 9-19-15 Static Water Level (A): 50 Fee Drawdown [(B) - (A)]: NA Method of measurement (circle one): S Measured shut in head: feet Well yielded GPM with a compared Meter Manufacturer:	Setting Depth Pump Test Data for t Below Land Surface Feet Below Land Surface Feet Below Land Surface teel tape Electric tap Pump Test Data t. drawdown of Meter In	: <u>GOFT DP</u> feet Number or Non Flowing Well Duration of Pump Test (<i>minin</i> Pumping Water Level (B): ace Test Pumping Rate: De Air line Other (<i>describe</i>): a for Flowing Well feet after feet after nstallation Meter Serial Number: Type of Meter:	hours of pumping
Horse Power Rating of Motor: LHP Date Well Tested:Fee Static Water Level (A):Fee Drawdown [(B) - (A)]:NA Method of measurement (circle one): S Measured shut in head:feet Well yieldedfeet Well yieldedfeet Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier F	Setting Depth Pump Test Data for t Below Land Surface Feet Below Land Surface Teel tape Electric tap Pump Test Data t drawdown of Meter In factor (AF x .001, gal)	: <u>GOFT DP</u> feet Number or Non Flowing Well Duration of Pump Test (<i>minin</i> Pumping Water Level (B): we Air Ling Other (<i>describe</i>): a for Flowing Well <u>A</u> feet after nstallation <u>Meter Serial Number:</u> A Type of Meter: x 1000, etc):	of Stages:
Horse Power Rating of Motor: HP Date Well Tested: 9-19-15 Static Water Level (A): DO Drawdown [(B) - (A)]: NA Method of measurement (circle one): S Measured shut in head: feet Well yielded GPM with a comparison Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier F Installation Date:	Setting Depth Pump Test Data for t Below Land Surface Feet Below Land Surface Teet tape Electric tap Pump Test Data t	: <u>GOFT DP</u> feet Number or Non Flowing Well Duration of Pump Test (<i>minin</i> Pumping Water Level (B): tee Test Pumping Rate: tee Air line Other (<i>describe</i>): a for Flowing Well <u>A</u> feet after feet after nstallation <u>A</u> feet Serial Number: Afype of Meter: x 1000, etc):	of Stages:
Horse Power Rating of Motor: HP Date Well Tested: 9-19-15 Static Water Level (A): TO Fee Fee Drawdown [(B) - (A)]: NA Method of measurement (circle one): S Measured shut in head: feet Well yielded feet Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier F	Setting Depth Pump Test Data for t Below Land Surface Feet Below Land Surface Teet tape Electric tap Pump Test Data t	: <u>GOFT DP</u> feet Number or Non Flowing Well Duration of Pump Test (<i>minin</i> Pumping Water Level (B): tee Test Pumping Rate: tee Air line Other (<i>describe</i>): a for Flowing Well <u>A</u> feet after feet after nstallation <u>A</u> feet Serial Number: Afype of Meter: x 1000, etc):	of Stages:
Horse Power Rating of Motor: HP Date Well Tested: 9-19-15 Static Water Level (A): Down Fee Drawdown [(B) - (A)]: NA Method of measurement (circle one): S Measured shut in head: feet Well yielded feet Meter Manufacturer: Meter Model Number/Name:	Setting Depth Pump Test Data for t Below Land Surface Feet Below Land Surface Feet Below Land Surface teel tape Electric tap Pump Test Data t drawdown of Meter In Meter In Setting Depth Meter In Meter Installed by: spaired Replacement	: <u>GOFT DP</u> feet Number or Non Flowing Well Duration of Pump Test (<i>minin</i> Pumping Water Level (B): ace Test Pumping Rate: be Air line Other (<i>describe</i>): a for Flowing Well <u>A</u> feet after nstallation <u>Meter Serial Number:</u> A Type of Meter: x 1000, etc): nt	hours of pumping
Horse Power Rating of Motor: HP Date Well Tested: 9-19-15 Static Water Level (A): TO Fee Fee Drawdown [(B) - (A)]: NA Method of measurement (clrcle one): S Method of measurement (clrcle one): S Measured shut in head: feet Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name:	Setting Depth Pump Test Data for Pump Test Data for t Below Land Surface Feet Below Land Surface Feet Below Land Surface Teel tape Electric tap Pump Test Data t. Meter In Meter In Meter In Comparison of Compariso	<u>COFT DP</u> feet Number <u>or Non Flowing Well</u> Duration of Pump Test (<i>minin</i> Pumping Water Level (B): <u>a for Flowing Well</u> <u>be Air line</u> Other (<i>describe</i>): <u>a for Flowing Well</u> <u>feet after</u> <u>rstallation</u> <u>feet after</u> <u>rstallation</u> <u>t</u> <u>Type of Meter</u> : <u>a 1000, etc</u>): <u>a for the MDEQ</u> weight	hours of pumping
Horse Power Rating of Motor: HP Date Well Tested: 9-19-15 Static Water Level (A): DOFee Drawdown [(B) - (A)]: NA Method of measurement (circle one): S Method of measurement (circle one): S Measured shut in head: feet Well yielded Meter Manufacturer: Meter Model Number/Name:	Setting Depth Pump Test Data for Pump Test Data for t Below Land Surface Feet Below Land Surface Feet Below Land Surface Teel tape Electric tap Pump Test Data t. Meter In Meter In Meter In Comparison of Compariso	<u>COFT DP</u> feet Number <u>or Non Flowing Well</u> Duration of Pump Test (<i>minin</i> Pumping Water Level (B): <u>a for Flowing Well</u> <u>be Air line</u> Other (<i>describe</i>): <u>a for Flowing Well</u> <u>feet after</u> <u>rstallation</u> <u>feet after</u> <u>rstallation</u> <u>t</u> <u>Type of Meter</u> : <u>a 1000, etc</u>): <u>a for the MDEQ</u> weight	hours of pumping