county: Jackson STATE WELL REPORT Part 1	For Office Use Only:
Driller's Log	Well #: E233
Permit #: Mississippi Department of Environmental Quality	Aquifer:
Driller OST WATER WEISVC. Office of Land and Water Resources P.O. Box 2309	E-Log #:
Date drilling completed: <u>7-74-18</u> (601)961-5210	
(601)360-0535 (fax)	
State Law requires that this report be prepared by the license holder responsible for Department at the above address within 30 days of completion of drilling of the well	the work and filed with the or borehole.
Well Owner Information Well or Bor	ehole Location
(Landowner if borehole is not for a water well) Latitude: <u>37'2196</u> Lo	ngitude: 088°50′39.96′
Owner Name: Christian Wilkerson Method of Lat/Long (check on	e): Conventional Survey,
Mailing Address MALO INTHE KOVA	GPS, Survey-grade GPS
	,
	12 T 55 R9W
City State Zip Code 1/2 Miles East	
Telephone No. (128) 86-6299 (Distance) (Direction)	(Nearest Town)
Well / Borehole Data	
Date drilling started: 7-34-18 Date drilling completed: 7-34-18 Hole depth: 128	FT Hole diameter: <u>2"</u>
Location of the source of any surface water used for drilling:	
Method of dosing and volume of Chlorine used in drilling and development:	1000 Drilling 2GALIN
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutr	ron Other:
Name of organization running log(s):	FCEVED
Purpose of borehole (circle one) (Water Well) Geotechnical/Geological Investigation	Ground Source Heat PRECE VED
Seismic Survey Other (<i>describe</i>)	AUG-15 2018
If drilling is not related to water well construction, skip the remaind	er of this block
Purpose of Well (circle all applicable): (Home) Industrial Public Supply Irrigation	Fish Culture BY QLWR
Other (describe):	
If a flowing well, method of flow regulation: Valve Other (<i>describe</i>)	
Static Water Level:feet [above or below] land surface Date measure (circle one)	ed: <u>7-24-18</u>
Method of measurement (circle one): Steel tape Electric tape (Air line) Other (describe	?):
Well depth: 123 FT Well grouted to a depth of: 10 feet Type of grout (circle one): Neat Cement Bentonite Mix
	f casing: <u>PVC</u>
	of screen: PVC>
Screen slot size: <u>+ 006</u> inches Setting depth: From <u>112</u> feet	tofeet
Type of completion (circle all applicable): Gravel packed Underreamed Open hole	e Natural Development
Other (describe):	
Top of lap pipe or reduction in casing:	
If telescoped or more than one screen, describe on next p	page

Form: OLWR-SWR-1A (4/13)

County:	Jackson
Permit #:	

For Office Use Only:

Well #: E233

The sketch below only required for water wells

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

well telescopes, show depths on sketch.	Description of Formations Encountered	From (depth)	To (depth)
ound Level	TOPSoil	Ground level	
	pranae Clay	2	50
	Drange Codrse Sand	80	122
	J		
	1		
•	·		
nore than one screen, show location of each on sketch	L	<u> </u>	l
·	•	×	
tch the property layout and include the following:			
1) the well location	aid in locating the well		
 any permanent structures on the property that may any roads, power lines, or other items that may aid 	r are in locating the property and the well		

4) north arrow	In
- A thouse	RECEIVED AUG 15 2018 BY OLWR
	116 15 2018
por the paire Xwell	AUD
	BYOU
No. I TO	
Landowner Name: Christian Wilkerson	
LUCEDERY CERTIEY that the well/borehole was drilled constructed, and completed in accordance with all	applicable
requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of H if applicable, and state laws.	eatur regulacions,
Jack Ridadell 0472 7/25/18 Jack Kilp	huld
Print Name of Responsible Licensee and License No. Date Signature of License	nsee OLWR-SWR-1A (4/13)

County: Jackson	Part 2	For Office Her Only
•	Pump Installer's Completion Report	For Office Use Only:
Permit #: Dritler (MOSt Water Well SVC-:	Mississippi Department of Environmental Quality	Well #: <u>E033</u>
Date completed: <u>1-24-18</u>	Office of Land and Water Resources P.O. Box 2309	
	Jackson, MS 39225-2309	Aquifer:
Copy information from block on Part 1	(601)961-5210 (601) 360-0535 (fax)	
This want of the new out wound he committee		un installes A conv of Part 1
of the report must be attached and both	ed by a licensed water well contractor or a licensed pur parts filed with the Department at the above address w	within 30 days of well completion.
Well Owner Informati		ocation
Owner Name: <u>Christian Wilke</u>		ngitude: <u>088° 50′ 39.96</u> °
Mailing Address: 19306 Laru	E ROad Method of Lat/Long (check one): Conventional Survey,
- · · · · · · ·		PS, Survey-grade GPS
Vancleave, MS 398 city State		12 T 55 R9W
City State	Zip Code 1/2 Miles EAST o	· · · · · · · · · · · · · · · · · · ·
Telephone No. (228) 861-629	9 (Distance) (Direction)	(Nearest Town)
	Pump Type (circle one)	
	fugal Flowing Well (Jet) Piston Rotary Other (de	veribal.
	- $ -$	-
	Rated Pump Capacity:	Gallons Per Minute
Is This Pump (circle one); (New)Re		
\frown	Power Type (circle one)	
Flectric Diesel Gasoline Natural Gas	s Tractor PTO Windmill Other (describe):	
	· · · ·	^
Horse Power Rating of Motor: 14P	Setting Depth ()/FTDP feet Number	of Stages: 2
	Setting Depth ()/FTDP feet Number	of Stages: 2
Horse Power Rating of Motor: <u>LHP</u>	Setting Depth ()/FTDP feet Number	of Stages: 2
Horse Power Rating of Motor: <u>LHP</u> Date Well Tested: <u>7-25-18</u>	Setting Depth ()/FTDP feet Number	of Stages: 2
Horse Power Rating of Motor: <u>LHP</u> Date Well Tested: <u>7-25-18</u> Static Water Level (A): <u>50</u> Fee	Setting Depth: <u>OFTD</u> feet Number Pump Test Data for Non Flowing Well Duration of Pump Test (<i>minim</i> et Below Land Surface Pumping Water Level (B):	of Stages: num 4 hours):RECE NA Feet Below Land Suffice
Horse Power Rating of Motor: \underline{IHP} Date Well Tested: $\underline{7-25-18}$ Static Water Level (A): $\underline{50}$ Fee Drawdown [(B) - (A)]: $\underline{N/A}$	Setting Depth: <u>OFTP</u> feet Number Pump Test Data for Non Flowing Well Duration of Pump Test (<i>minin</i> et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate:	of Stages: num 4 hours):RECE NA Feet Below Land Stifface S Gallons Per Minute
Horse Power Rating of Motor: \underline{IHP} Date Well Tested: $\underline{7-25-18}$ Static Water Level (A): $\underline{50}$ Fee Drawdown [(B) - (A)]: $\underline{N/A}$	Setting Depth: OFTDC_feet Number Pump Test Data for Non Flowing Well Duration of Pump Test (minin et Below Land Surface Pumping Water Level (B):	of Stages: num 4 hours):RECE NA Feet Below Land Suffice
Horse Power Rating of Motor: <u>LHP</u> Date Well Tested: <u>7-25-18</u> Static Water Level (A): <u>50</u> Fee Drawdown [(B) - (A)]: <u>N/A</u> Method of measurement (<i>circle one</i>): S	Setting Depth: <u>OFTP</u> feet Number Pump Test Data for Non Flowing Well Duration of Pump Test (<i>minin</i> et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Level tape Electric tape Air Line Other (<i>describe</i>): Pump Test Data for Flowing Well	of Stages: num 4 hours):RECE NA Feet Below Land Stifface S Gallons Per Minute
Horse Power Rating of Motor: <u>LHP</u> Date Well Tested: <u>7-25-18</u> Static Water Level (A): <u>50</u> Fee Drawdown [(B) - (A)]: <u>N/A</u> Method of measurement (<i>circle one</i>): S Measured shut in head:feet	Setting Depth: <u>OFTD</u> feet Number Pump Test Data for Non Flowing Well Duration of Pump Test (<i>minim</i> et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air Line Other (<i>describe</i>): Pump Test Data for Flowing Well tN/A	of Stages: num 4 hours):RECE NA Feet Below Land Stifface SGallons Per Minute BY
Horse Power Rating of Motor: <u>LHP</u> Date Well Tested: <u>7-25-18</u> Static Water Level (A): <u>50</u> Fee Drawdown [(B) - (A)]: <u>N/A</u> Method of measurement (<i>circle one</i>): S	Setting Depth: <u>OFTD</u> feet Number Pump Test Data for Non Flowing Well Duration of Pump Test (<i>minim</i> et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air Line Other (<i>describe</i>): Pump Test Data for Flowing Well tN/A	of Stages: num 4 hours):RECE NA Feet Below Land Stifface SGallons Per Minute BY
Horse Power Rating of Motor: <u>LHP</u> Date Well Tested: <u>7-25-18</u> Static Water Level (A): <u>50</u> Fee Drawdown [(B) - (A)]: <u>N/A</u> Method of measurement (<i>circle one</i>): S Measured shut in head:feet	Setting Depth: <u>OFTD</u> feet Number Pump Test Data for Non Flowing Well Duration of Pump Test (<i>minim</i> et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air Line Other (<i>describe</i>): Pump Test Data for Flowing Well tN/A	of Stages: num 4 hours):RECE NA Feet Below Land Stifface SGallons Per Minute BY
Horse Power Rating of Motor: <u>LHP</u> Date Well Tested: <u>7-25-18</u> Static Water Level (A): <u>50</u> Fee Drawdown [(B) - (A)]: <u>NA</u> Method of measurement (<i>circle one</i>): S Measured shut in head: <u>feet</u> Well yielded <u>GPM with a</u>	Setting Depth: <u>(OFTD</u> feet Number Pump Test Data for Non Flowing Well Duration of Pump Test (minim et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air Line Other (describe): Pump Test Data for Flowing Well t drawdown of feet after	of Stages: num 4 hours):RECE NAL Feet Below Land Autoce S. S Gallons Per Minute BY
Horse Power Rating of Motor: <u>LHP</u> Date Well Tested: <u>7-25-18</u> Static Water Level (A): <u>50</u> Fee Drawdown [(B) - (A)]: <u>N/A</u> Method of measurement (<i>circle one</i>): S Measured shut in head: <u>feet</u> Well yielded <u>GPM with a</u>	Setting Depth: <u>(d) FTD</u> feet Number Pump Test Data for Non Flowing Well Duration of Pump Test (minim et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: iteel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well t feet after Meter Installation Meter Serial Number:	of Stages: num 4 hours):RECE NA Feet Below Land State SGallons Per Minute BY
Horse Power Rating of Motor: <u>IHP</u> Date Well Tested: 7-285-18 Static Water Level (A): 50 Fee Drawdown [(B) - (A)]: <u>N/A</u> Method of measurement (circle one): S Measured shut in head: feet Well yielded GPM with a Meter Manufacturer:	Setting Depth: OFT D feet Number Pump Test Data for Non Flowing Well Duration of Pump Test (minimeter Duration of Pump Test (minimeter Duration of Pump Test (minimeter Electric tape Pumping Water Level (B):	of Stages: num 4 hours):RE CE NA Feet Below Land Stifface SGallons Per Minute BY
Horse Power Rating of Motor: <u>LHP</u> Date Well Tested: <u>7-25-18</u> Static Water Level (A): <u>50</u> Fee Drawdown [(B) - (A)]: <u>N/A</u> Method of measurement (<i>circle one</i>): S Measured shut in head: <u>feet</u> Well yielded <u>GPM with a</u> Meter Manufacturer: <u></u> Meter Model Number/Name: <u></u> Totalizer Register Unit and Multiplier F	Setting Depth: <u>(c) FT D</u> feet Number Pump Test Data for Non Flowing Well Duration of Pump Test (minim et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air Line Other (describe): Pump Test Data for Flowing Well t feet after drawdown of feet after Meter Installation Type of Meter: factor (AF x .001, gal x 1000, etc):	of Stages:
Horse Power Rating of Motor: <u>IHP</u> Date Well Tested: 7-25-18 Static Water Level (A): 50 Fee Drawdown [(B) - (A)]: <u>NA</u> Method of measurement (circle one): S Measured shut in head: feet Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier F Installation Date:	Setting Depth: @PTDP_feet_Number Pump Test Data for Non Flowing Well	of Stages:
Horse Power Rating of Motor: <u>LHP</u> Date Well Tested: <u>7-25-18</u> Static Water Level (A): <u>50</u> Fee Drawdown [(B) - (A)]: <u>N/A</u> Method of measurement (<i>circle one</i>): S Measured shut in head: <u>feet</u> Well yielded <u>GPM with a</u> Meter Manufacturer: <u></u> Meter Model Number/Name: <u></u> Totalizer Register Unit and Multiplier F	Setting Depth: @PTDP_feet_Number Pump Test Data for Non Flowing Well	of Stages:
Horse Power Rating of Motor: <u>IHP</u> Date Well Tested: 7-25-18 Static Water Level (A): 50 Fee Drawdown [(B) - (A)]: <u>N/A</u> Method of measurement (circle one): S Measured shut in head: feet Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier F Installation Date: Is This Meter (circle one): New Re Important: By submitting the above H	Setting Depth: Duration of Pump Test (minimer test) Pump Test Data for Flowing Water Level (B):	num 4 hours):RECE hours A hours):RECE MA Feet Below Land Autoce S Gallons Per Minute BY
Horse Power Rating of Motor: <u>IHP</u> Date Well Tested: 7-25-18 Static Water Level (A): 50 Fee Drawdown [(B) - (A)]: <u>N/A</u> Method of measurement (circle one): S Measured shut in head: feet Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier F Installation Date: Is This Meter (circle one): New Re Important: By submitting the above in For agriculta	Setting Depth: <u>(c) FT D</u> feet Number Pump Test Data for Non Flowing Well Duration of Pump Test (minim et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Feet Below Land Surface Test Pumping Rate: Other (describe): Pump Test Data for Flowing Well t feet after drawdown of feet after Meter Installation Type of Meter: factor (AF x .001, gal x 1000, etc): Meter Installed by: paired Replacement Information you are certifying that this meter was installed wells, a list of approved meters is on the MDEQ w	num 4 hours):RECE hours A hours):RECE MA Feet Below Land Autoce S Gallons Per Minute BY
Horse Power Rating of Motor: <u>IHP</u> Date Well Tested: 7-25-18 Static Water Level (A): 50 Fee Drawdown [(B) - (A)]: <u>N/A</u> Method of measurement (circle one): S Measured shut in head: feet Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier F Installation Date: Is This Meter (circle one): New Re Important: By submitting the above in For agriculta	Setting Depth: Duration of Pump Test (minimer test) Pump Test Data for Flowing Water Level (B):	num 4 hours):RECE hours A hours):RECE MA Feet Below Land Autoce S Gallons Per Minute BY
Horse Power Rating of Motor: <u>IHP</u> Date Well Tested: 7-25-18 Static Water Level (A): 50 Fee Drawdown [(B) - (A)]: <u>N/A</u> Method of measurement (circle one): S Measured shut in head: feet Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier F Installation Date: Is This Meter (circle one): New Re Important: By submitting the above in For agriculta	Setting Depth: <u>(c) FT D</u> feet Number Pump Test Data for Non Flowing Well Duration of Pump Test (minim et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Feet Below Land Surface Test Pumping Rate: Other (describe): Pump Test Data for Flowing Well t feet after drawdown of feet after Meter Installation Type of Meter: factor (AF x .001, gal x 1000, etc): Meter Installed by: paired Replacement Information you are certifying that this meter was installed wells, a list of approved meters is on the MDEQ w	num 4 hours):RECE hours A hours):RECE MA Feet Below Land Autoce S Gallons Per Minute BY
Horse Power Rating of Motor: <u>IHP</u> Date Well Tested: 7-25-18 Static Water Level (A): 50 Fee Drawdown [(B) - (A)]: <u>N/A</u> Method of measurement (circle one): S Measured shut in head: feet Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier F Installation Date: Is This Meter (circle one): New Re Important: By submitting the above in For agriculta	Setting Depth: OFT DP_feet Number Pump Test Data for Non Flowing Well Duration of Pump Test (minim et Below Land Surface Pumping Water Level (B):	num 4 hours):RECE hours A hours):RECE MA Feet Below Land Autoce S Gallons Per Minute BY

s P