State W	ell Report	For Office Use Only:		
	art 1			
Mississippi Department	of Environmental Quality nd Water Resources	Aquifer: F- 209 059		
P.O. B	ox 10631			
l —	S 39289-0631 961-5210	L. S. Elevation:		
	1-6938 (fax)	E-log #:		
	Just in detail and filed to	of the Department within		
State Law requires that this report be prepared by the 30 days of completion of drilling of the well.	•			
Well Owner Information		i Location		
Owner Name Jumy Lane	Latitude: 30 • 34 · 78	J. Longitude: 088. 40. 786		
Mailing Address: Old Kelly Rd	Method of Lat/Long (circle o	7		
	USGS quad, (Hand-hele	d GPS, Survey-grade GPS		
Van Maye ME 39565		NTwn 755 Rng R1W		
City State Zip Code	Distance Direction	Nearest Town		
Telephone No. (228) 872 - 2414	Miles NORTH	of VANcleave		
Well	Data FISH POND Well			
	Fish Culture	Other:		
	well drilling completed:			
		5 <u>80 - 5 1</u>		
If flowing, method of flow regulation: ValveOther ((describe)	2 00 211		
Static Water Level: 80 feet above or below (circle one) land surface Date measured: 8-80-04				
Method of Measurement (circle one) steel tape electric tap	e air line other:			
Hole depth: <u>257</u> Well depth: <u>357</u>	Well grouted to a depth of	r10fset RECE VE		
Type of grout (circle one): Cement Bentonite Mi	•	SEP 1 6 2004		
Casing length: 227 feet Casing diameter:	inches Type of casing:	PVC BY OILW		
Screen length: 30 feet Screen diameter: 4 inches Type of screen: fw				
Screen slot size: 1008 inches Setting depth: From	227feet to	257 feet		
Type of completion (circle all applicable): Gravel packed Und	lerreamed Telescoped Op	en hole Natural Development		
Other (describe):				
Top of lap pipe or reduction in casing: NA feet. If telescoped or more than one screen, describe on back of page				
Logs run (circle all applicable): No log run Electric Garama R	ay Density Sonic Neutron	Other:		
Name of organization running log(s): P/A		his and the Mississiani		
I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the MISSISSIPPI				
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.				
Jack Ridadell 0-472	opck	Ridsdell		
Print Name of Water Well Contractor and License No.	Signatur	e of Water Well Contractor		

Ground Level	
--------------	--

Description of Formations Encountered	From	To
-1-AC.21	0	(a)
Orange Clay Brown Corresand Blue Clay Gray Medium & Corresand	12	23
Brown Charge Sand	$\lambda 3$	98
Blue Clay	198	1227
GOAN MEDIUM & COURS SAND	1227	357
<u> </u>		
		<u> </u>
·		
		T
		1
		1
	_	+

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the	e well location: 2) any nerma	ment structures on the property that may
sketch the property layout and include the following. 1) as aid in locating the well; 3) any roads, power	lines, or other items that may	aid in locating the property and the well;
4) indicate direction.	1	
		x (we)
	800	- 1 5 0.42
	4	House House
	7	BANY
\wedge	[3	Sign
1	-	
N	16	L L
·	8	
	1	
		20
		TEGRETER RECEIVED
	\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \	LE GIL
	'	SEP 15 2004
Dimony Long		DV STANT
Landowner Name: JMMJAML		BY OLW PR

Signatule of Water Well Contractor

STATE WELL REPORT

County CACKOCU

Permit #:

Driller: Coast Unterviell Srv.

Date completed: 8-2104

Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources

P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)

F	or Office Use Only:
Aquifer:	
Well #:	F-209
Elevation	n;

This report should be prepared by the pump installer in deta installation of pump.	·	
Well Owner Information	Well Location	
Owner Name: Simmy Lune	Latitude: 30°34.789 Longitude: 088°40.786	
Mailing; Address: Old Kelly Ro.	Method of Lat/Long (circle one): Conventional Survey,	
	USGS quad, (Hand-held GPS) Survey-grade GPS	
Vanctave, MS 39565 City State Zip Code	764 96 14 Sec 27 Twn 755 Rng R765	
City Guite Zip Cont	Distance Direction Nearest Town	
Telephone No. (728) 872-2732	4 Miles NORTH of VANCLEAVE	
	Power Type	
Pump Type Circle one	Circle one	
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston Turbine	Electric Motor Hand Tractor PTO	
Centrifugal Rotary Flowing Well	Windmill Other (specify):	I The co.
Other (specify): 3 HP	Horse Power Rating of Motor: 3HP RECEIV	
Date Pump Installed: 8-21-04	Setting Depth: 140' feet SEP 16	2004
Rated Pump Capacity: <u>85</u> Gallons Per Minute	Number of Stages: 6 BY: OLI	WR
Pump Test Data	Method of Measuring Water Level	
Date Well Tested:	Circle one	
Static Water Level (A): 80 Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape	
Pumping Water Level (B): 96 Feet Below Land Surface	Other (specify):	
Drawciown [(B) - (A)]: /6 Feet Below Land Surface	For flowing well, measured shut in head: W/A feet	
Test Pumping Rate: 85 Gallons Per Minute	Well yielded 85 GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):hours	/6 feet after 4 hours of pumping	
I HEFEBY CERTIFY that the above statements are true to the best	of my knowledge.	
Johnny Elkins/ Jack Rioback		
Print Name of Pump Installer and License No. (if applicable)	Signapare of Pump Installer	