	State Well Report			
Tackson	Part 1	For Office Use Only:		
County: UCC Mi	ississippi Department of Environmental C			
Permit #:	Office of Land and Water Resources	Well #: <b>F-</b> 299		
Driller COSTWATCHWEISKU.	P.O. Box 10631 Jackson, MS 39289-0631			
Date drilling completed: 10-13-06	(601)961-5210	L. S. Elevation:		
Date drining completed. 10 101 04	(601)354-6938 (fax)	E-log #:		
	be prepared by the driller in detail and	filed with the Department within		
30 days of completion of drilling of Well Owner Information		Well Location		
00	, • I			
		5.534 Longitude: (8.39.39/" 23		
Mailing Address: Granda Ka		circle one): Conventional Survey,		
1/2 0 a l c a . A M	C 2001 0	and-held GPS Survey-grade GPS		
VUNCLAUS III	$\frac{5.57545}{\text{Zip Code}} \frac{NE \times 56.4 \times 56}{NE} \times 56.4 \times 5$	c 2.3 Twn T55 Rng R7W		
Telephone No. 038 336 - 407/ Distance Direction Nearest Town  5 Miles N of VANCIEAVE				
receptione ivo. (NOTO)				
_	Well Data			
Purpose of Well (circle one Home Industrial Public Supply Irrigation Fish Culture Other:				
Date well drilling started:	Date well drilling completed:	10-12-06		
If flowing, method of flow regulation: Valve	Other (describe)			
Static Water Level:feet above	or below circle one) land surface Date me	asured: 10-12-06		
Method of Measurement (circle one) steel	,	r:		
Hole depth: 295' Well depth:	Well grouted to a de	pth offeet		
Type of grout (circle one): Cement	Bentonite Mix	0.7		
Casing length: 280 feet Casing diameter:inches Type of casing:				
Screen length: 15 feet Screen diameter: 2 inches Type of screen: PVC				
Screen slot size:				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing: MA feet. If telescoped or more than one screen, describe on back of page				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:				
Name of organization running log(s): N/A				
I certify that the well was drilled, constructed	ed. and completed in accordance with all ap	plicable requirements of the Mississippi		
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.				
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
Jack Kidgdell	0-472	but Affile HECENEL		
Print Name of Water Well Contractor and Lice	ense No. Sign	ature of Water Well Contractor 7 2 3 2006		
	<u> </u>	BY: OLWR		

From

RECEIVED

OCT 2 3 2006

BY OLWE

**Description of Formations Encountered** 

1	I		
If more than one screen, show	v location of each on sketch		
Sketch the property layout and inc	lude the following: 1) the well loca	ation; 2) any permanent structures on	the property that may
aid in locating the w	ell; 3) any roads, power lines, or of	her items that may aid in locating the	property and the well;
4) indicate direction	•		
		)	
		Granda Rd	
		91.77	
	> 1	[	
	y , }	0	
	~ 1	المح	
	F 11	. [	
	<u></u>	(2)	
		24/	1
_	Popcoper Ave	$\sim$	
	POPCORN HO	4	
	' '		
	•	2)	<b>/</b> \
		$\circ$	1
		1	
		1	(N)
.00		1	
Landowner Name: Micha	ol Di Wartino	•	İ
Landowner Haine. THE W	NI TIME THE	<del></del>	

Reffue

Signature of Water Well Contractor

If well telescopes please sketch below and show depths.

Ground Level

## STATE WELL REPORT

## County: Jackson Permit #: \_\_\_\_ Driller: COAST WATER WELLSRY. Date completed: 10 - 12 - CC

## Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601)961-5210

For Office Use Only:		
Aquifer.		
Well #:		
Elevation:		

This report should be prepared by the pump iestaller in detail and filed with the Department within 30 days of the installation of pump.  Well Owner Information  Owner Name: MY ORF DIMAY HIND  Mailing Address: POCCYN AVE.  Method of Lat/Long (circle one): Conventional Survey, USGS quad, Mand-held GPS) Survey-grade GPS  NE // SW// Sec 23 Twn 155 Rng AVW  Distance Direction Nearest Town  Telephone No. 286).3334 - 40-71  Telephone No. 286).3334 - 40-71  Telephone No. 286).3344 - 40-71  Telephone No. 286).3345 - 40-71  Telephone No. 286).3356 - 40-71  Telephone No. 286).3366 - 40-71  Telephone No. 286).3376 - 40-71  Telepho	1 5 1.1771CT 1117146	Box 10631 MS 39289-0631 Well #:				
This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the Installation of pump.  Well Owner Information  Well Location  Latitude: 30°35′534″ Longitude: D&C 39′39′39″  Method of Lat/Long (circle one): Conventional Survey, USGS quad, Gand-held GPS) Survey-grade GPS  NE 1/2 SW Sec 2/3 Twn 155 Rng R/W  Distance Direction Nearest Town  5 Miles Nof Nancielle Centrifuge  Pump Type Circle one  Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas  Bucket Piston Turbine Electric Motor Hand Tractor PTO  Centrifugal Rotary Flowing Well Windmill Other (specify):  Horse Power Rating of Motor: A HD  Setting Depth: YOP PIPE feet  Number of Stages: 3  Pump Test Data  Pump Test Data  Date Well Tested: 1-15-07  Static Water Level (A): 110 Feet Below Land Surface  Drawdown [(B) - (A)]: N/A Feet Below Land Surface  For flowing well, measured shut in head: N/A feet  Well yielded 6.5 GPM with a drawdown of	Date completed:	/ Claustians				
Installation of pump.   Well Owner Information   Well Owner Information	· ·					
Latitude: 30° 35 1534   Longitude: 288 37 39 1     Mailing Address: PORCOYN AVE     Method of Lat/Long (circle one): Conventional Survey,     USGS quad,   Mand-held GPS   Survey-grade GPS     NE						
Method of Lat/Long (circle one): Conventional Survey,  USGS quad, Nand-held GPS) Survey-grade GPS  NE // SW // Sec _23 Twn _15S Rng R740  Distance Direction Nearest Town  5 Miles N of Nancleave  Pump Type Circle one  Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas  Bucket Piston Turbine Electric Motor Hand Tractor PTO  Centrifugal Rotary Flowing Well Windmill Other (specify):  Date Pump Installed: 1 - 5 0 7  Rated Pump Capacity:	Well Owner Information					
USGS quad, Nand-held GPS) Survey-grade GPS    NE	Owner Name: MICHAEL DIMARTINO	Latitude: 30°35′534″ Longitude: 088°39′39/"				
NE 1/2 SW 1/2 Sec 2/3 Twn   5.5 Rng R7LU	Mailing Address: PODCOYN AVE.	Method of Lat/Long (circle one): Conventional Survey,				
Telephone No. 228) 33 (2 - 40 71		USGS quad, Nand-held GPS, Survey-grade GPS				
Telephone No. 228) 33 (2 - 40 71	Jancleavems 39565	NE 14 SW1/4 Sec 23 Twn 155 Rng R7W				
Pump Type Circle one  Air Lift  Jet  Submersible  Diesel Engine  Gasoline Engine  Natural Gas  Bucket  Piston  Turbine  Centrifugal  Rotary  Flowing Well  Windmill  Other (specify):  Horse Power Rating of Motor: 2 + 10  Setting Depth: 10 Flow Pipe feet  Number of Stages:  Setting Depth: 10 Feet Below Land Surface  Pump Test Data  Method of Measuring Water Level  Circle one  Natural Gas  Windmill  Other (specify):  Horse Power Rating of Motor: 2 + 10  Setting Depth: 10 Flow Pipe feet  Number of Stages:  Setting Depth: 10 Flow Pipe feet  Circle one  Method of Measuring Water Level  Circle one  Air Line  Electric Motor  Hand  Tractor PTO  Method of Measuring of Motor: 2 + 10  Setting Depth: 10 Flow Pipe feet  Circle one  Air Line  Electric Motor  Hand  Tractor PTO  Setting Depth: 10 Flow Pipe feet  Circle one  Air Line  Electric Measuring Water Level  Circle one  Air Line  Electric Measuring Water Level  Circle one  Air Line  Steel Tape  Other (specify):  Drawdown [(B) - (A)]: N A Feet Below Land Surface  For flowing well, measured shut in head: N A feet  Well yielded 6 For flowing well, measured shut in head: N A feet  Well yielded 6 For flowing well, measured shut in head: N A feet  Well yielded 6 For flowing well, measured shut in head: N A feet  Well yielded 6 For flowing well, measured shut in head: N A feet	City State Zip Code	Distance Direction Nearest Town				
Circle one  Diesel Engine  Gasoline Engine  Natural Gas  Bucket  Piston  Tractor PTO  Windmill  Other (specify):  Horse Power Rating of Motor:  Centrifugal  Pump Installed:  I - 5 - 0 7  Setting Depth:  Windmill  Other (specify):  Setting	Telephone No. (228) 33(6 - 40-71	5 Miles N of Vancleave				
Circle one  Air Lift  Jet Submersible  Diesel Engine  Gasoline Engine  Natural Gas  Flectric Motor  Hand  Tractor PTO  Windmill  Other (specify):  Horse Power Rating of Motor:  Circle one  Setting Depth:  Windmill  Other (specify):  O						
Bucket Piston Turbine  Centrifugal Rotary Flowing Well Windmill Other (specify):  Other (specify):  Date Pump Installed: 1-15-07  Rated Pump Capacity: 6, 5 Gallons Per Minute  Pump Test Data  Date Well Tested: 1-15-07  Static Water Level (A): 10 Feet Below Land Surface  Pumping Water Level (B): N/A Feet Below Land Surface  Drawdown [(B) - (A)]: N/A Feet Below Land Surface  Test Pumping Rate: 6, 5 Gallons Per Minute  Drawdown [Gallons Per Minute Well yielded 6, 5 GPM with a drawdown of		,				
Centrifugal Rotary Flowing Well Windmill Other (specify):  Other (specify):  Date Pump Installed: 1-15-07  Rated Pump Capacity: 6.5 Gallons Per Minute  Pump Test Data  Pump Test Data  Method of Measuring Water Level Circle one  Air Line Electric Measuring Line Steel Tape  Other (specify):  Other (specify):  Feet Below Land Surface  Pumping Water Level (B): N/A Feet Below Land Surface  Drawdown [(B) - (A)]: N/A Feet Below Land Surface  Test Pumping Rate: 6.5 Gallons Per Minute  Windmill Other (specify):  Horse Power Rating of Motor: 2 ##P  Setting Depth:   40 Fft - 4700 pipe feet  Number of Stages: 3  Air Line Electric Measuring Line Steel Tape  Other (specify):  For flowing well, measured shut in head: N/A feet  Well yielded 6.5 GPM with a drawdown of	Air Lift Submersible	Diesel Engine Gasoline Engine Natural Gas				
Other (specify):  Date Pump Installed: 1-15-07  Rated Pump Capacity: 6.5 Gallons Per Minute  Pump Test Data  Pump Test Data  Date Well Tested: 1-15-07  Static Water Level (A): 10 Feet Below Land Surface  Pumping Water Level (B): NA Feet Below Land Surface  Drawdown [(B) - (A)]: NA Feet Below Land Surface  Test Pumping Rate: 6,5 Gallons Per Minute  Horse Power Rating of Motor: 2 HP  Setting Depth: 140 Ff - 2100 pipe feet  Number of Stages: 3  Method of Measuring Water Level  Circle one  Air Line Electric Measuring Line Steel Tape  Other (specify):  For flowing well, measured shut in head: N/A feet  Well yielded 6.5 GPM with a drawdown of	Bucket Piston Turbine	Electric Motor Hand Tractor PTO				
Date Pump Installed:	Centrifugal Rotary Flowing Well					
Pump Test Data  Pump Test Data  Date Well Tested:	Other (specify):	7 7 7				
Pump Test Data    Date Well Tested:	Date Pump Installed: 1-15-07	Setting Depth: 140 Ft - drop Pipe feet				
Circle one  Static Water Level (A): 10 Feet Below Land Surface  Pumping Water Level (B): NA Feet Below Land Surface  Drawdown [(B) - (A)]: NA Feet Below Land Surface  Test Pumping Rate: 6.5 Gallons Per Minute  Circle one  Air Line Electric Measuring Line Steel Tape  Other (specify):  For flowing well, measured shut in head: N/A feet  Well yielded 6.5 GPM with a drawdown of	Rated Pump Capacity:	Number of Stages: 3				
Circle one  Static Water Level (A): 10 Feet Below Land Surface  Pumping Water Level (B): NA Feet Below Land Surface  Drawdown [(B) - (A)]: NA Feet Below Land Surface  Test Pumping Rate: 6. S Gallons Per Minute  Circle one  Air Line Electric Measuring Line Steel Tape  Other (specify):  For flowing well, measured shut in head: N/A feet  Well yielded 6. S GPM with a drawdown of	Pump Test Data	Method of Measuring Water Level				
Static Water Level (A):		)				
Pumping Water Level (B): NA Feet Below Land Surface  Drawdown [(B) - (A)]: NA Feet Below Land Surface  Test Pumping Rate: Gallons Per Minute  Other (specify):  For flowing well, measured shut in head: N/A feet  Well yielded GPM with a drawdown of		Air Line Electric Measuring Line Steel Tape				
Drawdown [(B) - (A)]: NA Feet Below Land Surface For flowing well, measured shut in head: NA feet  Test Pumping Rate: Gallons Per Minute Well yielded GPM with a drawdown of		Other (specify):				
Test Pumping Rate: 6,5 Gallons Per Minute Well yielded 6,5 GPM with a drawdown of	. '_	For flowing well, measured shut in head: N/A feet				
Duration of Pump Test (minimum 4 hours):hours	Test Pumping Rate: 6,5 Gallons Per Minute					
	Duration of Pump Test (minimum 4 hours):hours	N/A feet after N/A hours of pumping				

I HEREBY CERTIFY that the above statements are true to the best of	my knowledge	
Jack Ridgdell D-472	Jack Ritzh	u v
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	And the second second
	7/	San