County: JACKSON	1	ell Report	For Office Use Only:	
Permit #:	Mississippi Department of Environmental Quality Office of Land and Water Resources		Aquifer:	
Driller COASt Water Well STV.	P.O. E	Box 10631	Well #: <u>F-330</u>	
Date drilling completed: 3-4-01		IS 39289-0631 961-5210	L. S. Elevation:	
		4-6938 (fax)	E-log #:	
State Law requires that this rep 30 days of completion of drilling		driller in detail and filed w	ith the Department within	
Well Owner Information		Well	Location	
Owner Name TONY Parns	211 Latitude: <u>30 • 34</u>		" Longitude: <u>(18 • 40</u> • <u>1043</u> "	
Mailing Address: Omas Ro	<u>l.</u>	Method of Lat/Long (circle on		
		USGS quad Hand-held	GPS, Survey-grade GPS	
Van Cleave, MS 395(05 City State Zip Code		NE 1/2 NUL/2 Sec 34 TWNT55 Rng R 7W		
Telephone No. <u>228</u> <u>219 - 109</u>	0	Distance Direction Miles <u>No 147</u>	Nearest Town of Awcleane	
Well Data				
Method of Measurement (circle one) s Hole depth: <u>89</u> Well dep Type of grout (circle one): Cement Casing length: <u>79</u> feet Casin Screen length: <u>10</u> feet Scree Screen slot size: <u>008</u> inches Type of completion (circle all applicable):	Alve Other (de bove or below) (circle one) la teel tape electric tape pth: 87 ' Bentonite Mix ng diameter: Q cen diameter: Q Setting depth: From Gravel packed Underr Other (describe):	and surface       Date measured:	$\frac{3 - 4 - 07}{10}$ feet $\frac{0}{10}$ $\frac{0}{10}$ feet $\frac{0}{10}$ $\frac{0}{10}$ feet hole Natural Development	
Cop of lap pipe or reduction in casing:feet. If telescoped or morε than one screen, describe on back of page				
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:				
Name of organization running log(s): NHA I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi				
Certify that the wen was drifted, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.				
JACK RIDGDELL Print Name of Water Well Contractor and	0-472	_ Jan	Water Well Contractor	

• • a

-


F- 330

If well telescopes please sketch below and show depths.

Ground Level

Description of Formations Encountered	From	То
 100 801	$\top 0$	a
Orange Clay	12	D
BIDWA COARSP Sand	110	28
pranae + White clay	28	75
BIDUND COARSE SIND	75	89
	_	
	-+	<u> </u>
		<b> </b>
	1	
		t
· · · · · · · · · · · · · · · · · · ·	··	
		LJ

If more than one screen, show location of each on sketch



Signature of Water Well Contractor

STAT	E WELL REPORT
Permit #: Mississippi De Office of Driller: COAST WATER WELLSRV. Jac Date completed: 3-6-07	Part 2         installer's Completion Report         epartment of Environmental Quality         of Land and Water Resources         P.O. Box 10631         ckson, MS 39289-0631         (601)961-5210         (601)354-6938 (fax)    For Office Use Only: Aquifer:         r in detail and filed with the Department within 30 days of the
installation of pump. Well Owner Information	Well Location
Well Owner Information Owner Name: <u>TONY Parnell</u> Mailing Address: <u>OMAS Rd</u> . <u>Vancleave</u> , <u>MS 375</u> City State Zip Code Telephone No. <u>208</u> , <u>219 - 1090</u>	Latitude: <u>30'34'416</u> Longitude <u>088'40'64</u> Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS) Survey-grade GPS <u>NE 14 NW 14 Sec 34</u> Twn <u>T55</u> Rng <u>R7W</u> Distance Direction Nearest Town <u>3</u> Miles <u>NOrth of Vanc Jeave</u>
Ритр Туре	Power Type
Circle one	Circle one
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas
Bucket Piston Turbine	Electric Motor Hand Tractor PTO
Centrifugal Rotary Flowing Well	Windmill Other (specify):
Other (specify):	Horse Power Rating of Motor:
Date Pump Installed: 4-17-07	Setting Depth: 40FT. Drop Pipercet
Rated Pump Capacity:	
Pump Test Data	Method of Measuring Water Level
Date Well Tested: 4-17-07	Circle one
Static Water Level (A): 25Feet Below Land Surfa	Air Line Electric Measuring Line Steel Tape
Pumping Water Level (B): N/A Feet Below Land Surfa	Other (marifi)
Drawdown $[(B) - (A)]$ : $NA$ Feet Below Land Surface	
Test Pumping Rate: <u>8</u> Gallons Per Minur	
Duration of Pump Test (minimum 4 hours):hour	rsfeet afterhours of pumping
I HEREBY CERTIFY that the above statements are true to the <u>Jack Ridgell 0-472</u> Print Name of Pump Installer and License No. (if applicable)	e best of my knowledge. Signature of Pump Installet MAY 2 2007
	BY: OLWA