State V	Vall Depart				
	State Well Report				
	Driller's Log	For Office Use Only:			
	nt of Environmental Quality and Water Resources	Aquifer: Well #: F-358			
	Box 10631	weil #:			
Jackson, I	MS 39289-0631	L. S. Elevation:			
)961-5210 54-6938 (fax)	E-log #:			
(001)3.	14-0930 (lax)				
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.					
Information on Well Owner		rehole Location			
(Landowner if borehole is not for a water well)	1				
Owner Name Kristy Basoco	1 31	" Longitude: W81° 39 , 20.1"			
Mailing Address: 2845 Black foot	Method of Lat/Long (circle on	ne): Conventional Survey,			
Vancleave, US		GPS, Survey-grade GPS			
228, 219, 0641					
City State Zip Code	Distance Direction	of Vanc Cave			
Telephone No. ()	WINCS				
/ , Well / Bor					
Date drilling started: $\frac{4}{6}$ 07 Date drilling completed: $\frac{4}{7}$ Hole depth: 260 Hole diameter. 5					
Location of the source of any surface water used for drilling:					
Method of dosing and volume of Chlorine used in drilling and deve	lopment: 12 16 Dec 1	noth 897 Charing			
Method of dosing and volume of Chlorine used in drilling and development: 1216. per 100016 897. Chlorine					
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:					
Purpose of borehole (check one): Water Well A Geotechnical/Geological Investigation Ground Source Heat Pump					
Seismic Survey Other (describe					
If drilling is not related to water well construction, skip the remainder of this block					
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other.					
	ther (describe)				
Static Water Level: 60 feet above or below (circle one) land surface Date measured: 4/7/07					
Method of Measurement (circle one) steel tape electric tape air line other:					
Well depth: 260 Well grouted to a depth of 15 feet Type of grout (circle one): Neat Cement Bentonite Mix					
Casing length: 250 feet Casing diameter: 2 inches Type of casing: PVC					
Screen length: 10 feet Screen diameter: 2 inches Type of screen: PVC					
Screen slot size:inches Setting depth: Fromfeet tofeet tofeet					
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development					
Othør (describe):					
Top of lap pipe or reduction in casing:					

¢

	F-	35	
The sketch below only required for water wells If well telescopes, show depths on sketch.	Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations		
Ground Level	Description of Formations Encountered From (depth) To (d	epth)	
	Ground Level	5	
	White Sugar Sand 3 1	5	
	Soft Blue May 85 7	5	
	Hard Blue Clay 75 2	70	
	Lourse H. O Sand 230 2	<u>80</u> 16 t	
	· · · · · · · · · · · · · · · · · · ·		

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.

Landowner Name:

Form: OLWR-SWR-1A

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

law 14/07 Δ Dna Date

Print Name of Responsible Licensee and License No.

1502-392-5031

Signature of Licensee

7.q

990:30 70 +1 3uA

STATE WELL REPORT					
Vell Owner Name: 154 Back	htty: $\int ac. (Son)$ mit #: $Q - (0.5)Q$ http:// $Q - (0.5)Q$ h		art 2 For Office Use Only: a Completion Report Aquifer: t of Environmental Quality Aquifer: Matter Resources Box 10631 Sox 30631 Box 39289-0631 961-5210 Elevation: Levation: Elevation:		
Telephone No. ()		Milesof	Jancleave_		
Pump Type Circle one	Nak		ver Type rcle one		
Air Lift Jet	Submersible	Diesel Engine Gasolin	e Engine Natural Gas		
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO		
Centrifugal Rotary	Flowing Well	Windmill Other (specify):		
Other (specify):		Horse Power Rating of Motor:			
Date Pump Installed: 4/7/07		Setting Depth:feet			
Rated Pump Capacity:	Gallons Per Minute	Number of Stages:	7		
Pump Test Data		Method of Measuring Water Level			
Date Well Tested: 4/7/C	4/7/00		rcle one		
Static Water Level (A): 60 Feet			suring Line Steel Tape		
Pumping Water Level (B): 60 Feet Below Land Surface		Other (specify): 7/0/2			
Drawdown [(B) - (A)]:Feet	Below Land Surface	For flowing well, measured she	ut in head:feet		
Test Pumping Rate:9	Gallons Per Minute Well yieldcd		_GPM_with a drawdown of		
Duration of Pump Test (minimum 4 hours):	hours	feet after	hours of pumping		
I HEREBY CERTIFY that the above statements are true to the best of my knowledge. <u>KONALO</u> <u>MASD</u> - <u>0-655</u> Print Name of Pump Installer and License No. (if applicable) Form: OLWR-SWR-1B					

•