	State W	ell Report	For Office Use Only:	
County: Tackson		art 1	l	
/	Mississippi Departmen	t of Environmental Quality	Aquifer: F 427	
Permit #:	l	nd Water Resources	Well #:	
Driller Coost-Water Wellski		Box 10631 IS 39289-0631	L. S. Elevation:	
Date drilling completed: 7-16-10	i .	961-5210		
Date drining completed.		4-6938 (fax)	E-log #:	
State Law requires that this rep 30 days of completion of drilling	ort be prepared by the	driller in detail and filed w	rith the Department within	
Well Owner Information		Wel	Location	
Owner Name Neal Clark			& Longitude: 088. 43./5.48	
Mailing Address: 18910 Busby Rd.		Method of Lat/Long (circle one): Conventional Survey,		
		USGS quad, (Hand-held	GPS Survey-grade GPS	
Vancleave, r	Ms 39565	NE 1/4 NE 1/2 Sec /8	Twn 755 Rng R7 W	
Telephone No. 208 219 - 4132		Distance Direction Miles	Nearest Town	
	Well I	l Data		
Purpose of Well (circle one) Home Inc			Other:	
Date well drilling started: 7-14-	Date w	vell drilling completed:	16-10	
If flowing, method of flow regulation: Va	lve Mt Other (d	escribe)		
Static Water Level: 103 feet al	pove of below tricle one) l	and surface Date measured:	7-16-10	
Method of Measurement (circle one) s	teel tape electric tape	air line other:		
Hole depth: 810 FT. Well de	pth: 810 FT	Well grouted to a depth of	10 feet	
Type of grout (circle one): Cement	Bentonite Mix			
Casing length: 790 feet Casin	ng diameter:	inches Type of casing:		
Screen length: 20 feet Scre	en diameter:	inches Type of screen:	PVC	
Screen slot size: inches	Setting depth: From	79 <i>0</i> feet to 8	10 feet	
Type of completion (circle all applicable):	Gravel packed Under	reamed Telescoped Open	hole Natural Development	
	Other (describe):			
Top of lap pipe or reduction in casing:	<u>'</u>	escoped or more than one scre	_	
Logs run (circle all applicable): No log run	n) Electric Gamma Ray	Density Sonic Neutron	Other:	
Name of organization running log(s): I certify that the well was drilled, constr	noted and completed !	acondones with all and the tra		
Department of Environmental Quality a	inmor the mississippi Dep	artment of Health regulations	and state laws.	
Jack Ridgdell O.	-472	Auch	Righer	
Print Name of Water Well Contractor and	License No.	Signature of	Water Well Contractor	
			The late of the	
			ALIC 1 C Offi	

AUG 1 & 2010



Ground Level	
·	

Topsoil Orange clay Drange Coarse sand Drange Coars	Description of Formations Encountered	From	То
Orange Clay Drange Coarse Sand 35 55 Blue Clay W/streaks Of Sand 55 134 Low Medium to Medium Sand 634675 Blue Clay 675 750		0	2
Blue Clay W/streaks Of Sand 55 634 Low Medium fo Medium Sand 634675 Blue Clay		a	25
Townedium for Medium Sand 634675	prange Coarse Sand	525	5 5.
	Blue Clay W/streaks Of Sand	55,	234
	Low Medium fo Medium Sand	634	675
Gray Coarse: Sand 750810		675	150
	Gray coarse Sand	15U	\mathcal{S}/\mathcal{U}
		ļ	
		 	
		 	
			
		 	
		 	
1 1			

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and the well;

4) indicate direction.

Bus 84

Landowner Name: Neal Clark

Signature of Water Well Contractor

RECEIVED

AUG 1 & 2010

EV-OIME

STATE WELL REPORT

County: Jackson Permit #: Date completed: 7-10-10

Owner Name:

Well Owner Information

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

Print Name of Pump Installer and License No. (if applicable)

Part 2

Pump Installer's Completion Report

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631

(601) 961-5210 (601) 354-6938 (fax)

For Office Use Only:			
Aquifer:	F427		
Well #:			
Elevation:			

Latitude 30°36'50,68 Longitude 088°43'15,48"

This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump. Well Location

Mailing Address: 18910 BUSBY Rd.		Method of Lat/Long (circle one): Conventional Survey,			
•		USGS quad, (Hand-held GPS) Survey-grade GPS			
Vancleave, MS 39565 City State Zip Code		NG 1/4 NG 1/4 Sec 18 Twn 755 Rng R7 W Distance Direction Nearest Town			
Telephone No. 28 219 - 4132			6 Miles NOATH of Vancleave		
	Pump Type		· · · · · · · · · · · · · · · · · · ·	Power Type	
	Circle one			Circle one	
Air Lift (J	et	Submersible	Diesel Engine	Gasoline Engine	Natural Gas
Bucket P	Piston 7	Turbine	Electric Motor	Hand	Tractor PTO
Centrifugal F	Rotary	Flowing Well	Windmill	Other (specify):	
Other (specify):			Horse Power Rating of Motor HP		
Date Pump Installed: 7-17-10		Setting Depth: 120FT. Drop Pipe feet			
Rated Pump Capacity: 9.5 Gallons Per Minute Number of Stages: 2					
Pump Test Data		Method of Measuring Water Level			
B. W. T	17 10			Circle one	
Date Well Tested:	1 1-10		Air Line El	ectric Measuring Line	Steel Tape
Static Water Level (A): 103 Feet Below Land Surface			_	•	
Pumping Water Level (B):Feet Below Land Surface		Other (specify):			
Drawdown [(B) – (A)]: Feet Below Land Surface		For flowing well, n	neasured shut in head:	MA feet	
Test Pumping Rate: Gallons Per Minute		Well yielded	24 GPM with a	drawdown of	
Duration of Pump Test (minimum 4 hours): 4/2 hours N/A feet after N/A hours of pumping				ours of pumping	

Signature of Pump Installer