| | State w | en Keport | For Office Use Only: | | |
|---|---------------------------------------|-------------------------------|---------------------------------------|--|--|
| County: Jackson | | art 1 | · · · · · · · · · · · · · · · · · · · | | |
| County | Mississippi Departmen | t of Environmental Quality | Aquifer: F436 | | |
| Permit #: | | nd Water Resources | Well #: | | |
| Driller: Const Whiter Well SRV. | • | Sox 10631 | | | |
| Date drilling completed: 3-16-11 | · · · · · · · · · · · · · · · · · · · | IS 39289-0631 961-5210 | L. S. Elevation: | | |
| Date drilling completed: | | 4-6938 (fax) | E-log #: | | |
| | • | , | | | |
| State Law requires that this rep | ort be prepared by the | driller in detail and filed w | ith the Department within | | |
| 30 days of completion of drilling | of the well. | | | | |
| Well Owner Informa | | | | | |
| Owner Name David Lipsco | ^. | Latitude: 30 · 34 · 44 8 | 14 8 Longitude 108 37 11.94, | | |
| Mailing Address: 2800 Starling | Rd. | Method of Lat/Long (circle or | ne): Conventional Survey, | | |
| | | | GPS Survey-grade GPS | | |
| Vancleave, M | We MS 3956 NW 1/58 1/ Sec 26 | | Twn 755 Rng R 7 W | | |
| City Sta | te Zip Code | Distance Direction | Nearest Town | | |
| Telephone No. (2018) 826 - 185 | 54Miles | | Nearest Town of Vancleure | | |
| | Weil I | Data Data | Davidantial | | |
| _ | | | Residential | | |
| _ | | | Other: High Hond | | |
| Date well drilling started: 3-15-1 Date well drilling completed: 3-16-1 | | | | | |
| If flowing, method of flow regulation: Valve Other (describe) | | | | | |
| Static Water Level: 105 feet above of below (circle one) land surface Date measured: 3-16-11 | | | | | |
| Method of Measurement (circle one) steel tape electric tape air line other: | | | | | |
| Hole depth: <u>A 70 FT.</u> Well depth: <u>A 10 FT.</u> Well grouted to a depth of <u>10</u> feet | | | | | |
| Type of grout (circle one): Cement Bentonite Mix | | | | | |
| Casing length: 250 feet Casing diameter: 4 inches Type of casing: PVC | | | | | |
| Screen length: 20 feet Screen diameter: 4 inches Type of screen: PVC | | | | | |
| Screen slot size: 1008 inches Setting depth: From 250 feet to 370 feet | | | | | |
| Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development | | | | | |
| Other (describe): | | | | | |
| Top of lap pipe or reduction in casing: N/A feet. If telescoped or more than one screen, describe on back of page | | | | | |
| Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: | | | | | |
| Name of organization running log(s): N/A | | | | | |
| I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi | | | | | |
| Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. | | | | | |
| A A A | | | | | |
| Jack Ridgdell 0-4 | 172 | al | - Kilder RECEVA | | |
| Print Name of Water Well Contractor and | License No | Signature of | Water Well Contractor | | |

Lewis Printing - Pascagoula, MS

If more than one screen, show location of each on sketch

| Sketch the property layout and include the following: aid in locating the well; 3) any roads, por 4) indicate direction. | 1) the well location; 2) any p wer lines, or other items that | permanent structure t may aid in locatin | s on the property that g the property and the | may e well; |
|--|--|---|--|----------------|
| | STARLING RO | 010 | River Romo | Loop |
| | Pow Pour | 6. A. | | |
| | ¥ well | , d | | |
| | 140-52 A | | | |
| | | | | |
| Landowner Name: David Lipscomb | | | | |

Signature of Water Well Contractor

RECEIVED

MAR 2 1 2011

RY OIWR

STATE WELL REPORT

Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality

Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601) 961-5210

| For Office Use Only: | | | | |
|----------------------|--|--|--|--|
| Aquifer: | | | | |
| Well #: | | | | |
| Elevation: | | | | |

(601) 354-6938 (fax) This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump. Well Location Well Owner Information 34' 44. 88"Longitude: 088" 39' 11. 94" Method of Lat/Long (circle one): Conventional Survey, Mailing Address: 6 USGS quad, Hand-held GPS Survey-grade GPS NW 1/SE 1/2 Sec 26 TwnT 55 RngR 7W Nearest Town Distance Direction Telephone No. (298) 826 - 1854 Power Type Pump Type Circle one Circle one Gasoline Engine Natural Gas Submersible Diesel Engine Air Lift Jet Tractor PTO Hand Turbine Electric Motor Piston Bucket Other (specify): Windmill Flowing Well Centrifugal Rotary Horse Power Rating of Motor:, Other (specify): Date Pump Installed: Gallons Per Minute Number of Stages: Rated Pump Capacity: Method of Measuring Water Level Pump Test Data Circle one Date Well Tested: Air Line Electric Measuring Line Steel Tape Static Water Level (A): Feet Below Land Surface Other (specify): Pumping Water Level (B): NA Feet Below Land Surface For flowing well, measured shut in head: Feet Below Land Surface 42 Gallons Per Minute 70 GPM with a drawdown of Well vielded Test Pumping Rate: N/A feet after N/A hours of pumping

| I HEREBY CERTIFY that the above statements are true to the best of | my knowledge. | |
|--|----------------------------|---------------|
| Jack Ridadell 0-472 | auch kil pl | LOC RECEIVED |
| Print Name of Pump Installer and License No. (if applicable) | Signature of Pump Installe | r |
| | | ARAD 2 1 2044 |