Permity: Drillet OS WA LY WEISEV Date drilling completed: 0/17/1/ State Law requires that this rep	Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 L. S. Elevation:			
30 days of completion of drilling of the well.				
Owner Name Barbara Agent			" Longitude \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
Mailing Address: Wade - Vancleave Rd.		Method of Lat/Long (circle one): Conventional Survey,		
		USGS quad Hand-held GPS Survey-grade GPS		
Janclare, Ms 39565 City State Zip Code			Twn T55 Rng R7 W	
Telephone No. <u>228</u> 826 - 4652		Distance Direction 5 Miles No 27H	Nearest Town of Vancleare	
Well Data				
Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other:				
Date well drilling started: 6/16/11 Date well drilling completed: 6/17/11				
If flowing, method of flow regulation: Valve Other (describe)				
Static Water Level: 120 feet above or below circle one) land surface Date measured: 17/1/				
Method of Measurement (circle one) steel tape electric tape air line other:				
Hole depth: 276FT. Well depth: 276FT- Well grouted to a depth of 10 feet				
Type of grout (circle one): Cement Bentonite Mix				
Casing length: 26 feet Casing diameter: 2 inches Type of casing: PVC				
Screen length: 15 feet Screen diameter: 2 inches Type of screen: PVC				
Screen slot size:				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page				
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:				
Name of organization running log(s): N/A				
I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi				
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. Jack Ridall D-177 Jan Ridgiller				
Print Name of Water Well Contractor and	License No.	Signature of	Water Well Contractor	

State Well Report

Part 1

For Office Use Only:

Lewis Printing - Pascagoula, MS

nae Clay nae Clay UN Coarse, Sand Clay W/Streaks of Sar Coarse, Sand	d 40 30	15 90 230 2 N
Clay Wistreaks of Sar	d 40 330	90 330 3 No
Clay Wistreaks of Sar	d 40 30	230 270
	330	276 ————————————————————————————————————
		1
	'	
		\neg
ny nermanent structures on the property	that may	
that may aid in locating the property an	d the well;	
		Ì
	-	_
/2		
/n2 kg		
/ 6		
/ NS		1
∕ <i>x</i> ³`		
mau 1		
ν.		
1.		
V		
v		
v		
V		
V		
V		
ν.		
	rinting Pascago	
	ny permanent structures on the property and that may aid in locating the property and the p	/5

STATE WELL REPORT				
Mississippi Departr	Part 2 For Office Use Only: ment of Environmental Quality and and Water Resources For Office Use Only: Aquifer:			
Driller: COST Water UK SKV. Jackson (6)	D. Box 10631 n, MS 39289-0631 01) 961-5210) 354-6938 (fax) Elevation:			
This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump.				
Owner Name: Barbara Agent	Well Location Latitude: 3636918" Longitude: 188941'5286"			
Mailing Address: 5401 Wade Vancleave Rd	Method of Lat/Long (circle one): Conventional Survey,			
	USGS quad, (Hand-held GPS) Survey-grade GPS			
Vancleave, Ms 39565 City State Zip Code	NE 1/4 NE 1/4 Sec ZO TwnT55 Rng R 7W			
	Distance Direction Nearest Town			
Telephone No. (2018 826 - 4652	5 Miles NORTH of VANcleaue			
Pump Type	Power Type			
Circle one	Circle one			
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas			
Bucket Piston Turbine	Electric Motor Hand Tractor PTO			
Centrifugal Rotary Flowing Well	Windmill Other (specify):			
Other (specify):	Horse Power Rating of Motor:			
Date Pump Installed:	Setting Depth: 140 FT. Nop Pipe Rect			
Rated Pump Capacity: 5.6 Gallons Per Minute	Number of Stages: 3			
Pump Test Data	Method of Measuring Water Level			
Date Well Tested: 6/17/11	Circle one			
Static Water Level (A): 120 Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape			
Pumping Water Level (B): Feet Below Land Surface	Other (specify):			
Drawdown [(B) – (A)]: NA Feet Below Land Surface	For flowing well, measured shut in head:feet			
Test Pumping Rate: 5.6 Gallons Per Minute	Well yieldedGPM with a drawdown of			
Duration of Pump Test (minimum 4 hours):hours	N/A feet after N/A hours of pumping			

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer

Signature of Pump Installer